

## DAFTAR PUSTAKA

- Acharya, P. P., Kupendra, M. H., Fasim, A., More, S. S., & Murthy, V. K. (2022). A comparative assessment of collagen type 1 from silver carp (fresh water) and milk shark(marine) fish waste. *3 Biotech*, *12*(3), 82. <https://doi.org/10.1007/s13205-022-03114-5>
- Ahmad, M., & Benjakul, S. (2010). *Extraction and characterisation of pepsin-solubilised collagen from the skin of unicorn leatherjacket (Aluterus monocerous)*. *Food Chemistry*, *120*(3), 817–824. doi:10.1016/j.foodchem.2009.11.01
- Ahmed, R., Haq, M., & Chun, B. S. (2019). Characterization of marine derived collagen extracted from the by-products of bigeye tuna (*Thunnus obesus*). *International Journal of Biological Macromolecules*, *135*, 668-676.
- Akkerdaas, J., Totis, M., Barnett, B., Bell, E., Davis, T., Edrington, T., ... & van Ree, R. (2018). Protease resistance of food proteins: a mixed picture for predicting allergenicity but a useful tool for assessing exposure. *Clinical and Translational Allergy*, *8*(1), 1-12.
- Aksun Tümerkan E. T. (2022). Detection of Parvalbumin Fish Allergen in Canned Tuna by Real-Time PCR Driven by Tuna Species and Can-Filling Medium. *Molecules (Basel, Switzerland)*, *27*(17), 5674. <https://doi.org/10.3390/molecules27175674>
- Alhana, S. P., & Tarman, K. (2015). Ekstraksi dan karakterisasi kolagen dari daging teripang gamma (*Stichopus variegatus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, *18*(2), 150-161.
- André, F., Cavagna, S., & André, C. (2003). Gelatin prepared from tuna skin: a risk factor for fish allergy or sensitization?. *International archives of allergy and immunology*, *130*(1), 17-24.
- Astre, G., Deleruyelle, S., Dortignac, A., Bonnet, C., Valet, P., & Dray, C. (2018). *Diet-induced obesity and associated disorders are prevented by natural bioactive type I fish collagen peptides (Naticol®) treatment*. *Journal of Physiology and Biochemistry*. doi:10.1007/s13105-018-0650-0
- Ayati, S., Eun, J. B., Atoub, N., & Mirzapour-Kouhdasht, A. (2022). Functional yogurt fortified with fish collagen-derived bioactive peptides: Antioxidant capacity, ACE and DPP-IV inhibitory. *Journal of Food Processing and Preservation*, *46*(1), e16208.
- Ayudarti, D. L., Suryanti, & Oktavia, D. A. (2020). The effect of different types and gelatin concentrations on ice cream quality. In *E3S Web of Conferences* (Vol. 147, p. 03026). EDP Sciences.
- Aziza, I. N., Darmanto, Y. S., & Kurniasih, R. A. (2019). Pengaruh gelatin dari kulit ikan yang berbeda terhadap karakteristik fisik dan sensori produk marshmallow. *Jurnal Perikanan Universitas Gadjah Mada*, *21*(1), 17-23.
- Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI). (2019). Pedoman Implementasi Pelabelan Pangan Olahan: *Pencantuman Jumlah Bahan Baku dan*

- Informasi Alergen*. Jakarta: Direktorat Standardisasi Pangan Olahan, Deputi Bidang Pengawasan Pangan Olahan, BPOM RI.
- Blanco, M., Vázquez, J. A., Pérez-Martín, R. I., & G Sotelo, C. (2019). Collagen Extraction Optimization from the Skin of the Small-Spotted Catshark (*S. canicula*) by Response Surface Methodology. *Marine drugs*, 17(1), 40. <https://doi.org/10.3390/md17010040>
- Boyce, J. A., Assa'ad, A., Burks, A. W., Jones, S. M., Sampson, H. A., Wood, R. A., ... & Schwaninger, J. M. (2011). Guidelines for the diagnosis and management of food allergy in the United States: summary of the NIAID-sponsored expert panel report. *Journal of the American Academy of Dermatology*, 64(1), 175-192.
- Boye, J. I. (2012). Food allergies in developing and emerging economies: need for comprehensive data on prevalence rates. *Clinical and translational allergy*, 2(1), 1-9.
- Bud, I., Ladosi, D. A. N. I. E. L. A., Reka, S. T., & Negrea, O. (2008). Study concerning chemical composition of fish meat depending on the considered fish species. *Lucrări Științifice-Zootehnie și Biotehnologii, Universitatea de Științe Agricole și Medicină Veterinară a Banatului Timișoara*, 41(2), 201-206.
- Buyuktiryaki, B., Masini, M., Mori, F., Barni, S., Liccioli, G., Sarti, L., Lodi, L., Giovannini, M., du Toit, G., Lopata, A. L., & Marques-Mejias, M. A. (2021). IgE-Mediated Fish Allergy in Children. *Medicina (Kaunas, Lithuania)*, 57(1), 76. <https://doi.org/10.3390/medicina57010076>
- Calvani, M., Bianchi, A., Reginelli, C., Peresso, M., & Testa, A. (2019). Oral Food Challenge. *Medicina (Kaunas, Lithuania)*, 55(10), 651. <https://doi.org/10.3390/medicina55100651>
- Chen, J., Li, L., Yi, R., Xu, N., Gao, R., & Hong, B. (2016). Extraction and characterization of acid-soluble collagen from scales and skin of tilapia (*Oreochromis niloticus*). *LWT - Food Science and Technology*, 66, 453–459. doi:10.1016/j.lwt.2015.10.070
- Chikazawa, S., Hashimoto, T., Kobayashi, Y., & Satoh, T. (2015). Fish-collagen allergy: a pitfall of the prick-to-prick test with raw fish. *British Journal of Dermatology*, 173(5), 1330-1331.
- Chinh, N. T., Manh, V. Q., Trung, V. Q., Lam, T. D., Huynh, M. D., Tung, N. Q., ... & Hoang, T. (2019). Characterization of collagen derived from tropical freshwater carp fish scale wastes and its amino acid sequence. *Natural Product Communications*, 14(7), 1934578X19866288.
- Consumer Affairs Agency, Government of Japan. (2015). Appendix, Allergen Labelling. Retrieved from: [food\\_labelling cms203\\_200410\\_01.pdf \(caa.go.jp\)](https://www.caa.go.jp/eng/food_labelling/cms203_200410_01.pdf) (Accessed on March 17th 2023)
- Cox, A. L., & Nowak-Wegrzyn, A. (2018). Innovation in Food Challenge Tests for Food Allergy. *Current Allergy and Asthma Reports*, 18(12). doi:10.1007/s11882-018-0825-3
- Daga, C., Cau, S., Tilocca, M. G., Soro, B., Marongiu, A., & Vodret, B. (2018). Detection of

- fish allergen by droplet digital PCR. *Italian journal of food safety*, 7(4).
- Elsayed, S., & Aas, K. (1971). Isolation of purified allergens (cod) by isoelectric focusing. *International Archives of Allergy and Immunology*, 40(3), 428-438.
- European Parliament and Council. (2011). Regulation (EU) No 1169/2011 of the European Parliament and of the Council of 25 October 2011 on the provision of food information to consumers, amending Regulations (EC) No 1924/2006 and (EC) No 1925/2006 of the European Parliament and of the Council, and repealing Commission Directive 87/250/EEC, Council Directive 90/496/EEC, Commission Directive 1999/10/EC, Directive 2000/13/EC of the European Parliament and of the Council, Commission Directives 2002/67/EC and 2008/5/EC and Commission Regulation (EC) No 608/2004. *Off. J. Eur. Union*, 50, 18-63.
- Food and Drug Administration. (2022). Questions and Answers Regarding Food Allergens, Including the Food Allergen Labeling Requirements of the Federal Food, Drug, and Cosmetic Act (Edition 5): Guidance for Industry. Retrieved from: <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-industry-questions-and-answers-regarding-food-allergen-labeling-edition-5> (Accessed on March 17th 2023)
- Food Standards Australia & New Zealand (FSANZ). (2022). Product exemptions from allergen labelling. Retrieved from: [Product exemptions from allergen labelling \(foodstandards.gov.au\)](https://www.foodstandards.gov.au) (Accessed on March 17th 2023)
- Frati, F., Incorvaia, C., Cavaliere, C., Di Cara, G., Marcucci, F., Esposito, S., & Masieri, S. (2018). The skin prick test. *Journal of biological regulators and homeostatic agents*, 32(1 Suppl. 1), 19–24.
- Fujimoto, W., Fukuda, M., Yokooji, T., Yamamoto, T., Tanaka, A., & Matsuo, H. (2016). Anaphylaxis provoked by ingestion of hydrolyzed fish collagen probably induced by epicutaneous sensitization. *Allergology International*, 65(4), 474-476.
- Göçer, M. (2022). Extraction and characterization of collagen from the skin and bone of shabout (*Arabibarbus grypus* Heckel, 1843). *Iranian Journal of Fisheries Sciences*, 21(3), 671-687.
- Gómez-Limia, L., Carballo, J., Rodríguez-González, M., & Martínez, S. (2022). Proximate composition and amino acid profile of European eel skin: influence of body weight. *European Food Research and Technology*, 248(5), 1437-1446.
- Hamada, Y., Nagashima, Y., & Shiomi, K. (2001). Identification of collagen as a new fish allergen. *Bioscience, biotechnology, and biochemistry*, 65(2), 285-291.
- Hansen, T. K., Poulsen, L. K., Skov, P. S., Hefle, S. L., Hlywka, J. J., Taylor, S. L., ... & Bindslev-Jensen, C. (2004). A randomized, double-blinded, placebo-controlled oral challenge study to evaluate the allergenicity of commercial, food-grade fish gelatin. *Food and chemical toxicology*, 42(12), 2037-2044.
- Heinzerling, L., Mari, A., Bergmann, K. C., Bresciani, M., Burbach, G., Darsow, U., Durham, S., Fokkens, W., Gjomarkaj, M., Hahtela, T., Bom, A. T., Wöhrle, S.,

- Maibach, H., & Lockey, R. (2013). The skin prick test - European standards. *Clinical and Translational Allergy*, 3(1), 1–10. <https://doi.org/10.1186/2045-7022-3-3>
- Heizmann C. W. (2019). Ca<sup>2+</sup>-Binding Proteins of the EF-Hand Superfamily: Diagnostic and Prognostic Biomarkers and Novel Therapeutic Targets. *Methods in molecular biology (Clifton, N.J.)*, 1929, 157–186. [https://doi.org/10.1007/978-1-4939-9030-6\\_11](https://doi.org/10.1007/978-1-4939-9030-6_11)
- Hull, S.C. (2022). National Human Genome Research Institute (NIH): *Peptide*. Retrieved from: [Peptide \(genome.gov\)](https://www.ncbi.nlm.nih.gov/peptide/) (Accessed on December 3rd 2022).
- Immer, U., & Lacorn, M. (2015). Enzyme-linked immunosorbent assays (ELISAs) for detecting allergens in food. In *Handbook of food allergen detection and control* (pp. 199-217). Woodhead Publishing.
- Ito, T., Abe, N., Kobayashi, T., Egusa, C., Maeda, T., Okubo, Y., & Tsuboi, R. (2020). A case of anaphylaxis due to fish collagen in a *gummy* candy. *Allergology International*, 69(1), 146-147.
- James, C., & Bernstein, J. A. (2017). Current and future therapies for the treatment of histamine-induced angioedema. *Expert opinion on pharmacotherapy*, 18(3), 253-262.
- Jiang, N., Xu, W., & Xiang, L. (2021). Age-related differences in characteristics of anaphylaxis in Chinese children from infancy to adolescence. *World Allergy Organization Journal*, 14(11), 100605.
- Kalic, T., Kamath, S. D., Ruethers, T., Taki, A. C., Nugraha, R., Le, T. T., ... & Lopata, A. L. (2020). Collagen—An important fish allergen for improved diagnosis. *The Journal of Allergy and Clinical Immunology: In Practice*, 8(9), 3084-3092.
- Kementerian Kelautan dan Perikanan. (2021). Volume Produksi Perikanan Indonesia. Jakarta : KKP.
- Khan, M. U., Ahmed, I., Lin, H., Li, Z., Costa, J., Mafra, I., ... & Wu, Y. N. (2019). Potential efficacy of processing technologies for mitigating crustacean allergenicity. *Critical reviews in food science and nutrition*, 59(17), 2807-2830.
- Kiew, P. L., & Mashitah, M. D. (2013). Isolation and characterization of collagen from the skin of Malaysian catfish (*Hybrid Clarias sp.*). *Journal of the Korean Society for Applied Biological Chemistry*, 56(4), 441-450.
- Kobayashi, Y., Akiyama, H., Hige, J., Kubota, H., Chikazawa, S., Satoh, T., ... & Hamada-Sato, N. (2016a). Fish collagen is an important panallergen in the Japanese population. *Allergy*, 71(5), 720-723.
- Kobayashi, Y., Hige, J., Imamura, S., & Hamada-Sato, N. (2016b). Study of the cross-reactivity of fish allergens based on a questionnaire and blood testing. *Allergology International*, 65(3), 272–279. doi:10.1016/j.alit.2016.01.002
- Kobayashi, Y., Kuriyama, T., Nakagawara, R., Aihara, M., & Hamada-Sato, N. (2016c). Allergy to fish collagen: Thermostability of collagen and IgE reactivity of patients' sera with extracts of 11 species of bony and cartilaginous fish. *Allergology*

- International*, 65(4), 450-458.
- Kobayashi, Y., Yang, T., Yu, C.-T., Ume, C., Kubota, H., Shimakura, K., ... Hamada-Sato, N. (2016d). *Quantification of major allergen parvalbumin in 22 species of fish by SDS-PAGE. Food Chemistry*, 194, 345–353. doi:10.1016/j.foodchem.2015.08.03
- Konstantinou, G. N. (2017). Enzyme-linked immunosorbent assay (ELISA). *Food Allergens: Methods and Protocols*, 79-94.
- Koppelman, S. J., Nordlee, J. A., Lee, P. W., Happe, R. P., Helsing, M., Norland, R., ... & Taylor, S. L. (2012). Parvalbumin in fish skin-derived gelatin: is there a risk for fish allergic consumers?. *Food Additives & Contaminants: Part A*, 29(9), 1347-1355.
- Kouguchi, T., Zhang, Y., Sato, M., Takahata, Y., & Morimatsu, F. (2012). Vasoprotective effect of foods as treatments: chicken collagen hydrolysate. In *Atherogenesis*. IntechOpen.
- Ktari, N., Jridi, M., Nasri, R., Lassoued, I., Ayed, H. B., Barkia, A., & Nasri, M. (2014). Characteristics and functional properties of gelatin from zebra blenny (*Salaria basilisca*) skin. *LWT-Food Science and Technology*, 58(2), 602-608.
- Kubota, H., Kobayashi, A., Kobayashi, Y., Shiomi, K., & Hamada-Sato, N. (2016). Reduction in IgE reactivity of Pacific mackerel parvalbumin by heat treatment. *Food Chemistry*, 206, 78–84. doi:10.1016/j.foodchem.2016.03.04
- Kuehn, A., Hilger, C., & Hentges, F. (2009). Anaphylaxis provoked by ingestion of marshmallows containing fish gelatin. *Journal of Allergy and Clinical Immunology*, 123(3), 708-709.
- Kuehn, A., Hilger, C., Graf, T., & Hentges, F. (2017). Protein and DNA-based assays as complementary tools for fish allergen detection. *Allergologie Select*, 1(2), 120.
- Kuehn, A., Hilger, C., Lehnert-Weber, C., Codreanu-Morel, F., Morisset, M., Metz-Favre, C., ... & Hentges, F. (2013). Identification of enolases and aldolases as important fish allergens in cod, salmon and tuna: component resolved diagnosis using parvalbumin and the new allergens. *Clinical & Experimental Allergy*, 43(7), 811-822.
- Kuehn, A., Scheuermann, T., Hilger, C., & Hentges, F. (2010). Important Variations in Parvalbumin Content in Common Fish Species: A Factor Possibly Contributing to Variable Allergenicity. *International Archives of Allergy and Immunology*, 153(4), 359–366. doi:10.1159/000316346
- Kuehn, A., Swoboda, I., Arumugam, K., Hilger, C., & Hentges, F. (2014). Fish allergens at a glance: variable allergenicity of parvalbumins, the major fish allergens. *Frontiers in immunology*, 5, 179.
- Kumar, V., & Roy, S. (2014). A practical approach on SDS PAGE for separation of protein. *International Journal of Science and Research*, 3(8), 955-960.
- Lee, S., Hess, E. P., Lohse, C., Gilani, W., Chamberlain, A. M., & Campbell, R. L. (2017). Trends, characteristics, and incidence of anaphylaxis in 2001-2010: a population-based study. *Journal of Allergy and Clinical Immunology*, 139(1), 182-188.
- Lestari, L. A., Wildiana, R. A., Nisa, F. Z., Erwanto, Y., & Pranoto, Y. (2019). Physical,

- chemical, and sensory properties of ice cream with the substitution of stabilizer with gelatin from various sources. *Journal of Food and Pharmaceutical Sciences*, 166-172.
- Luo, Q. B., Chi, C. F., Yang, F., Zhao, Y. Q., & Wang, B. (2018). Physicochemical properties of acid-and pepsin-soluble collagens from the cartilage of Siberian sturgeon. *Environmental Science and Pollution Research*, 25, 31427-31438.
- Maryani, M., Surti, T., & Ibrahim, R. (2010). Gelatin Application of Nile Tilapia (*Oreochromis niloticus*) Bone to The Quality of The Jelly Candy. *Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology*, 6(1), 62-70.
- Matsui, K., Tamura, M., Kobayashi, Y., Ogita, C., Tsuboi, K., Kusakabe, M., ... & Sano, H. (2018). A case of eel collagen allergy. *Allergology International*, 67(1), 138-140.
- McDole, J. R., Wheeler, L. W., McDonald, K. G., Wang, B., Konjufca, V., Knoop, K. A., Newberry, R. D., & Miller, M. J. (2012). Goblet cells deliver luminal antigen to CD103+ dendritic cells in the small intestine. *Nature*, 483(7389), 345–349. <https://doi.org/10.1038/nature10863>
- Mouw, J. K., Ou, G., & Weaver, V. M. (2014). Extracellular matrix assembly: a multiscale deconstruction. *Nature reviews. Molecular cell biology*, 15(12), 771–785. <https://doi.org/10.1038/nrm3902>
- Mukherjee, S., Bartoš, O., Zdeňková, K., Hanák, P., Horká, P., & Musilova, Z. (2021). Evolution of the parvalbumin genes in teleost fishes after the whole-genome duplication. *Fishes*, 6(4), 70.
- Mukherjee, S., Horka, P., Zdenkova, K., & Cermakova, E. (2023). Parvalbumin: A Major Fish Allergen and a Forensically Relevant Marker. *Genes*, 14(1), 223.
- Nogueira, L., Gilmore, N. K., & Hogan, M. C. (2022). Role of parvalbumin in fatigue-induced changes in force and cytosolic calcium transients in intact single mouse myofibers. *Journal of Applied Physiology*, 132(4), 1041-1053.
- Nugraha, R., Pamungkas, I. D., Pertiwi, R. M., & Nurhayati, T. (2020). Penurunan Kandungan Protein Penyebab Alergi pada Proses Pembuatan Surimi Ikan Nila (*Oreochromis niloticus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3), 558-565.
- Nurilmala, M., Hizbullah, H. H., Karnia, E., Kusumaningtyas, E., & Ochiai, Y. (2020). Characterization and antioxidant activity of collagen, gelatin, and the derived peptides from yellowfin tuna (*Thunnus albacares*) skin. *Marine drugs*, 18(2), 98.
- Osiriphun, S., Rachtanapun, P., Wangtueai, S., & Jirarattanarangsri, W. (2022). Influence of physicochemical properties on the production of alternative healthy gummy jelly from tilapia (*Oreochromis niloticus*) skin with added Thai rice powder. *Food Chemistry: X*, 15, 100365.
- Pan, B. Q., Su, W. J., Cao, M. J., Cai, Q. F., Weng, W. Y., & Liu, G. M. (2012). IgE reactivity to type I collagen and its subunits from tilapia (*Tilapia zillii*). *Food chemistry*, 130(1), 127-133.

- Pranoto, Y., Istigani, M., Santoso, U., Lestari, L. A., Erwanto, Y., & Rohman, A. (2016). Physicochemical properties of gelatin extracted from fivelined threadfin bream (*Nemipterus tambuloides*) skins. *KnE Life Sciences*, 92-97.
- Rafael, M. Y., Rafael, R., Landingin, E., Rafael, R., Tayag, G., Santos, J. P., & Rafael, M. J. (2021). Gelatin from Milkfish Scales for Food Application. *CLSU International Journal of Science & Technology*, 5(1), 47-59.
- Sakaguchi, M., Toda, M., Ebihara, T., Irie, S., Hori, H., Imai, A., ... & Inouye, S. (2000). IgE antibody to fish gelatin (type I collagen) in patients with fish allergy. *Journal of allergy and clinical immunology*, 106(3), 579-584.
- Sarojnalini, C., & Hei, A. (2019). Fish as an important functional food for quality life. U: Functional foods, (Lagouri, V., ured.), IntechOpen, London, 77-97.
- Senadheera, T. R., Dave, D., & Shahidi, F. (2020). Sea cucumber derived type I collagen: A comprehensive review. *Marine Drugs*, 18(9), 471.
- Shimojo, N., Yagami, A., Ohno, F., Tsurumi, Y., Nakamura, M., Suzuki, K., ... & Matsunaga, K. (2021). Fish collagen as a potential indicator of severe allergic reactions among patients with fish allergies. *Clinical and Experimental Allergy: Journal of the British Society for Allergy and Clinical Immunology*.
- Shiomi, K., Yoshida, S., Sawaguchi, T., & Ishizaki, S. (2010). A major IgE epitope of rainbow trout collagen alpha2 chain. *Shokuhin eiseigaku zasshi. Journal of the Food Hygienic Society of Japan*, 51(4), 153-159. <https://doi.org/10.3358/shokueishi.51.153>
- Shori, A. B., Yong, Y. S., & Baba, A. S. (2020). Effects of herbal yogurt with fish collagen on bioactive peptides with angiotensin-I converting enzyme inhibitory activity. *Food Science and Technology*, 41, 902-907.
- Smith, G. (2017). Alabama Boy, 3, Dies of Severe Reaction During Baked Milk Challenge Test. Retrieved from: [Alabama Boy, 3, Dies of Severe Reaction During Baked Milk Test \(allergicliving.com\)](http://allergicliving.com) (Accessed on March 8th 2023)
- Sotelo, C. G., Comesaña, M. B., Ariza, P. R., & Pérez-Martín, R. I. (2016). Characterization of collagen from different discarded fish species of the west coast of the *Iberian Peninsula*. *Journal of aquatic food product technology*, 25(3), 388-399.
- Srinivasan, S., & Durairaj, B. (2021). Collagen isolation and characterization from *Sardinella longiceps*. *Journal of Advanced Veterinary and Animal Research*, 8(4), 679.
- Turner, P. J., Arasi, S., Ballmer-Weber, B., Baseggio Conrado, A., Deschildre, A., Gerdts, J., ... & Global Allergy, Asthma European Network (GA2LEN) Food Allergy Guideline Group. (2022). Risk factors for severe reactions in food allergy: Rapid evidence review with meta-analysis. *Allergy*, 77(9), 2634-2652.
- Ueno, R., Takaoka, Y., Shimojo, N., Ohno, F., Yamaguchi, T., Matsunaga, K., & Kameda, M. (2020). A case of pediatric anaphylaxis caused by *gummy* tablets containing fish collagen. *Asia Pacific Allergy*, 10(4).
- Upasen, S., Naeramitmansuk, K., Antonio, C., Roces, S., Morillas, H., & Wattanachai, P.

- (2019). Acid-pepsin soluble collagen from saltwater and freshwater fish scales. *Engineering Journal*, 23(5), 183-195.
- Upton, J., Alvaro, M., & Nadeau, K. (2019). A perspective on the pediatric death from oral food challenge reported from the Allergy Vigilance Network. *Allergy*, 74(6), 1035-1036.
- Van der Valk, J. P. M., Gerth van Wijk, R., Hoorn, E., Groenendijk, L., Groenendijk, I. M., & De Jong, N. W. (2015). Measurement and interpretation of skin prick test results. *Clinical and translational allergy*, 6(1), 1-5.
- Veeruraj, A., Arumugam, M., & Balasubramanian, T. (2013). Isolation and characterization of thermostable collagen from the marine eel-fish (*Evenchelys macrura*). *Process Biochemistry*, 48(10), 1592–1602. doi:10.1016/j.procbio.2013.07.011
- Wai, C. Y. Y., Leung, N. Y., Leung, A. S. Y., Fusayasu, N., Sato, S., Xu, K. J., ... & Leung, T. F. (2022). Differential patterns of fish sensitization in Asian populations: implication for precision diagnosis. *Authorea Preprints*.
- Wang, J., & Sicherer, S. H. (2005). Anaphylaxis following ingestion of candy fruit chews. *Annals of Allergy, Asthma & Immunology*, 94(5), 530-533.
- Wang, R., Edrington, T. C., Storrs, S. B., Crowley, K. S., Ward, J. M., Lee, T. C., ... & Glenn, K. C. (2017). Analyzing pepsin degradation assay conditions used for allergenicity assessments to ensure that pepsin susceptible and pepsin resistant dietary proteins are distinguishable. *PloS one*, 12(2), e0171926.
- Wang, Y., Wang, X., Lin, C., Yu, M., Chen, S., Guo, J., Rao, P., Miao, S., & Liu, S. (2021). Heat-induced structural changes in fish muscle collagen related to texture development in fish balls: Using eel ball as a study model. *Food science & nutrition*, 10(2), 329–341. <https://doi.org/10.1002/fsn3.2462>
- Wang, Z., Wang, L., Lin, S., Liang, Q., Shi, Z., Xu, J., & Ma, H. (2014). Isolation and characterization of collagen from the muscle of Amur sturgeon (*Acipenser schrenckii*). *Biotechnology and bioprocess engineering*, 19(5), 935-941.
- Wijaya, H., Putriani, S., Safithri, M., & Tarman, K. (2020). Isolation and allergenicity of protein collagen from parang-parang fish skin (*Cirocentrus dorab*). In *IOP Conference Series: Earth and Environmental Science* (Vol. 411, No. 1, p. 012054). IOP Publishing.
- Wopfner, N., Dissertori, O., Ferreira, F., & Lackner, P. (2007). *Calcium-Binding Proteins and Their Role in Allergic Diseases*. *Immunology and Allergy Clinics of North America*, 27(1), 29–44. doi:10.1016/j.iac.2006.10.003
- Zhang, Z., Cai, Z., Hou, Y., Hu, J., He, Y., Chen, J., & Ji, K. (2019). Enhanced sensitivity of capture IgE-ELISA based on a recombinant Der f 1/2 fusion protein for the detection of IgE antibodies targeting house dust mite allergens. *Molecular medicine reports*, 19(5), 3497–3504. <https://doi.org/10.3892/mmr.2019.10050>