

## BAB 7

### DAFTAR PUSTAKA

- Afifah, D. N., Sulchan, M., Syah, D., Yanti, & Suhartono, M. T. (2015). The Use of Red Oncom Powder as Potential Production Media for Fibrinolytic Protease Derived from *Bacillus Licheniformis* RO3. *Procedia Food Science*, 3, 453–464. <https://doi.org/10.1016/j.profoo.2015.01.050>
- Aksu, K., Donmez, A., & Keser, G. (2012). Inflammation-Induced Thrombosis: Mechanisms, Disease Associations and Management. In *Current Pharmaceutical Design* (Vol. 18). <https://doi.org/10.2174/138161212799504731>
- Andriyono, R. I. (2019). *Kaempferia galanga* L. sebagai Anti-Inflamasi dan Analgetik. In *Jurnal Kesehatan* (Vol. 10, Issue 3). Online. <http://ejurnal.poltekkes-tjk.ac.id/index.php/JK>
- C. T. Esmon. (2003). Inflammation and thrombosis.. In *J Thromb Haemost* (Vol. 1).
- Cao, Z. H., Green-Johnson, J. M., Buckley, N. D., & Lin, Q. Y. (2019). Bioactivity of soy-based fermented foods: A review. *Biotechnology Advances*, 37(1), 223–238. <https://doi.org/10.1016/j.biotechadv.2018.12.001>
- Chang, C. T., Wang, P. M., Hung, Y. F., & Chung, Y. C. (2012). Purification and biochemical properties of a fibrinolytic enzyme from *Bacillus subtilis*-fermented red bean. *Food Chemistry*, 133(4), 1611–1617. <https://doi.org/10.1016/j.foodchem.2012.02.061>
- Chen, H., McGowan, E. M., Ren, N., Lal, S., Nassif, N., Shad-Kaneez, F., Qu, X., & Lin, Y. (2018). Nattokinase: A Promising Alternative in Prevention and Treatment of Cardiovascular Diseases. *Biomarker Insights*, 13. <https://doi.org/10.1177/1177271918785130>
- Coccia, M. (2020). Fishbone diagram for technological analysis and foresight. *International Journal of Foresight and Innovation Policy*, 14(2–4), 225–247. <https://doi.org/10.1504/ijfip.2020.111221>

- Collen, D., & Lijnen, H. R. (1991). Basic and clinical aspects of Fibrinolysis and thrombolysis. *Blood*, 78(12), 3114–3124. <https://doi.org/10.1182/blood.v78.12.3114.bloodjournal78123114>
- Collen, D., & Lijnen, H. R. (2004). Tissue-type plasminogen aktivator: A historical perspective and personal account. *Journal of Thrombosis and Haemostasis*, 2(4), 541–546. <https://doi.org/10.1111/j.1538-7933.2004.00645.x>
- Dabbagh, F., Negahdaripour, M., Berenjian, A., Behfar, A., Mohammadi, F., Zamani, M., Irajie, C., & Ghasemi, Y. (2014). Nattokinase: production and application. *Applied Microbiology and Biotechnology*, 98(22), 9199–9206. <https://doi.org/10.1007/s00253-014-6135-3>
- Diastutik Desy. 2016. Proporsi Karakteristik Penyakit Jantung Koroner Pada Perokok Aktif Berdasarkan Karakteristik Merokok. *Jurnal Berkala Epidemiologi*, Vol. 4 No. 3, September 2016: 326–337
- Duffy MJ. 2002. Urokinase plasminogen aktivator and its inhibitor, PAI-1, as prognostic markers in breast cancer: from pilot to level 1 evidence studies. *Clin Chem* 48(8): 1194–1197.
- Durachim, A., & Astuti, D. (2018). Hemostasis. In Society. [http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2018/09/Hemostasis\\_SC.pdf](http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2018/09/Hemostasis_SC.pdf)
- Eugênio Da Costa E Silva, P., Bezerra, R. P., Lúcia, A., & Porto, F. (2016). *An overview about fibrinolytic enzymes from microorganisms and algae: production and characterization*. <http://www.jpabs.org/>
- Febyan, Adinata, J., Wijaya, S. H., Hudyono, J. (2016). Risiko Meningkatnya Penyakit Kardiovaskular karena Aterotrombosis pada Penderita Penyakit Paru Obstruktif Kronik (PPOK) yang Diperantarai Enzim Matriks Metaloproteinase 9 (MMP-9). *Jurnal Kedokteran Meditek*, 21(57).
- Franzosi, M. G., & Garattini, S. (2005). Thrombolytic therapy in acute myocardial infarction. *Journal of Thrombosis and Haemostasis : JTH*, 3(12), 2807–2808. <https://doi.org/10.1111/j.1538-7836.2005.01717.x>

- Gopikrishna, T., Suresh Kumar, H. K., Perumal, K., & Elangovan, E. (2021). Impact of Bacillus in fermented soybean foods on human health. *Annals of Microbiology*, 71(1). <https://doi.org/10.1186/s13213-021-01641-9>
- Hawker, S., Payne, S., Kerr, C., Hardey, M., & Powell, J. (2002). Appraising the evidence: Reviewing disparate data systematically. *Qualitative Health Research*, 12(9), 1284–1299. <https://doi.org/10.1177/1049732302238251>
- Hitosugi, M., Hamada, K., & Misaka, K. (2015). Effects of bacillus subtilis var. Natto products on symptoms caused by blood flow disturbance in female patients with lifestyle diseases. *International Journal of General Medicine*, 8, 41–46. <https://doi.org/10.2147/ijgm.s76588>
- Hu, Y., Yu, D., Wang, Z., Hou, J., Tyagi, R., Liang, Y., & Hu, Y. (2019). Purification and characterization of a novel, highly potent fibrinolytic enzyme from Bacillus subtilis DC27 screened from *Douchi*, a traditional Chinese fermented soybean food. *Scientific Reports*, 9(1), 3–12. <https://doi.org/10.1038/s41598-019-45686-y>
- Ibe, S., Yoshida, K., Kumada, K., Tsurushiin, S., Furusho, T., & Otobe, K. (2009). Antihypertensive effects of natto, a traditional Japanese fermented food, in spontaneously hypertensive rats. *Food Science and Technology Research*, 15(2), 199–202. <https://doi.org/10.3136/fstr.15.199>
- Jang, J.-Y., Kim, T.-S., Cai, J., Kim, J., Kim, Y., Shin, K., Kim, K. S., Park, S. K., Lee, S.-P., Choi, E.-K., Rhee, M. H., & Kim, Y.-B. (2013). Nattokinase improves blood flow by inhibiting platelet aggregation and thrombus formation. *Laboratory Animal Research*, 29(4), 221. <https://doi.org/10.5625/lar.2013.29.4.221>
- Jeong, D. Y., Jeong, S. Y., Zhang, T., Wu, X., Qiu, J. Y., & Park, S. (2020). Chungkookjang, a soy food, fermented with Bacillus amyloliquefaciens protects gerbils against ischemic stroke injury, and post-stroke hyperglycemia. *Food Research International*, 128(March 2019), 108769. <https://doi.org/10.1016/j.foodres.2019.108769>

- Kaplan, Z. S., & Jackson, S. P. (2011). *The Role of Platelets in Atherothrombosis. Hematology, 2011(1), 51–61.* doi:10.1182/asheducation-2011.1.51
- Kim, S. B., Lee, D. W., Cheigh, C. I., Choe, E. A., Lee, S. J., Hong, Y. H., Choi, H. J., & Pyun, Y. R. (2006). Purification and characterization of a fibrinolytic subtilisin-like protease of *Bacillus subtilis* TP-6 from an Indonesian fermented soybean, Tempeh. *Journal of Industrial Microbiology and Biotechnology, 33(6), 436–444.* <https://doi.org/10.1007/s10295-006-0085-4>
- Kotb, E. (2012). Fibrinolytic Bacterial Enzymes with Thrombolytic Activity. In *Fibrinolytic Bacterial Enzymes with Thrombolytic Activity.* <https://doi.org/10.1007/978-3-642-24980-8>
- Kotb, E. (2013). Activity assessment of microbial fibrinolytic enzymes. *Applied Microbiology and Biotechnology, 97(15), 6647–6665.* <https://doi.org/10.1007/s00253-013-5052-1>
- Krisnawati, A. (2017). Soybean as Source of Functional Food. *Iptek Tanaman Pangan, 12(1), 57–65.*
- Kurnia, F., Tjandrawinata, R. R., Yulandi, A., & Suhartono, M. T. (2018). Protease of *Stenotrophomonas* sp. from Indonesian fermented food: gene cloning and analysis. *Journal of Biological Research - Bollettino Della Società Italiana Di Biologia Sperimentale, 90(2), 70–76.* <https://doi.org/10.4081/jbr.2017.6428>
- Kusumaningtyas, E., Widiastuti, R., Dewantari Kusumaningrum, H., & Thenawidjaja Suhartono, M. (2015). Aktivitas Antibakteri Dan Antioksidan Hidrolisat Hasil Hidrolisis Protein Susu Kambing Dengan Ekstrak Kasar Bromelin. *Jurnal Teknologi Dan Industri Pangan, 26(2), 179–188.* <https://doi.org/10.6066/jtip.2015.26.2.179>
- Lee, B. H., Lai, Y. S., & Wu, S. C. (2015). Antioxidation, angiotensin converting enzyme inhibition activity, nattokinase, and antihypertension of *Bacillus subtilis* (natto)-fermented pigeon pea. *Journal of Food and Drug Analysis, 23(4), 750–757.* <https://doi.org/10.1016/j.jfda.2015.06.008>

- Marder, V. J., & Novokhatny, V. (2010). Direct fibrinolytic agents: Biochemical attributes, preclinical foundation and clinical potential. In *Journal of Thrombosis and Haemostasis* (Vol. 8, Issue 3, pp. 433–444). <https://doi.org/10.1111/j.1538-7836.2009.03701.x>
- Masdarini, L. (2011). Manfaat Dan Keamanan Makanan Fermentasi Untuk Kesehatan (Tinjauan Dari Aspek Ilmu Pangan). *Jurnal Pendidikan Teknologi Dan Kejuruan*, 8(1), 53–58. <https://doi.org/10.23887/jptk.v8i1.2893>
- Milner, M., & Makise, K. (2002). Natto and Its Active Ingredient Nattokinase. *Alternative & Complementary Therapies*, June, 157–161.
- Mine, Y., Kwan Wong, A. H., & Jiang, B. (2005). Fibrinolytic enzymes in Asian traditional fermented foods. *Food Research International*, 38(3), 243–250. <https://doi.org/10.1016/j.foodres.2004.04.008>
- Moula Ali, A. M., & Bavisetty, S. C. B. (2020). Purification, physicochemical properties, and statistical optimization of fibrinolytic enzymes especially from fermented foods: A comprehensive review. *International Journal of Biological Macromolecules*, 163, 1498–1517. <https://doi.org/10.1016/j.ijbiomac.2020.07.303>
- Mulyani, S., & Wisma, R. W. (2016). Analisis Proksimat dan Sifat Organoleptik “Oncom Merah Alternatif” dan “Oncom Hitam Alternatif.” *Jurnal Kimia Dan Pendidikan Kimia*, 1(1), 41–51.
- Nagata, C., Wada, K., Tamura, T., Konishi, K., Goto, Y., Koda, S., Kawachi, T., Tsuji, M., & Nakamura, K. (2017). Dietary soy and natto intake and cardiovascular disease mortality in Japanese adults: The Takayama study. *American Journal of Clinical Nutrition*, 105(2), 426–431. <https://doi.org/10.3945/ajcn.116.137281>
- Nailufar, F., Tjandrawinata, R. R., & Suhartono, M. T. (2016). Trombus Degradation by Fibrinolytic Enzyme of *Stenotrophomonas* sp. Originated from Indonesian Soybean-Based Fermented Food on Wistar Rats. *Advances in Pharmacological Sciences*, 2016. <https://doi.org/10.1155/2016/4206908>

- Pan, H. C., Cheng, F. C., Chen, C. J., Lai, S. Z., Liu, M. J., Chang, M. H., Wang, Y. C., Yang, D. Y., & Ho, S. P. (2009). Dietary supplement with fermented soybeans, natto, improved the neurobehavioral deficits after sciatic nerve injury in rats. *Neurological Research*, *31*(5), 441–452. <https://doi.org/10.1179/174313209X403878>
- Pananjung A. M. S, Evi Umayah Ulfa , Kartika Senjarini, Sattya Arimurti. 2015. Karakterisasi Isolat Bakteri Fibrinolitik Wu 021055\* Asal Perairan Pantai Papuma, Jember. *J Bioteknologi Biosains Indones – Vol 2 No 1 Thn 2015 Hal 1-8*
- Peng, Y., Huang, Q., Zhang, R. H., & Zhang, Y. Z. (2003). Purification and characterization of a fibrinolytic enzyme produced by *Bacillus amyloliquefaciens* DC-4 screened from *Douchi*, a traditional Chinese soybean food. *Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology*, *134*(1), 45–52. [https://doi.org/10.1016/S1096-4959\(02\)00183-5](https://doi.org/10.1016/S1096-4959(02)00183-5)
- Peng, Y., Yang, X. J., Xiao, L., & Zhang, Y. Z. (2004). Cloning and expression of a fibrinolytic enzyme (subtilisin DFE) gene from *Bacillus amyloliquefaciens* DC-4 in *Bacillus subtilis*. *Research in Microbiology*, *155*(3), 167–173. <https://doi.org/10.1016/j.resmic.2003.10.004>
- Pérez-Gregorio, R., Soares, S., Mateus, N., & de Freitas, V. (2020). Bioactive peptides and dietary polyphenols: Two sides of the same coin. In *Molecules* (Vol. 25, Issue 15). MDPI AG. <https://doi.org/10.3390/molecules25153443>
- PERKI. 2019. Press Release, World Heart Day PERKI 2019. [http://www.inaheart.org/news\\_and\\_events/news/2019/9/26/press\\_release\\_world\\_heart\\_day\\_perki\\_2019](http://www.inaheart.org/news_and_events/news/2019/9/26/press_release_world_heart_day_perki_2019) diakses pada 13 Januari 2020
- Pitchford, S., Pan, D., & Welch, H. C. E. (2017). Platelets in neutrophil recruitment to sites of inflammation. *Current Opinion in Hematology*, *24*(1), 23–31. <https://doi.org/10.1097/MOH.0000000000000297>
- Poernomo, A. T., Isnaeni, & Purwanto. (2014). Aktivitas Invitro Enzim Fibrinolitik Ekstrak Tempe Hasil Fermentasi *Rhizopus Oligosporus* ATCC 6010 Pada

- Substrat Kedelai Hitam. *Berkala Ilmiah Kimia Farmasi*, 4(2), 18–24.  
<http://journal.unair.ac.id/download-fullpapers-bikf2b8862565bfull.pdf>
- Poernomo, A. T., Sudjarwo, & Parasati, R. A. (2014). Purifikasi Parsial Enzim Fibrinolitik Tempe Kacang Koro (*Canavalia ensiformis*) Produk Fermentasi *Rhizopus oryzae* FNCC 6078. *Berkala Ilmiah Kimia Farmasi*, 3(2), 23–30.  
<https://doi.org/10.1002/ejoc.201200111>
- Prabowo, A. Y., Estiasih, T., & Purwanti, I. (2014). Umbi gembili (*Dioscorea esculenta* L.) sebagai bahan pangan mengandung senyawa bioaktif: kajian pustaka. *Jurnal Pangan Dan Agroindustri*, 2(3), 129–135.
- Rodríguez, L., Mendez, D., Montecino, H., Carrasco, B., Arevalo, B., Palomo, I., & Fuentes, E. (2022). Role of *Phaseolus vulgaris* L. in the Prevention of Cardiovascular Diseases-Cardioprotective Potential of Bioactive Compounds. In *Plants* (Vol. 11, Issue 2). MDPI. <https://doi.org/10.3390/plants11020186>
- Sajuthi, D., Suparto, I., Praira, W., Klinik, D., Studi, P., Primata, S., ... Jaya, U. A. (2010). Dari Ekstrak Jamur Merang, 14(2), 145–150.
- Sanguhl, K., Shuldiner, A. R., Klein, T. E., & Altman, R. B. (2011). Platelet aggregation pathway. *Pharmacogenetics and Genomics*, 21(8), 516–521.  
<https://doi.org/10.1097/FPC.0b013e3283406323>
- Sanjukta, S., Rai, A. K., Muhammed, A., Jeyaram, K., & Talukdar, N. C. (2015). Enhancement of antioxidant properties of two soybean varieties of Sikkim Himalayan region by proteolytic *Bacillus subtilis* fermentation. *Journal of Functional Foods*, 14, 650–658. <https://doi.org/10.1016/j.jff.2015.02.033>
- Sasmita, I. R. A., Sutrisno, A., Zubaidah, E., & Wardani, A. K. (2018). Purification and characterization of a fibrinolytic enzyme from tempeh bongkrek as an alternative of thrombolytic agents. *IOP Conference Series: Earth and Environmental Science*, 131(1). <https://doi.org/10.1088/1755-1315/131/1/012041>
- Shazari, P. A., & Kurniawan, B. (2016). Manfaat Enzim Protease Fibrinolitik Cacing Tanah (*Lumbricus Rubellus*) terhadap Pasien Stroke Iskemik The Benefit of Fibrinolytic Protease Enzyme Earthworms (*Lumbricus Rubellus*) for Ischemic

- Stroke Patient. Majority, 5(1), 135–139.  
<http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/938/771>
- Stephani, L., Tjandrawinata, R. R., Afifah, D. N., Lim, Y., Ismaya, W. T., & Suhartono, M. T. (2017). Food Origin Fibrinolytic Enzyme With Multiple Actions. *HAYATI Journal of Biosciences*, 24(3), 124–130.  
<https://doi.org/10.1016/j.hjb.2017.09.003>
- Sugimoto, S., Fujii, T., Morimiya, T., Johdo, O., & Nakamura, T. (2007). The fibrinolytic activity of a novel protease derived from a tempeh producing fungus, *Fusarium* sp. BLB. *Bioscience, Biotechnology and Biochemistry*, 71(9), 2184–2189. <https://doi.org/10.1271/bbb.70153>
- Sumi, H., Yanagisawa, Y., Yatagai, C., & Saito, J. (2004). Natto Bacillus as an Oral Fibrinolytic Agent: Nattokinase Activity and the Ingestion Effect of *Bacillus subtilis natto*. In *Food Sci. Technol. Res* (Vol. 10, Issue 1).
- Swieringa, F., Spronk, H. M. H., Heemskerk, J. W. M., & van der Meijden, P. E. J. (2018). Integrating platelet and coagulation activation in fibrin clot formation. In *Research and Practice in Thrombosis and Haemostasis* (Vol. 2, Issue 3, pp. 450–460). Blackwell Publishing Ltd. <https://doi.org/10.1002/rth2.12107>
- Umar, I dan RW Sujud. Hemostasis dan Disseminated Intravascular Coagulation (DIC). *Journal of Anaesthesia and Pain*. 2020;1(2): 19-32
- Urano, T., Suzuki, Y., Iwaki, T., Sano, H., Honkura, N., & Castellino, F. J. (2019). Recognition of Plasminogen Aktivator Inhibitor Type 1 as the Primary Regulator of Fibrinolysis. *Current Drug Targets*, 20(16), 1695–1701.  
<https://doi.org/10.2174/1389450120666190715102510>
- Verdiana, L., & Muniroh, L. (2018). Kebiasaan Sarapan Berhubungan Dengan Konsentrasi Belajar Pada Siswa Sdn Sukoharjo I Malang. *Media Gizi Indonesia*, 12(1), 14.
- Wang, C., Ming, D. U., Zheng, D., Kong, F., Zu, G., & Feng, Y. (2009). Purification and characterization of nattokinase from *Bacillus subtilis natto* B-12. *Journal of*



Agricultural and Food Chemistry, 57(20), 9722–9729.  
<https://doi.org/10.1021/jf901861v>

- Wang, J., Hajizadeh, N., Moore, E. E., McIntyre, R. C., Moore, P. K., Veress, L. A., Yaffe, M. B., Moore, H. B., & Barrett, C. D. (2020). Tissue plasminogen aktivator (tPA) treatment for COVID-19 associated acute respiratory distress syndrome (ARDS): A case series. *Journal of Thrombosis and Haemostasis*, 18(7), 1752–1755. <https://doi.org/10.1111/jth.14828>
- Weng, Y., Yao, J., Sparks, S., & Wang, K. Y. (2017). Nattokinase: An oral antithrombotic agent for the prevention of cardiovascular disease. *International Journal of Molecular Sciences*, 18(3). <https://doi.org/10.3390/ijms18030523>
- Whyte, C. S., Morrow, G. B., Mitchell, J. L., Chowdary, P., & Mutch, N. J. (2020). Fibrinolytic abnormalities in acute respiratory distress syndrome (ARDS) and versatility of thrombolytic drugs to treat COVID-19. *Journal of Thrombosis and Haemostasis*, 18(7), 1548–1555. <https://doi.org/10.1111/jth.14872>
- World Health Organization (2008) The World Health Report 2008: Primary Health Care Now More Than Ever. Geneva: WHO Library Cataloguing-in-Publication
- Yoon SJ, Yu MA, Sim GS, Kwon ST, Hwang JK, Shin JK, Yeo IH, Pyun YR (2002) Screening and characterization of microorganisms with fibrinolytic activity from fermented foods. *J Microbiol Biotechnol* 12(4):649–656
- Yuan, J., Yang, J., Zhuang, Z., Yang, Y., Lin, L., & Wang, S. (2012). Thrombolytic effects of *Douchi* Fibrinolytic enzyme from *Bacillus subtilis* LD-8547 in vitro and in vivo. *BMC Biotechnology*, 12. <https://doi.org/10.1186/1472-6750-12-36>
- Zhang, J. H., Tatsumi, E., Fan, J. F., & Li, L. Te. (2007). Chemical components of *Aspergillus*-type *Douchi*, a Chinese traditional fermented soybean product, change during the fermentation process. *International Journal of Food Science and Technology*, 42(3), 263–268. <https://doi.org/10.1111/j.1365-2621.2005.01150.x>

**BAB 8**  
**LAMPIRAN**

**8.1. Penilaian Kualitas Literatur**

Penilaian kualitas literatur berdasarkan metode Hawker *et al* (2002) appendix D,

Kualitas tinggi : 16 – 20

Kualitas sedang: 11 – 15

Kualitas rendah : 8 – 10

Table 5. Penilaian Kualitas Literatur

| No | Referensi                     | Bagian Literatur       | Skor | Total | Kualitas |
|----|-------------------------------|------------------------|------|-------|----------|
| 1  | Sumi <i>et al.</i> , 2004     | Abstrak dan judul      | 4    | 18    | Tinggi   |
|    |                               | Pendahuluan dan tujuan | 5    |       |          |
|    |                               | <i>Sampling</i>        | 5    |       |          |
|    |                               | <i>Result</i>          | 4    |       |          |
| 2  | Yuan <i>et al.</i> , 2012     | Abstrak dan judul      | 5    | 20    | Tinggi   |
|    |                               | Pendahuluan dan tujuan | 5    |       |          |
|    |                               | <i>Sampling</i>        | 5    |       |          |
|    |                               | <i>Result</i>          | 5    |       |          |
| 3  | Nailufar <i>et al.</i> , 2016 | Abstrak dan judul      | 4    | 19    | Tinggi   |
|    |                               | Pendahuluan dan tujuan | 5    |       |          |
|    |                               | <i>Sampling</i>        | 5    |       |          |
|    |                               | <i>Result</i>          | 5    |       |          |
| 4  | Jang <i>et al.</i> , 2013     | Abstrak dan judul      | 4    | 16    | Tinggi   |
|    |                               | Pendahuluan dan tujuan | 4    |       |          |
|    |                               | <i>Sampling</i>        | 4    |       |          |
|    |                               | <i>Result</i>          | 4    |       |          |
| 5  | Pan <i>et al.</i> , 2009      | Abstrak dan judul      | 5    | 20    | Tinggi   |
|    |                               | Pendahuluan dan tujuan | 5    |       |          |
|    |                               | <i>Sampling</i>        | 5    |       |          |
|    |                               | <i>Result</i>          | 5    |       |          |