

REFERENCES

- [1] F. Livingston, "Implementation of Breiman's random forest machine learning algorithm," *ECE591Q Machine Learning Journal Paper*, pp. 1–13, 2005.
- [2] E. Aguiar, H. Lakkaraju, N. Bhanpuri, D. Miller, B. Yuhas, and K. L. Addison, "Who, when, and why: a machine learning approach to prioritizing students at risk of not graduating high school on time," in *Proceedings of the Fifth International Conference on Learning Analytics And Knowledge - LAK '15*, Poughkeepsie, New York, 2015, pp. 93–102. doi: 10.1145/2723576.2723619.
- [3] J. Ye, J.-H. Chow, J. Chen, and Z. Zheng, "Stochastic gradient boosted distributed decision trees," in *Proceedings of the 18th ACM conference on Information and knowledge management*, New York, NY, USA, Nov. 2009, pp. 2061–2064. doi: 10.1145/1645953.1646301.
- [4] O. Hubáček, G. Šourek, and F. Železný, "Learning to predict soccer results from relational data with gradient boosted trees," *Mach Learn*, vol. 108, no. 1, pp. 29–47, Jan. 2019, doi: 10.1007/s10994-018-5704-6.
- [5] J. D. Rodriguez, A. Perez, and J. A. Lozano, "Sensitivity Analysis of k-Fold Cross Validation in Prediction Error Estimation," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 32, no. 3, pp. 569–575, Mar. 2010, doi: 10.1109/TPAMI.2009.187.
- [6] H. Lakkaraju *et al.*, "A Machine Learning Framework to Identify Students at Risk of Adverse Academic Outcomes," in *Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining - KDD '15*, Sydney, NSW, Australia, 2015, pp. 1909–1918. doi: 10.1145/2783258.2788620.
- [7] L. Aulck, N. Velagapudi, J. Blumenstock, and J. West, "Predicting Student Dropout in Higher Education," *arXiv:1606.06364 [cs, stat]*, Mar. 2017, Accessed: Sep. 25, 2020. [Online]. Available: <http://arxiv.org/abs/1606.06364>
- [8] M. Nagy and R. Molontay, "Predicting Dropout in Higher Education Based on Secondary School Performance," in *2018 IEEE 22nd International Conference on Intelligent Engineering Systems (INES)*, Las Palmas de Gran Canaria, Jun. 2018, pp. 000389–000394. doi: 10.1109/INES.2018.8523888.
- [9] B. A. Tama, "Learning to Prevent Inactive Student of Indonesia Open University," *Journal of Information Processing Systems*, vol. 11, no. 2, pp. 165–172, Jun. 2015, doi: 10.3745/JIPS.04.0015.
- [10] H. A. Roysid, A. Maulana, and U. Pujiyanto, "CAN K-NEAREST NEIGHBOR METHOD BE USED TO PREDICT SUCCESS IN INDONESIA STATE UNIVERSITY STUDENT

SELECTION,” *Jurnal Ilmiah Kursor*, vol. 9, no. 4, Oct. 2019, doi: 10.28961/kursor.v9i4.186.

- [11] Z. Hu, Z. Yang, X. Liang, R. Salakhutdinov, and E. P. Xing, “Toward Controlled Generation of Text,” *arXiv:1703.00955 [cs, stat]*, Sep. 2018, Accessed: Feb. 11, 2021. [Online]. Available: <http://arxiv.org/abs/1703.00955>
- [12] A. Radford, L. Metz, and S. Chintala, “Unsupervised Representation Learning with Deep Convolutional Generative Adversarial Networks,” *arXiv:1511.06434 [cs]*, Jan. 2016, Accessed: Feb. 16, 2021. [Online]. Available: <http://arxiv.org/abs/1511.06434>
- [13] J. Rocca, “Understanding Variational Autoencoders (VAEs),” *Medium*, Jul. 07, 2020. <https://towardsdatascience.com/understanding-variational-autoencoders-vaes-f70510919f73> (accessed Feb. 16, 2021).
- [14] I. J. Goodfellow *et al.*, “Generative Adversarial Networks,” *arXiv:1406.2661 [cs, stat]*, Jun. 2014, Accessed: Feb. 16, 2021. [Online]. Available: <http://arxiv.org/abs/1406.2661>
- [15] D. P. Kingma and M. Welling, “An Introduction to Variational Autoencoders,” *FNT in Machine Learning*, vol. 12, no. 4, pp. 307–392, 2019, doi: 10.1561/22000000056.
- [16] G. L. Squires, *Practical Physics*, 4th ed. Cambridge: Cambridge University Press, 2001. doi: 10.1017/CBO9781139164498.