

DAFTAR PUSTAKA

- [1] R. Rasyid, M. Muhammad, and R. R. Rasyid, “Pengaturan Kecepatan Motor Induksi Tiga Fasa Menggunakan Spwm Inverter dan Kontrol Pid dengan Metode Hibrid Volt/Herzt Konstan-Sensor Arus,” *PROtek J. Ilm. Tek. Elektro*, vol. 9, no. 1, p. 57, 2022, doi: 10.33387/protk.v9i1.4201.
- [2] N. Evalina, A. H. Azis, and Zulfikar, “Pengaturan Kecepatan Putaran Motor Induksi 3 Fasa Menggunakan Programmable logic controller,” *J. Electr. Technol.*, vol. 3, no. 2, pp. 73–80, 2018.
- [3] Y. Pranata, T. Arfianto, and N. Taryana, “Analisis Unjuk Kerja Motor Induksi 3 Fasa Menggunakan Inverter 3 Fasa,” *TELKA - Telekomun. Elektron. Komputasi dan Kontrol*, vol. 4, no. 2, pp. 91–102, 2018, doi: 10.15575/telka.v4n2.91-102.
- [4] F. Musahiroh, F. A. Izaqi, and I. D. Lazuardi, “Kontrol Kecepatan Motor Induksi 3 Fasa Menggunakan Multilevel Inverter Dengan Metode V / F Konstan Berbasis Fuzzy Logic Control,” no. April, pp. 38–48, 2022.
- [5] G. S. Memon, M. A. Mahar, C. Kumar, M. M. Shaikh, and S. K. Guriro, “Performance Analysis of Induction Motor Drive at Various Conduction Modes Using 3-phase Bridge Inverter,” *Proc. 21st Int. Multi Top. Conf. INMIC 2018*, pp. 206–212, 2018, doi: 10.1109/INMIC.2018.8595527.
- [6] Y. Yang, S. Member, Q. Zhang, S. Member, and P. Zhang, “A Fast IGBT

Junction Temperature Estimation Approach Based On On-state Voltage Drop," vol. 9994, no. c, 2020, doi: 10.1109/TIA.2020.3030753.

- [7] R. Muhammad, D. Septiyanto, and N. Mulyono, "Rancang Bangun Inverter 3 Fasa Berbasis Bipolar Sinusoidal Pulse Width Modulation," *Pros. Ind. Res. Work. Natl. Semin.*, vol. 13, no. 01, pp. 13–14, 2022, [Online]. Available: <https://jurnal.polban.ac.id/ojs-3.1.2/proceeding/article/view/4417>
- [8] E. A. Nugroho, "Implementasi Sistem Kendali Variable Speed Drive Pada Inverter 3 Fasa Menggunakan Mikrokontrol At89S52," *Simetris J. Tek. Mesin, Elektro dan Ilmu Komput.*, vol. 9, no. 1, pp. 413–424, 2018, doi: 10.24176/simet.v9i1.1988.
- [9] Muhamad Rifa'i, Eka Mandayatma, and Fathoni, "Rancang Bangun Spwm Inverter 3 Fasa Daya Kecil Metode Skalar," *J. Tek. Ilmu Dan Apl.*, vol. 9, no. 1, pp. 50–55, 2021, doi: 10.33795/jtia.v9i1.11.
- [10] M. A. Waghmare, K. A. Onkar, and A. V. Jadhav, "dsPIC Based Implementation of Sinusoidal Pulse Width Modulation Techniques for Multilevel Inverters," no. January, 2019, [Online]. Available: https://www.researchgate.net/profile/Kunal-Onkar-2/publication/334721016_dsPIC_Based_Implementation_of_Sinusoidal_Pulse_Width_Modulation_Techniques_for_Multilevel_Inverters/links/5d3be5c0299bf1995b4e5463/dsPIC-Based-Implementation-of-Sinusoidal-Pulse-Wid

- [11] H. H. FAKHRUDDIN, H. TOAR, E. PURWANTO, H. OKTAVIANTO, R. A. N. APRIYANTO, and A. W. ADITYA, “Kendali Kecepatan Motor Induksi 3 Fase Berbasis Particle Swarm Optimization (PSO),” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 8, no. 3, p. 477, 2020, doi: 10.26760/elkomika.v8i3.477.
- [12] Y. M. Buswig*, H. Albalawi, N. bin Julai, A.-K. bin H. Othman, A. Affam, and O. Qay, “Development and Modelling of Three Phase Inverter for Harmonic Improvement using Sinusoidal Pulse Width Modulation (SPWM) Control Technique,” *Int. J. Recent Technol. Eng.*, vol. 8, no. 4, pp. 1897–1902, 2019, doi: 10.35940/ijrte.c4624.118419.
- [13] P. S. B. Sakti and S. Riyadi, “Hardware Implementation of Simplified VVVF Inverter for Induction Motor Based on SVM,” *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrosp. Prospect. Challenges, iSemantic 2019*, pp. 487–491, 2019, doi: 10.1109/ISEMANTIC.2019.8884271.
- [14] A. Syakur, A. Wibisono, and P. Korespondensi, “Analisis Pengaturan Parameter Sinusoidal Pulse Width Modulation pada High Precision Closed Loop Full Bridge Bipolar Inverter untuk Pembangkit Tegangan Tinggi Berfrekuensi Tinggi,” *Teknik*, vol. 41, no. 1, pp. 55–61, 2020, doi: 10.14710/teknik.v41n1.30787.
- [15] M. Yusuf, V. Prasetya, S. D. Riyanto, and A. A. Rafiq, “Desain Simulasi Sistem Pengaturan Kecepatan Motor Induksi Tiga Fasa Dengan Switching Space Vector Pulse Width Modulation,” *J. Ecotype (Electronic, Control.*

Telecommun. Information, Power Eng., vol. 6, no. 1, pp. 24–31, 2019, doi: 10.33019/ecotipe.v6i1.943.

- [16] J. W. Lim, H. Bu, and Y. Cho, “Novel dead-time compensation strategy for wide current range in a three-phase inverter,” *Electron.*, vol. 8, no. 1, 2019, doi: 10.3390/electronics8010092.

[17] Stepanus, E. M. Silalahi, and J. Salebbay, “Desain Tiga Fase Uniform Pulse-Width Modulation (Upwm) Dengan Dspicc30F4011 Guna Mengatasi Dip Tegangan Dan Interupsi,” *J. Lektronika*, vol. 1, pp. 1–10, 2018.

[18] R. Ridwan, E. Purwanto, H. Oktavianto, M. R. Rusli, and H. Toar, “Desain Kontrol Kecepatan Motor Induksi Tiga Fasa Menggunakan Fuzzy Pid Berbasis Idirect Field Oriented Control,” *J. Integr.*, vol. 11, no. 2, pp. 146–155, 2019, doi: 10.30871/ji.v11i2.1356.

[19] K. R. S. Suda, E. Purwanto, B. Sumantri, H. H. Fakhruddin, A. A. Muntashir, and M. R. Rusli, “Pengaturan Kecepatan Motor Induksi 3 Fasa Dengan Menggunakan Pemodelan Sistem (Dtc) Direct Torque Control,” *J. Pendidikan Teknologi dan Kependidikan*, vol. 18, no. 2, pp. 237–248, 2021, [Online]. Available: <https://ejournal.undiksha.ac.id/index.php/JPTK/article/view/35509> <http://ejournal.undiksha.ac.id/index.php/JPTK/article/download/35509/21113>

[20] P. S. Wibowo and S. Riyadi, “SPWM Volt/Hz Based Speed Control of Induction Motor,” *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect. Prospect. Challenges, iSemantic 2019*, pp. 482–486, 2019, doi:

10.1109/ISEMANTIC.2019.8884311.

- [21] D. Bhowmick, M. Manna, and S. K. Chowdhury, “Online Estimation and Analysis of Equivalent Circuit Parameters of Three Phase Induction Motor Using Particle Swarm Optimization,” pp. 1–5, 2016.

