

# Lampiran 1

## Scan Hasil Anti Plagiasi

### Similarity Report

PAPER NAME

**TA-19.N1.0009.docx**

WORD COUNT

**6314 Words**

CHARACTER COUNT

**40073 Characters**

PAGE COUNT

**37 Pages**

FILE SIZE

**5.6MB**

SUBMISSION DATE

**Jan 19, 2024 3:51 PM GMT+7**

REPORT DATE

**Jan 19, 2024 3:52 PM GMT+7**

#### ● 16% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- 10% Internet database
- 3% Publications database
- Crossref database
- Crossref Posted Content database
- 13% Submitted Works database

#### ● Excluded from Similarity Report

- Bibliographic material
- Quoted material
- Cited material
- Small Matches (Less than 8 words)

Summary

**Lampiran 2**  
**Dokumentasi Wawancara**

- 1. Melakukan presentasi dan wawancara website kepada staff Keizai Coffee**



- 2. Melakukan wawancara website kepada pelanggan Keizai Coffee.**



## Lampiran 3

### Kode Program *website*

#### A. Kode program halaman utama

```
<!DOCTYPE html>
<html style="font-size: 16px;" lang="en"><head>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta charset="utf-8">
  <meta name="keywords" content="Welcome! |&nbsp;ようこそ">
  <meta name="description" content="">
  <title>Home | Keizai Coffee & Garden</title>
  <link rel="stylesheet" href="nicepage.css" media="screen">
<link rel="stylesheet" href="Home.css" media="screen">
  <script class="u-script" type="text/javascript" src="jquery.js"
defer=""></script>
  <script class="u-script" type="text/javascript" src="nicepage.js"
defer=""></script>
  <meta name="generator" content="Nicepage 5.17.1, nicepage.com">
  <link id="u-theme-google-font" rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Roboto:100,100i,300,300i,400,400
i,500,500i,700,700i,900,900i|Open+Sans:300,300i,400,400i,500,500i,600,600i,700
,700i,800,800i">
  <link id="u-page-google-font" rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Montserrat:100,100i,200,200i,300
,300i,400,400i,500,500i,600,600i,700,700i,800,800i,900,900i">
  <meta name="theme-color" content="#478ac9">
  <meta name="twitter:site" content="@">
  <meta name="twitter:card" content="summary_large_image">
  <meta name="twitter:title" content="Home">
  <meta name="twitter:description" content="">
  <meta property="og:title" content="Home">
  <meta property="og:type" content="website">
  <meta data-intl-tel-input-cdn-path="intlTelInput/"></head>
  <body class="u-body u-xl-mode" data-lang="en"><header class="u-clearfix u-
custom-color-1 u-header u-sticky-014a u-header" id="sec-1ac0"><div class="u-
clearfix u-sheet u-valign-middle u-sheet-1">
  <a href="Home.html" class="u-image u-logo u-image-1" data-image-
width="335" data-image-height="745">
  
  </a>
  <nav class="u-dropdown-icon u-menu u-menu-dropdown u-offcanvas u-menu-
1" data-responsive-from="XS">
  <div class="menu-collapse u-custom-font u-font-montserrat"
style="font-size: 1rem; letter-spacing: 0px; text-transform: uppercase; font-
weight: 700;">
```

```

        <a class="u-button-style u-custom-active-border-color u-custom-
active-color u-custom-border u-custom-border-color u-custom-border-radius u-
custom-borders u-custom-hover-border-color u-custom-hover-color u-custom-left-
right-menu-spacing u-custom-padding-bottom u-custom-text-active-color u-
custom-text-color u-custom-text-hover-color u-custom-top-bottom-menu-spacing
u-nav-link u-text-active-palette-1-base u-text-hover-palette-2-base" href="#">
        <svg class="u-svg-link" viewBox="0 0 24 24"><use
xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#menu-
hamburger"></use></svg>
        <svg class="u-svg-content" version="1.1" id="menu-hamburger"
viewBox="0 0 16 16" x="0px" y="0px" xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns="http://www.w3.org/2000/svg"><g><rect y="1" width="16"
height="2"></rect><rect y="7" width="16" height="2"></rect><rect y="13"
width="16" height="2"></rect>
</g></svg>
        </a>
</div>
<div class="u-custom-menu u-nav-container">
    <ul class="u-custom-font u-font-montserrat u-nav u-spacing-30 u-
unstyled u-nav-1"><li class="u-nav-item"><a class="u-border-2 u-border-active-
custom-color-4 u-border-hover-custom-color-3 u-border-no-left u-border-no-
right u-border-no-top u-button-style u-nav-link u-text-active-white u-text-
hover-white u-text-white" href="Home.html" style="padding: 10px 0px;">Home</a>
</li><li class="u-nav-item"><a class="u-border-2 u-border-active-custom-color-
4 u-border-hover-custom-color-3 u-border-no-left u-border-no-right u-border-
no-top u-button-style u-nav-link u-text-active-white u-text-hover-white u-
text-white" href="career2.php" style="padding: 10px 0px;">Career</a>
</li><li class="u-nav-item"><a class="u-border-2 u-border-active-custom-color-
4 u-border-hover-custom-color-3 u-border-no-left u-border-no-right u-border-
no-top u-button-style u-nav-link u-text-active-white u-text-hover-white u-
text-white" href="cobamenukafe.php" style="padding: 10px 0px;">Menu</a>
</li><li class="u-nav-item"><a class="u-border-2 u-border-active-custom-color-
4 u-border-hover-custom-color-3 u-border-no-left u-border-no-right u-border-
no-top u-button-style u-nav-link u-text-active-white u-text-hover-white u-
text-white" href="contactus.php" style="padding: 10px 0px;">Contact Us</a>
</li><li class="u-nav-item"><a class="u-border-2 u-border-active-custom-color-
4 u-border-hover-custom-color-3 u-border-no-left u-border-no-right u-border-
no-top u-button-style u-nav-link u-text-active-white u-text-hover-white u-
text-white" target="_blank" style="padding: 10px 0px;">Login</a><div class="u-
nav-popup"><ul class="u-h-spacing-20 u-nav u-unstyled u-v-spacing-10"><li
class="u-nav-item"><a class="u-button-style u-custom-color-4 u-hover-custom-
color-3 u-nav-link" href="login.php">User Login</a>
</li><li class="u-nav-item"><a class="u-button-style u-custom-color-4 u-hover-
custom-color-3 u-nav-link" href="Adminlogin.php">Admin Login</a>
</li></ul>
</div>
</li></ul>
</div>

```

```

    <div class="u-custom-menu u-nav-container-collapse">
      <div class="u-black u-container-style u-inner-container-layout u-
opacity u-opacity-95 u-sidenav">
        <div class="u-inner-container-layout u-sidenav-overflow">
          <div class="u-menu-close"></div>
          <ul class="u-align-center u-nav u-popupmenu-items u-unstyled
u-nav-3"><li class="u-nav-item"><a class="u-button-style u-nav-link"
href="Home.html">Home</a>
</li><li class="u-nav-item"><a class="u-button-style u-nav-link">Career</a>
</li><li class="u-nav-item"><a class="u-button-style u-nav-link">Menu</a>
</li><li class="u-nav-item"><a class="u-button-style u-nav-link">Contact Us</a>
</li><li class="u-nav-item"><a class="u-button-style u-nav-link"
target="_blank">Login</a><div class="u-nav-popup"><ul class="u-h-spacing-20 u-
nav u-unstyled u-v-spacing-10"><li class="u-nav-item"><a class="u-button-style
u-nav-link">User Login</a>
</li><li class="u-nav-item"><a class="u-button-style u-nav-link">Admin
Login</a>
</li></ul>
</div>
</li></ul>
</div>
</li></ul>
</div>
</div>
<div class="u-black u-menu-overlay u-opacity u-opacity-70"></div>
</div>
</nav>
</div></header>
<section class="u-align-center u-clearfix u-image u-section-1"
id="carousel_6d22" data-image-width="625" data-image-height="351">
  <div class="u-clearfix u-sheet u-sheet-1">
    <h2 class="u-custom-font u-font-montserrat u-text u-text-1">Welcome!
|&nbsp;ようこそ</h2>
    <p class="u-custom-font u-font-montserrat u-text u-text-2">Selamat
datang di Keizai Coffee & Garden! Nikmati hidangan dan minuman autentik
Keizai Cafe yang dibuat dari bahan-bahan pilihan dan berkualitas khusus untuk
anda</p>
    <div class="u-uploaded-video u-video u-video-1" data-animation-
name="customAnimationIn" data-animation-duration="1000" data-animation-
direction="">
      <div class="embed-responsive">
        <video class="embed-responsive-item">
          <source
src="files/Snapinsta.app_video_10000000_201396969214017_5407290731667951657_n.
mp4" type="video/mp4">
          <p>Your browser does not support HTML5 video.</p>
        </video>
        <button class="u-video-poster"></button>
      </div>
    </div>
  </div>

```



```

    <div class="u-uploaded-video u-video u-video-2" data-animation-
name="customAnimationIn" data-animation-duration="2500">
    <div class="embed-responsive">
    <video class="embed-responsive-item">
    <source
src="files/Snapinsta.app_video_43696096_740184674126297_3097685262404849993_n.
mp4" type="video/mp4">
    <p>Your browser does not support HTML5 video.</p>
    </video>
    <button class="u-video-poster"></button>
    </div>
    </div>
    <div class="u-uploaded-video u-video u-video-3" data-animation-
name="customAnimationIn" data-animation-duration="3000">
    <div class="embed-responsive">
    <video class="embed-responsive-item">
    <source
src="files/Snapinsta.app_video_319460847_109931498638719_7695075089607330930_n
.mp4" type="video/mp4">
    <p>Your browser does not support HTML5 video.</p>
    </video>
    <button class="u-video-poster"></button>
    </div>
    </div>
    <h6 class="u-custom-font u-font-montserrat u-text u-text-body-alt-
color u-text-3" data-animation-name="customAnimationIn" data-animation-
duration="4500" data-animation-direction="">Chicken Crispy Sambal Matah</h6>
    <h6 class="u-custom-font u-font-montserrat u-text u-text-body-alt-
color u-text-4" data-animation-name="customAnimationIn" data-animation-
duration="4500">Chocogato</h6>
    <h6 class="u-custom-font u-font-montserrat u-text u-text-body-alt-
color u-text-5" data-animation-name="customAnimationIn" data-animation-
duration="4500">Suito Java <span style="font-weight: 700;">Klepon</span>
    </h6>
    </div>
</section>
<section class="u-border-1 u-border-grey-75 u-clearfix u-image u-section-
2" id="sec-230b" data-image-width="625" data-image-height="351">
    <div class="u-clearfix u-sheet u-sheet-1">
    
    <h3 class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1"> ケイザイコーヒーへようこそ!</h3>
    <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-2"> About Us</p>
    <p class="u-align-justify u-custom-font u-font-montserrat u-text u-
text-3"> Keizai Coffee adalah kedai kopi yang berdiri pada&nbsp;&September 2021.

```

```

<br>Keizai Coffee memiliki banyak macam menu makanan dan minuman yang dibuat
dengan bahan-bahan berkualitas.
    </p>
</div>
</section>
<section class="u-clearfix u-image u-section-3" id="sec-4b60" data-image-
width="625" data-image-height="351">
    <div class="u-clearfix u-sheet u-sheet-1">
        
        <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1">Career</p>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-text-
2">Tertarik menjadi bagian dari kami? Keizai Coffee memberikan peluang untuk
dapat berkembang bersama Keizai.<br>
        </p>
        <a href="career2.php" class="u-btn u-button-style u-none u-text-body-
color u-text-hover-custom-color-2 u-btn-1">klik disini<span class="u-
text-body-color"></span>&nbsp;<span class="u-file-icon u-icon"></span>
        </a>
    </div>
</section>
<section class="u-align-center u-clearfix u-section-4" id="sec-3f22">
    <div class="u-clearfix u-sheet u-sheet-1">
        <h3 class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1"> 私たちの署名</h3>
        <h3 class="u-text u-text-default u-text-2">Our Signature's</h3>
        <div class="u-expanded-width u-layout-horizontal u-list u-list-1">
            <div class="u-repeater u-repeater-1">
                <div class="u-align-left u-container-style u-list-item u-repeater-
item">
                    <div class="u-container-layout u-similar-container u-container-
layout-1">
                        
                        <h4 class="u-custom-font u-font-montserrat u-text u-text-
3">Suito Java Klepon</h4>
                        <p class="u-custom-font u-font-montserrat u-text u-text-
4">Klepon flavour, Palm sugar, Milk with coconut flavour</p>
                    </div>
                </div>
                <div class="u-align-left u-container-style u-list-item u-repeater-
item">
                    <div class="u-container-layout u-similar-container u-container-
layout-2">

```

```

        
        <h4 class="u-custom-font u-font-montserrat u-text u-text-
5">Pino Kila</h4>
        <p class="u-custom-font u-font-montserrat u-text u-text-6">The
Combination of Pineapple and Sweet Orange will re-energize you!</p>
        </div>
    </div>
    <div class="u-align-left u-container-style u-list-item u-repeater-
item">
        <div class="u-container-layout u-similar-container u-container-
layout-3">
            
            <h4 class="u-custom-font u-font-montserrat u-text u-text-
7">Cold Fashioned</h4>
            <p class="u-custom-font u-font-montserrat u-text u-text-
8">This is a mocktail have a strong, rich, and classy beverage. This is a
mocktail for a peaceful and warm afternoon when you want to enjoy a simple,
refreshing drink, and punch of flavor</p>
            </div>
        </div>
        <div class="u-align-left u-container-style u-list-item u-repeater-
item">
            <div class="u-container-layout u-similar-container u-container-
layout-4">
                
                <h4 class="u-custom-font u-font-montserrat u-text u-text-
9">Chicken Crispy Sambal Matah</h4>
                <p class="u-custom-font u-font-montserrat u-text u-text-
10">Chicken ricebowl with sambal matah.</p>
                </div>
            </div>
            <div class="u-align-left u-container-style u-list-item u-repeater-
item">
                <div class="u-container-layout u-similar-container u-container-
layout-5">
                    
                    <h4 class="u-custom-font u-font-montserrat u-text u-text-
11">Bento</h4>
                    <p class="u-custom-font u-font-montserrat u-text u-text-
12">Chicken katsu, rice, and salad with mayonaise and special sauce</p>

```



```

        </div>
    </div>
    <div class="u-align-left u-container-style u-list-item u-repeater-
item">
        <div class="u-container-layout u-similar-container u-container-
layout-6">
            
            <h4 class="u-custom-font u-font-montserrat u-text u-text-
13">Keko Pleto<br>
            </h4>
            <p class="u-custom-font u-font-montserrat u-text u-text-
14">Chick and chips and Friendly fries in one serve</p>
        </div>
    </div>
</div>
<a class="u-absolute-vcenter u-gallery-nav u-gallery-nav-prev u-
opacity u-opacity-70 u-spacing-10 u-gallery-nav-1" href="#" role="button">
    <span aria-hidden="true">
        <svg viewBox="0 0 451.847 451.847"><path d="M97.141,225.92c0-
8.095,3.091-16.192,9.259-22.366L300.689,9.27c12.359-12.359,32.397-
12.359,44.751,0
c12.354,12.354,12.354,32.388,0,44.748L173.525,225.92l171.903,171.909c12.354,12
.354,12.354,32.391,0,44.744
c-12.354,12.365-32.386,12.365-44.745,0l-194.29-
194.281C100.226,242.115,97.141,234.018,97.141,225.92z"></path></svg>
    </span>
    <span class="sr-only">
        <svg viewBox="0 0 451.847 451.847"><path d="M97.141,225.92c0-
8.095,3.091-16.192,9.259-22.366L300.689,9.27c12.359-12.359,32.397-
12.359,44.751,0
c12.354,12.354,12.354,32.388,0,44.748L173.525,225.92l171.903,171.909c12.354,12
.354,12.354,32.391,0,44.744
c-12.354,12.365-32.386,12.365-44.745,0l-194.29-
194.281C100.226,242.115,97.141,234.018,97.141,225.92z"></path></svg>
    </span>
</a>
<a class="u-absolute-vcenter u-gallery-nav u-gallery-nav-next u-
opacity u-opacity-70 u-spacing-10 u-text-white u-gallery-nav-2" href="#"
role="button">
    <span aria-hidden="true">
        <svg viewBox="0 0 451.846 451.847"><path
d="M345.441,248.292L151.154,442.573c-12.359,12.365-32.397,12.365-44.75,0c-
12.354-12.354-12.354-32.391,0-44.744
L278.318,225.92L106.409,54.017c-12.354-12.359-12.354-32.394,0-44.748c12.354-
12.359,32.391-12.359,44.75,0l194.287,194.284

```

```

c6.177,6.18,9.262,14.271,9.262,22.366C354.708,234.018,351.617,242.115,345.441,
248.292z"></path></svg>
</span>
<span class="sr-only">
<svg viewBox="0 0 451.846 451.847"><path
d="M345.441,248.292L151.154,442.573c-12.359,12.365-32.397,12.365-44.75,0c-
12.354-12.354-12.354-32.391,0-44.744
L278.318,225.92L106.409,54.017c-12.354-12.359-12.354-32.394,0-44.748c12.354-
12.359,32.391-12.359,44.75,0L194.287,194.284
c6.177,6.18,9.262,14.271,9.262,22.366C354.708,234.018,351.617,242.115,345.441,
248.292z"></path></svg>
</span>
</a>
</div>
<a href="cobamenukafe.php" class="u-border-none u-btn u-btn-round u-
button-style u-custom-color-2 u-hover-white u-radius-6 u-btn-1">Order Here</a>
</div>
</section>

<footer class="u-align-center u-clearfix u-footer u-grey-5 u-footer"
id="sec-c1fc"><div class="u-clearfix u-sheet u-sheet-1">

<p class="u-align-center u-text u-text-custom-color-2 u-text-1">
<span style="font-weight: 700;">Keizai</span> Coffee & Garden
</p>
<h5 class="u-align-left u-custom-font u-font-montserrat u-text u-text-
default u-text-2">Check our Social Media</h5>
<h5 class="u-align-left u-custom-font u-font-montserrat u-text u-text-
default u-text-3">Location</h5>
<h5 class="u-align-left u-custom-font u-font-montserrat u-text u-text-
default u-text-4">Contact Us</h5>
<p class="u-align-left u-text u-text-default u-text-5">For
reservations<br>+62 856-0280-6811<br>
</p>
<p class="u-align-left u-text u-text-default u-text-6"> Jl. Munasari,
Pakintelan,&nbsp;<br>Gunungpati, Semarang
</p>
<div class="u-social-icons u-spacing-10 u-social-icons-1">
<a class="u-social-url" title="instagram" target="_blank"
href="https://www.instagram.com/keizaicoffee/"><span class="u-icon u-social-
icon u-social-instagram u-icon-3"><svg class="u-svg-link"
preserveAspectRatio="xMidYMin slice" viewBox="0 0 112 112" style=""><use
xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#svg-
5c5b"></use></svg><svg class="u-svg-content" viewBox="0 0 112 112" x="0" y="0"
id="svg-5c5b"><circle fill="currentColor" cx="56.1" cy="56.1"

```

```

r="55"></circle><path fill="#FFFFFF" d="M55.9,38.2c-9.9,0-17.9,8-
17.9,17.9C38,66,46,74,55.9,74c9.9,0,17.9-8,17.9-
17.9C73.8,46.2,65.8,38.2,55.9,38.2
z M55.9,66.4c-5.7,0-10.3-4.6-10.3-10.3c-0.1-5.7,4.6-10.3,10.3-
10.3c5.7,0,10.3,4.6,10.3,10.3C66.2,61.8,61.6,66.4,55.9,66.4z"></path><path
fill="#FFFFFF" d="M74.3,33.5c-2.3,0-4.2,1.9-4.2,4.2s1.9,4.2,4.2,4.2s4.2-
1.9,4.2-4.2S76.6,33.5,74.3,33.5z"></path><path fill="#FFFFFF"
d="M73.1,21.3H38.6c-9.7,0-17.5,7.9-
17.5,17.5v34.5c0,9.7,7.9,17.6,17.5,17.6h34.5c9.7,0,17.5-7.9,17.5-17.5V38.8
C90.6,29.1,82.7,21.3,73.1,21.3z M83,73.3c0,5.5-4.5,9.9-9.9,9.9H38.6c-5.5,0-
9.9-4.5-9.9-9.9V38.8c0-5.5,4.5-9.9,9.9-9.9h34.5
c5.5,0,9.9,4.5,9.9,9.9V73.3z"></path></svg></span>

```

```

</a>
</div>
</div></footer>
<section class="u-backlink u-clearfix u-grey-80">
<span>© 2023 Keizai Coffee and Garden</span>
</a>
</section><span style="height: 64px; width: 64px; margin-left: 0px;
margin-right: auto; margin-top: 0px; background-image: none; right: 20px;
bottom: 20px; padding: 15px;" class="u-back-to-top u-custom-color-3 u-icon u-
icon-circle u-opacity u-opacity-85" data-href="#">
<svg class="u-svg-link" preserveAspectRatio="xMidYMin slice"
viewBox="0 0 551.13 551.13"><use xmlns:xlink="http://www.w3.org/1999/xlink"
xlink:href="#svg-1d98"></use></svg>
<svg class="u-svg-content" enable-background="new 0 0 551.13 551.13"
viewBox="0 0 551.13 551.13" xmlns="http://www.w3.org/2000/svg" id="svg-
1d98"><path d="m275.565 189.451 223.897 223.897h51.6681-275.565-275.565-
275.565 275.565h51.668z"></path></svg>
</span>
</body></html>

```

## B. Kode program login user

```

<?php include ("registerakun.php");?>

<form method="POST" class="form" action="login.php" id="login-form">
<?php include('errors.php'); ?>
<div class="form-group">
<label for="username">username</label>
<br><br>
<input type="text" name="username" id="username"
required="_required" placeholder="username" />
</div>

```

```

<br>
<div class="form-group">
  <label for="password"><i class="zmdi zmdi-lock"></i>password</label>
  <br><br>
  <input type="password" name="password" id="password"
required="_required" placeholder="Password" />
</div>
  <input type="submit" name="login_user" id="login_user" value="Log
in">

  <br>
  <p class="">Dont have account? Register below</p>
  <a class="register" href="registerbaru.php">Register here</a>

</div>
</form>
</section>
</body>
</html>

```

### C. Kode Program register user

```

<?php include('registerakun.php');?>

<form method="POST" class="" id="register_user" action="registerbaru.php">
  <?php include('errors.php'); ?>
  <div class="form">
    <div class="inputfield">
      <label for="name">Nama</label>
      <input type="text" name="Nama" id="Nama"
class= "input" required="_required" placeholder="Masukan Nama anda"/>
    </div>
    <div class="inputfield">
      <label for="name">Username</label>
      <input type="text" name="username"
id="username" class= "input" required="_required" placeholder="Masukan
username anda"/>
    </div>
    <div class="inputfield">
      <label for="email">Email</label>
      <input type="email" name="email" id="email"
class= "input" required="_required" placeholder="Masukan email anda"/>
    </div>
    <div class="inputfield">
      <label for="password">Password</label>
      <input type="password" name="password" class=
"input" id="password"required="_required" placeholder="Masukan Password anda"/>

```

```

        </div>
        <div class="inputfield">
            <input type="submit" name="register_user"
id="register_user" class="btn" value="Register"/>
        </div>
    </div>
</div>
</form>

```

#### D. Kode program function registerakun

```

<?php
session_start();

// initializing variables
$username = "";
$email    = "";
$masuk   = "";

$errors = array();

// connect to the database
$conn = mysqli_connect('localhost', 'root', '', 'keizai');
if (mysqli_connect_errno()) {
    echo "Failed to connect to MySQL: " . mysqli_connect_error();
}

// REGISTER USER
if (isset($_POST['register_user'])) {
    // receive all input values from the form

    $Nama = mysqli_real_escape_string($conn, $_POST['Nama']);
    $username = mysqli_real_escape_string($conn, $_POST['username']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, $_POST['password']);

    // form validation: ensure that the form is correctly filled ...
    // by adding (array_push()) corresponding error unto $errors array
    if (empty($Nama)) {
        array_push($errors, "Harap masukan nama");
    }
    if (empty($username)) {
        array_push($errors, "Harap masukan username");
    }
    if (empty($email)) {
        array_push($errors, "Harap masukan email");
    }
}

```



```

if (empty($password)) {
    array_push($errors, "Harap masukan password");
}
// first check the database to make sure
// a user does not already exist with the same username and/or email
$check_query = "SELECT * FROM akun WHERE username='$username' OR
email='$email' LIMIT 1";
$result = mysqli_query($conn, $check_query);
$user = mysqli_fetch_assoc($result);

if ($user) { // if user exists
    if ($user['username'] === $username) {
        array_push($errors, "Username already exists");
    }

    if ($user['email'] === $email) {
        array_push($errors, "email already exists");
    }
}

// Finally, register user if there are no errors in the form
if (count($errors) == 0) {
    $query = "INSERT INTO akun VALUES ('', '$Nama', '$username', '$email',
'$password')";
    mysqli_query($conn, $query);
    $_SESSION['masuk'] = $masuk;
    $_SESSION['Nama'] = $Nama;
    $_SESSION['username'] = $username;
    header('location: Home.html');
}
}

// LOGIN USER
if (isset($_POST['login_user'])) {

$username = mysqli_real_escape_string($conn, $_POST['username']);
$password = mysqli_real_escape_string($conn, $_POST['password']);

if (empty($username)) {
    array_push($errors, "Username is required");
}
if (empty($password)) {
    array_push($errors, "Password is required");
}

if (count($errors) == 0) {
    $query = "SELECT * FROM akun WHERE username='$username' AND password
='$password'";

```

```

    $sql = "SELECT Nama FROM akun WHERE username='$username' AND password
='$password'";
    $result = mysqli_query($conn, $sql);
    $row = mysqli_fetch_assoc($result);
    $results = mysqli_query($conn, $query);
    $res = mysqli_num_rows($results);
    if ($res) {
        $_SESSION['masuk'] = $masuk;
        $_SESSION['Nama'] = $Nama;
        $_SESSION['username'] = $username;
        header('location: Home.html');
    } else {
        array_push($errors, "Wrong username/password combination");
    }
}
}
?>

```

### E. Kode program halaman career

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>

<h2 class="u-custom-font u-font-montserrat u-text u-text-1">Welcome</h2>
<h4 class="u-custom-font u-font-montserrat u-text u-text-2">
    Keizai Coffee berdiri pada September 2021, Kami menyajikan berbagai
    macam menu hidangan yang menarik dengan
    menggunakan bahan-bahan yang berkualitas.</h4>
<h4 class="u-custom-font u-font-montserrat u-text u-text-2">Kami
    memiliki berbagai mesin dan tempat yang mendukung
    untuk bekerja menjadi seorang barista atau banyak hal lain. </h4>
<h4 class="u-custom-font u-font-montserrat u-text u-text-2">Mari
    bergabung bersama kami dan berkembang bersama di
    Keizai Coffee!</h4>
</section>
<section class="u-align-center u-clearfix u-image u-section-2">
    <div class="u-clearfix u-sheet u-sheet-2">
        <h2 class="u-custom-font u-font-montserrat u-text u-text-1">Job List</h2>
        <div class="rowAtas">

```

```

<div class="container-box">
  <div class="container-img">
    <a href="jobdesk-Headchef.php"></a>
  </div>
  <h4>Head Chef</h4>
</div>

<div class="container-box">
  <div class="container-img">
    <a href="jobdesk-Kitchenstaff.php"></a>
  </div>
  <h4>Kitchen Staff</h4>
</div>

<div class="container-box">
  <div class="container-img">
    <a href="jobdesk-Barista.php"> </a>
  </div>
  <h4>Barista</h4>
</div>
<div class="container-box">
  <div class="container-img">
    <a href="jobdesk-cashier.php"> </a>
  </div>
  <h4>Cashier</h4>
</div>
</section>
</body>
</html>

```

## F. Kode program detail career headchef

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
  $_SESSION['msg'] = "Harap login terlebih dahulu";
  header("Location: login.php");
  exit;
}

?>

```

```

<section class="u-clearfix u-image u-section-3" id="sec-4b60" data-image-
width="625" data-image-height="351">
  <div class="u-clearfix u-sheet u-sheet-1">
    
    <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-4">Head Chef | Jobdesk | Full Time</p>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-5">Menjadi seorang Head Chef yang dapat memimpin dan mengawasi seluruh
pekerjaan di dapur dan menjaga kualitas makanan dan minuman</p>
    <br></br>
    <br></br>
    <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1">Head Chef | Requirements</p>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Male or female<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Basic or non basic<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not color blind<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Willing to learn<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- High levels of energy & enthusiasm<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Responsible, Honest, and disciplined<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not currently Studying is prederred<br>
    </p>
    <a href="berkasCV.php" class="u-btn u-button-style u-none u-text-
body-color u-text-hover-custom-color-2 u-btn-1">klik disini&nbsp;<span
class="u-text-body-color"></span>&nbsp;<span class="u-file-icon u-icon"></span>
    </a>
  </div>
</section>
</body>
</html>

```

## G. Kode program detail career kitchenstaff

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";

```

```

header("Location: login.php");
exit;
}

?>
<section class="u-clearfix u-image u-section-3" id="sec-4b60" data-image-
width="625" data-image-height="351">
  <div class="u-clearfix u-sheet u-sheet-1">
    
    <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-4">Kitchen Staff | Jobdesk | Full Time</p>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-5">Menjadi seorang Kitchen Crew yang suka memasak dan dapat
mempertahankan rasa makanan dan minuman</p>
    <br></br>
    <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1">Kitchen Staff | Requirements</p>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Male or female<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Basic or non basic<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not color blind<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Willing to learn<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- High levels of energy & enthusiasm<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Responsible, Honest, and disciplined<br>
    <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not currently Studying is prederred<br>
    </p>
    <a href="berkasCV.php" class="u-btn u-button-style u-none u-text-
body-color u-text-hover-custom-color-2 u-btn-1">klik disini&nbsp;<span
class="u-text-body-color"></span>&nbsp;<span class="u-file-icon u-icon"></span>
    </a>
  </div>
</section>
</body>
</html>

```

## H. Kode program detail career cashier



```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>
<section class="u-clearfix u-image u-section-3" id="sec-4b60" data-image-
width="625" data-image-height="351">
    <div class="u-clearfix u-sheet u-sheet-1">
        
        <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-4">Cashier | Jobdesk | Full Time</p>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-5">Menjadi Kasir yang cekatan dan dapat melayani serta memberikan
pengalaman untuk para pelanggan</p>
        <br></br>
        <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1">Cashier | Requirements</p>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Male or female<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Basic or non basic<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not color blind<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Willing to learn<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- High levels of energy & enthusiasm<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Responsible, Honest, and disciplined<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not currently Studying is prederred<br>
        </p>
        <a href="berkasCV.php" class="u-btn u-button-style u-none u-text-
body-color u-text-hover-custom-color-2 u-btn-1">klik disini&nbsp;<span
class="u-text-body-color"></span>&nbsp;<span class="u-file-icon u-icon"></span>
        </a>
    </div>
</section>
</body>

```

```
</html>
```

## I. Kode program detail career barista

```
<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>

<section class="u-clearfix u-image u-section-3" id="sec-4b60" data-image-
width="625" data-image-height="351">
    <div class="u-clearfix u-sheet u-sheet-1">
        
        <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-4">Barista | Jobdesk | Full Time</p>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-5">Menjadi seorang barista yang ramah dan interaktif dengan pelanggan dan
menjawab kebutuhan pelanggan dengan baik.</p>
        <br><br>
        <p class="u-custom-font u-font-montserrat u-text u-text-default u-
text-1">Barista | Requirements</p>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Male or female<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Basic or non basic<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not color blind<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Willing to learn<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- High levels of energy & enthusiasm<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Responsible, Honest, and disciplined<br>
        <p class="u-align-left u-custom-font u-font-montserrat u-text u-
text-2">- Not currently Studying is preferred<br>
        </p>
        <a href="berkasCV.php" class="u-btn u-button-style u-none u-text-
body-color u-text-hover-custom-color-2 u-btn-1">klik disini&nbsp;<span
```

```

class="u-text-body-color"></span>&nbsp;<span class="u-file-icon u-icon"></span>
    </a>
  </div>
</section>

</body>

</html>

```

## J. Kode program upload berkas CV

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>

<?php
include("config.php");
include("functionCV.php");
if (isset($_POST["submit"])) {

    // cek apakah data berhasil di tambahkan atau tidak
    if (uploadCV ($_POST) > 0) {
        echo "
        <script>
            alert('File Lamaran berhasil ditambahkan!');
            document.location.href = 'career2.php';
        </script>
        ";
    } else {
        echo "
        <script>
            alert('data gagal ditambahkan!');
            document.location.href = 'berkasCV.php';
        </script>
        ";
    }

    if (uploadGambar ($_POST)) {
        echo "

```

```

<script>
    alert('File Lamaran berhasil ditambahkan!');
    document.location.href = 'career2.php';
</script>
";
} else {
    echo "
    <script>
        alert('data gagal ditambahkan!');
        document.location.href = 'berkasCV.php';
    </script>
";
}
}
}
?>
<form action="" method="post" enctype="multipart/form-data">
    <div class="wrapper">
        <div class="title">
            Lampiran Lamaran Kerja
        </div>
        <div class="form">
            <div class="inputfield">
                <label>Nama Lengkap</label>
                <input type="text" class="input" id="Nama" name="Nama"
placeholder="Masukan nama lengkap" required>
            </div>
            <div class="inputfield">
                <label>Tempat, Tanggal Lahir</label>
                <input type="text" class="input" id="TTL" name="TTL"
placeholder="Masukan tempat dan tanggal lahir" required>
            </div>
            <div class="inputfield">
                <label>Alamat</label>
                <input type="text" class="input" id="Alamat" name="Alamat"
placeholder="Masukan alamat lengkap" required>
            </div>
            <div class="inputfield">
                <label>Nomor Handphone</label>
                <input type="text" class="input" id="NoHP" name="NoHP"
placeholder="Masukan nomor handphone" required>
            </div>
            <div class="inputfield">
                <label>Email</label>
                <input type="text" class="input" id="Email" name="Email"
placeholder="Masukan email" required>
            </div>
            <div class="inputfield">

```

```

        <label>Agama</label>
        <input type="text" class="input" id="Agama" name="Agama"
placeholder="Masukan agama" required>
    </div>
    <div class="inputfield">
        <label>Jabatan yang di lamar</label>
        <input type="text" class="input" id="lamaran" name="lamaran"
placeholder="Masukan Posisi Lamaran Kerja" required>
    </div>
    <div class="inputfield">
        <label>Status Pernikahan</label>
        <input type="text" class="input" id="status" name="status"
placeholder="Masukan Status Pernikahan" required>
    </div>
    <div class="inputfield">
        <label>Jenis Kelamin</label>
        <div class="custom_select">
            <select name="JK" id="JK">
                <option value="">Select</option>
                <option value="Laki-laki" >Laki-laki</option>
                <option value="Perempuan" >Perempuan</option>
            </select>
        </div>
    </div>
    <div class="inputfield">
        <label>Berkas CV</label>
        <input type="file" class="input" id="Berkas" name="Berkas">
    </div>
    <div class="inputfield">
        <input type="submit" name="submit" class="btn">
    </div>
</div>
</div>
</body>
</html>

```

### K. Kode program function upload CV

```

<?php
include('config.php');
$conn = mysqli_connect("localhost", "root", "", "keizai");

function query($query) {
    global $conn;
    $result = mysqli_query($conn, $query);
    $rows = [];
    while( $row = mysqli_fetch_assoc($result) ) {

```



```

        $rows[] = $row;
    }
    return $rows;
}

// upload berkas cv
function uploadCV($data) {

    global $conn;

    $Nama = htmlspecialchars($data["Nama"]);
    $TTL = htmlspecialchars($data["TTL"]);
    $Alamat = htmlspecialchars($data["Alamat"]);
    $NoHP = htmlspecialchars($data["NoHP"]);
    $Email = htmlspecialchars($data["Email"]);
    $Agama = htmlspecialchars($data["Agama"]);
    $lamaran = htmlspecialchars($data["lamaran"]);
    $status = htmlspecialchars($data["status"]);
    $JK = htmlspecialchars($data["JK"]);
    $Berkas = uploadGambar();

    $query = "INSERT INTO inputcv VALUES
        ('', '$Nama', '$TTL', '$Alamat', '$NoHP', '$Email', '$Agama',
'$lamaran', '$status', '$JK', '$Berkas')";
    mysqli_query($conn, $query);

    return mysqli_affected_rows($conn);
}

function uploadGambar() {

    $NamaBerkas = $_FILES['Berkas']['name'];
    $UkuranBerkas = $_FILES['Berkas']['size'];
    $error = $_FILES['Berkas']['error'];
    $tmpName = $_FILES['Berkas']['tmp_name'];

    // cek apakah tidak ada gambar yang diupload
    if( $error === 4 ) {
        echo "<script>
            alert('Pilih Berkas terlebih dahulu!');
        </script>";
        return false;
    }

    // cek apakah yang diupload adalah berkas
    $ExtensionBerkasBenar = ['doc', 'docx', 'pdf'];
    $ExtensionBerkas = explode('.', $NamaBerkas);
    $ExtensionBerkas = strtolower(end($ExtensionBerkas));

```

```

if( !in_array($ExtensionBerkas, $ExtensionBerkasBenar) ) {
    echo "<script>
        alert('File Upload harus berupa Berkas!');
    </script>";
    return false;
}
// cek jika ukurannya terlalu besar
if( $UkuranBerkas > 4000000 ) {
    echo "<script>
        alert('Ukuran Berkas terlalu besar!');
    </script>";
    return false;
}
>NamaBerkasBaru = uniqid();
>NamaBerkasBaru .= '.';
>NamaBerkasBaru .= $ExtensionBerkas;

move_uploaded_file($tmpName, 'files/' . $NamaBerkasBaru);

return $NamaBerkasBaru;
}

```

#### L. Kode program tampilan menu makanan

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>
<body>
    <section class="u-align-center u-clearfix u-custom-color-4 u-lightbox u-
section-2" id="sec-43f7">
        <h4 class="u-align-center u-custom-font u-font-montserrat u-text u-text-
default u-text-1">Welcome to Keizai Coffee & Garden!</h4>
        <br></br>
        <div class="navbar">
            <a class="active" href="#"><i class="fa fa-fw fa-home"></i>Food</a>
            <a href="MenuMinuman.php"><i class="fa fa-fw fa-search"></i>Drinks &
Refresher</a>
            <a href="MenuKopi.php"><i class="fa fa-fw fa-envelope"></i>Coffee</a>
        </div>

```

```

<br></br>
<?php
require('config.php');
$result = mysqli_query($conn, 'SELECT * FROM makanan');
if (mysqli_num_rows($result) > 0) {
    $count = 0;

    while ($row = mysqli_fetch_assoc($result)) {
        if ($count == 0)
            echo "";
    }
}
?>

<?php foreach ($result as $result) : ?>
<form method="POST" action="keranjang.php?action=add&id=<?php echo
$result["id_menu"]; ?>">
    <div class="column">
        <div class="card">
            <div class="container">
                
                <p class="title"><?php echo $result["nama_menu"]; ?></p>
                <p class="harga">Rp. <?php echo $result["harga"]; ?></p>
                <p class="number">Quantity: <input type="number" min="1"
max="25" name="quantity" class="form-control" value="1" > </p>
                <input type="hidden" name="hidden_name" value="<?php echo
$result["nama_menu"]; ?>">
                <input type="hidden" name="hidden_price" value="<?php echo
$result["harga"]; ?>">
                <input type="submit" name="addMakanan" class="cobabutton"
value="Add to Cart">
                <br></br>
            </div>
        </div>
    </div>
</div>
</form>
<?php endforeach; ?>
</main>
</section>
</body>
</html>

```

### M. Kode program tampilan menu minuman

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>

<section class="u-align-center u-clearfix u-custom-color-4 u-lightbox u-
section-2" id="sec-43f7">
    <h4 class="u-align-center u-custom-font u-font-montserrat u-text u-text-
default u-text-1">Welcome to Keizai Coffee & Garden!</h4>
    <br></br>
    <div class="navbar">
        <a href="cobamenukafe.php"><i class="fa fa-fw fa-home"></i>Food</a>
        <a class="active" href="MenuMinuman.php"><i class="fa fa-fw fa-
search"></i>Drinks & Refresher</a>
        <a href="MenuKopi.php"><i class="fa fa-fw fa-envelope"></i>Coffee</a>
    </div>
    <br></br>
    <?php
require('config.php');
$result = mysqli_query($conn, 'SELECT * FROM minuman');
if (mysqli_num_rows($result) > 0) {
    $count = 0;

    while ($row = mysqli_fetch_assoc($result)) {
        if ($count == 0)
            echo "";
    }
}
?>

<?php foreach ($result as $result) : ?>

    <form method="post" action="keranjang.php?action=add&id=?php echo
$result["id_menu"]; ?>">
        <div class="column">
            <div class="card">
                <div class="container">
                    
                    <p class="title">?php echo $result["nama_menu"] ?></p>
                    <p class="harga">Rp. ?php echo $result["harga"] ?></p>
                    <p class="number">Quantity: <input type="number" min="1"
max="25" name="quantity" class="form-control" value="1"> </p>

```





```


<?php
require('config.php');
$result = mysqli_query($conn, 'SELECT * FROM kopi');
if (mysqli_num_rows($result) > 0) {
    $count = 0;

    while ($row = mysqli_fetch_assoc($result)) {
        if ($count == 0)
            echo "";
    }
}
?>
<?php foreach ($result as $result) : ?>
    <form method="post" action="keranjang.php?action=add&id=<?php echo
$result["id_menu"]; ?>">
        <div class="column">
            <div class="card">
                <div class="container">
                    <p class="title"><?php echo $result["nama_menu"] ?></p>
                    <p class="harga">Rp. <?php echo $result["harga"] ?></p>
                    <p class="number">Quantity: <input type="number" min="1"
max="25" name="quantity" class="form-control" value="1"> </p>
                    <input type="hidden" name="hidden_name" value="<?php echo
$result["nama_menu"]; ?>">
                    <input type="hidden" name="hidden_price" value="<?php echo
$result["harga"]; ?>">
                    <input type="submit" name="addMakanan" class="cobabutton"
value="Add to Cart">
                    <br></br>
                </div>
            </div>
        </div>
    </div>
</form>
<?php endforeach; ?>
</main>
</section>

</body>

</html>

```

## O. Kode program keranjang menu

```

<?php
session_start();

```

```

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>

<!DOCTYPE html>
<html style="font-size: 16px;" lang="en">

<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="utf-8">
    <meta name="keywords" content="A culinary adventure for all the senses">
    <meta name="description" content="">
    <title>Shopping Cart | Keizai Coffee and Garden</title>
    <link rel="stylesheet" href="nicepage.css" media="screen">
    <link rel="stylesheet" href="keranjang.css" media="screen">

    <script class="u-script" type="text/javascript" src="jquery.js"
defer=""></script>
    <script class="u-script" type="text/javascript" src="nicepage.js"
defer=""></script>
    <meta name="generator" content="Nicepage 5.11.4, nicepage.com">
    <link id="u-theme-google-font" rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Roboto:100,100i,300,300i,400,400
i,500,500i,700,700i,900,900i|Open+Sans:300,300i,400,400i,500,500i,600,600i,700
,700i,800,800i">
    <link id="u-page-google-font" rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Montserrat:100,100i,200,200i,300
,300i,400,400i,500,500i,600,600i,700,700i,800,800i,900,900i">

    <link rel="stylesheet" href="Menucafe.css">
    <script type="application/ld+json">
    {
        "@context": "http://schema.org",
        "@type": "Organization",
        "name": "",
        "logo": "images/7855.png",
        "sameAs": [
            "https://facebook.com/name",
            "https://twitter.com/name",
            "https://instagram.com/name"
        ]
    }
}

```

```

</script>
<meta name="theme-color" content="#478ac9">
<meta name="twitter:site" content="@">
<meta name="twitter:card" content="summary_large_image">
<meta name="twitter:title" content="Menucafe">
<meta name="twitter:description" content="">
<meta property="og:title" content="Menucafe">
<meta property="og:type" content="website">
<meta data-intl-tel-input-cdn-path="intlTelInput/">
</head>

<body class="u-body u-xl-mode" data-lang="en">
  <header class="u-clearfix u-custom-color-1 u-header u-header" id="sec-1ac0">
    <div class="u-clearfix u-sheet u-sheet-1">
      <a href="Home.html" class="u-image u-logo u-image-1" data-image-
width="335" data-image-height="745">
        
      </a>
      <nav class="u-menu u-menu-one-level u-offcanvas u-menu-1" data-
responsive-from="XS">
        <div class="menu-collapse" style="font-size: 1rem; letter-spacing: 0px;
font-weight: 700; text-transform: uppercase;">
          <a class="u-button-style u-custom-active-border-color u-custom-
active-color u-custom-border u-custom-border-color u-custom-borders u-custom-
hover-border-color u-custom-hover-color u-custom-left-right-menu-spacing u-
custom-padding-bottom u-custom-text-active-color u-custom-text-color u-custom-
text-hover-color u-custom-top-bottom-menu-spacing u-nav-link u-text-active-
palette-1-base u-text-hover-palette-2-base" href="#">
            <svg class="u-svg-link" viewBox="0 0 24 24">
              <use xmlns:xlink="http://www.w3.org/1999/xlink"
xlink:href="#menu-hamburger"></use>
            </svg>
            <svg class="u-svg-content" version="1.1" id="menu-hamburger"
viewBox="0 0 16 16" x="0px" y="0px" xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns="http://www.w3.org/2000/svg">
              <g>
                <rect y="1" width="16" height="2"></rect>
                <rect y="7" width="16" height="2"></rect>
                <rect y="13" width="16" height="2"></rect>
              </g>
            </svg>
          </a>
        </div>
        <div class="u-custom-menu u-nav-container">
          <ul class="u-nav u-spacing-30 u-unstyled u-nav-1">
            <li class="u-nav-item"><a class="u-border-2 u-border-active-
palette-1-base u-border-hover-white u-border-no-left u-border-no-right u-

```

```

border-no-top u-button-style u-nav-link u-text-active-white u-text-hover-white
u-text-white" href="Home.html" style="padding: 10px 0px;">Home</a>
    </li>
    <li class="u-nav-item"><a class="u-border-2 u-border-active-
palette-1-base u-border-hover-white u-border-no-left u-border-no-right u-
border-no-top u-button-style u-nav-link u-text-active-white u-text-hover-white
u-text-white" style="padding: 10px 0px;">Career</a>
    </li>
    <li class="u-nav-item"><a class="u-border-2 u-border-active-
palette-1-base u-border-hover-white u-border-no-left u-border-no-right u-
border-no-top u-button-style u-nav-link u-text-active-white u-text-hover-white
u-text-white" style="padding: 10px 0px;">Menu</a>
    </li>
    <li class="u-nav-item"><a class="u-border-2 u-border-active-
palette-1-base u-border-hover-white u-border-no-left u-border-no-right u-
border-no-top u-button-style u-nav-link u-text-active-white u-text-hover-white
u-text-white" style="padding: 10px 0px;">Contact Us</a>
    </li>
</ul>
</div>
<div class="u-custom-menu u-nav-container-collapse">
    <div class="u-black u-container-style u-inner-container-layout u-
opacity u-opacity-95 u-sidenav">
        <div class="u-inner-container-layout u-sidenav-overflow">
            <div class="u-menu-close"></div>
            <ul class="u-align-center u-nav u-popupmenu-items u-unstyled u-
nav-2">
                <li class="u-nav-item"><a class="u-button-style u-nav-link"
href="Home.html">Home</a>
                </li>
                <li class="u-nav-item"><a class="u-button-style u-nav-
link">Career</a>
                </li>
                <li class="u-nav-item"><a class="u-button-style u-nav-
link">Menu</a>
                </li>
                <li class="u-nav-item"><a class="u-button-style u-nav-
link">Contact Us</a>
                </li>
            </ul>
        </div>
    </div>
    <div class="u-black u-menu-overlay u-opacity u-opacity-70"></div>
</div>
</nav>
</div>
</header>
<head>

```

```

<style>
table {
  border-collapse: collapse;
  width: 100%;
}

th, td {
  text-align: left;
  padding: 8px;
  font-weight: 500;
  font-family: sans-serif;
}


tr:nth-child(even) {background-color: #f2f2f2;}

button {
  font-family: monospace;
  font-size: 15px;
  padding: 1em 2em;
  font-weight: 500;
  background-color: black;
  color: white;
  border: none;
  position: relative;
  overflow: hidden;
  border-radius: 0.8em;
  height: 50px;
}

.label {
  position: relative;
  top: -1px;
}

.transition {
  position: relative;
  transition-timing-function: cubic-bezier(0, 0, 0.2, 1);
  transition-duration: 500ms;
  background-color: #769676;
  border-radius: 9999px;
  width: 0;
  height: 0;
  position: absolute;
  left: 50%;
  top: 50%;
  transform: translate(-50%, -50%);
}

```



```

button:hover .transition {
    width: 14em;
    height: 14em;
}

button:active {
    transform: scale(0.97);
}
</style>
</head>

<!-- Tabel Pesanan menu -->
<div style="overflow-x: auto;">
<table>
    <tr>
        <th width="10%">Nama menu</th>
        <th width="10%">Jumlah pesanan</th>
        <th width="10%">Harga</th>
        <th width="10%">Total Harga</th>
        <th width="8%">Action</th>
    </tr>
</thead>
<?php

if(isset($_POST["addMakanan"]))
{
if(isset($_SESSION["orderMakanan"]))
{
$item_array_id = array_column($_SESSION["orderMakanan"], "id_menu");
if(!in_array($_GET["id"], $item_array_id))
{
$count = count($_SESSION["orderMakanan"]);

$item_array = array(
'food_id' => $_GET["id"],
'nama_makanan' => $_POST["hidden_name"],
'harga' => $_POST["hidden_price"],
'jumlah_makanan' => $_POST["quantity"]
);
$_SESSION["orderMakanan"][$count] = $item_array;
echo '<script>>window.location="keranjang.php"</script>';
}
else
{
echo '<script>alert("Maaf menu sudah ada dalam pesanan")</script>';
echo '<script>>window.location="keranjang.php"</script>';
}
}
}

```



```

}
else
{
$item_array = array(
    'food_id' => $_GET["id"],
    'nama_makanan' => $_POST["hidden_name"],
    'harga' => $_POST["hidden_price"],
    'jumlah_makanan' => $_POST["quantity"]
);
$_SESSION["orderMakanan"][0] = $item_array;
}
}
if(isset($_GET["action"]))
{
if($_GET["action"] == "delete")
{
foreach($_SESSION["orderMakanan"] as $keys => $values)
{
if($values["food_id"] == $_GET["id"])
{
unset($_SESSION["orderMakanan"][$keys]);
echo '<script>alert("Pesanan telah dihapus")</script>';
echo '<script>>window.location="keranjang.php"</script>';
}
}
}
}

?>
<?php

?>
<?php
if(empty($_SESSION["orderMakanan"]))
{
?>
<div class="container">
<div class="jumbotron">
<h1>Welcome</h1>
<p>Silahkan memesan menu terlebih dahulu, <a
href="cobamenukafe.php">Klik disini untuk pesan menu.</a></p>

</div>

</div>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<?php
}

```

```

?>
<h4 class="u-align-center u-custom-font u-font-montserrat u-text u-text-
default u-text-1">Pesanan Menu</h4>
<?php
$total = 0;
foreach($_SESSION["orderMakanan"] as $keys => $values)
{
?>

<tr>

<td><?php echo $values["nama_makanan"]; ?></td>
<td><?php echo $values["jumlah_makanan"] ?></td>
<td>Rp. <?php echo $values["harga"]; ?></td>
<td>Rp. <?php echo number_format($values["jumlah_makanan"] *
$values["harga"]); ?></td>
<td><a href="keranjang.php?action=delete&id=<?php echo
$values["food_id"]; ?>"><button class="removebutton">Remove</button></a></td>
</tr>
<br>
<?php
$total = $total + ($values["jumlah_makanan"] * $values["harga"]);
}
?>
<tr>
<td colspan="3" align="right">Total </td>
<td align="right">Rp. <?php echo number_format($total); ?></td>
<td></td>
</tr>
</table>
<br>
<?php
echo ' <div style="overflow-x: auto;">
</button></a>&nbsp;<a href="cobamenukafe.php">
<button> <span class="transition"></span><span class="gradient"></span>
<span class="label">Continue Shopping</span>
</button></a>&nbsp;<a href="pembayaran.php">
<button><span class="transition"></span><span class="gradient"></span> <span
class="label">Checkout</span></button></a>';
?>
</div>
<br><br><br><br><br><br><br>
<footer class="u-align-center u-clearfix u-footer u-grey-5 u-footer" id="sec-
c1fc"><div class="u-clearfix u-sheet u-sheet-1">

<p class="u-align-center u-text u-text-custom-color-2 u-text-1">
<span style="font-weight: 700;">Keizai</span> Coffee & Garden

```

```

</p>
<h5 class="u-align-left u-custom-font u-font-montserrat u-text u-text-
default u-text-2">Check our Social Media</h5>
<h5 class="u-align-left u-custom-font u-font-montserrat u-text u-text-
default u-text-3">Location</h5>
<h5 class="u-align-left u-custom-font u-font-montserrat u-text u-text-
default u-text-4">Contact Us</h5>
<p class="u-align-left u-text u-text-default u-text-5">For
reservations<br>+62 856-0280-6811<br>
</p>
<p class="u-align-left u-text u-text-default u-text-6"> Jl. Munasari,
Pakintelan,&nbsp;<br>Gunungpati, Semarang
</p>
<div class="u-social-icons u-spacing-10 u-social-icons-1">
  <a class="u-social-url" title="instagram" target="_blank"
href="https://www.instagram.com/keizaicoffee/"><span class="u-icon u-social-
icon u-social-instagram u-icon-3"><svg class="u-svg-link"
preserveAspectRatio="xMidYMin slice" viewBox="0 0 112 112" style=""><use
xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="#svg-
5c5b"></use></svg><svg class="u-svg-content" viewBox="0 0 112 112" x="0" y="0"
id="svg-5c5b"><circle fill="currentColor" cx="56.1" cy="56.1"
r="55"></circle><path fill="#FFFFFF" d="M55.9,38.2c-9.9,0-17.9,8-
17.9,17.9C38,66,46,74,55.9,74c9.9,0,17.9-8,17.9-
17.9C73.8,46.2,65.8,38.2,55.9,38.2
z M55.9,66.4c-5.7,0-10.3-4.6-10.3-10.3c0.1-5.7,4.6-10.3,10.3-
10.3c5.7,0,10.3,4.6,10.3,10.3C66.2,61.8,61.6,66.4,55.9,66.4z"></path><path
fill="#FFFFFF" d="M74.3,33.5c-2.3,0-4.2,1.9-4.2,4.2s1.9,4.2,4.2,4.2s4.2-
1.9,4.2-4.2S76.6,33.5,74.3,33.5z"></path><path fill="#FFFFFF"
d="M73.1,21.3H38.6c-9.7,0-17.5,7.9-
17.5,17.5v34.5c0,9.7,7.9,17.6,17.5,17.6h34.5c9.7,0,17.5-7.9,17.5-17.5V38.8
C90.6,29.1,82.7,21.3,73.1,21.3z M83,73.3c0,5.5-4.5,9.9-9.9,9.9H38.6c-5.5,0-
9.9-4.5-9.9-9.9V38.8c0-5.5,4.5-9.9,9.9-9.9h34.5
c5.5,0,9.9,4.5,9.9,9.9V73.3z"></path></svg></span>
</a>
</div>
</div></footer>
<section class="u-backlink u-clearfix u-grey-80">
  <span>© 2023 Keizai Coffee and Garden</span>
</a>
</section><span style="height: 64px; width: 64px; margin-left: 0px;
margin-right: auto; margin-top: 0px; background-image: none; right: 20px;
bottom: 20px; padding: 15px;" class="u-back-to-top u-custom-color-3 u-icon u-
icon-circle u-opacity u-opacity-85" data-href="#">
  <svg class="u-svg-link" preserveAspectRatio="xMidYMin slice"
viewBox="0 0 551.13 551.13"><use xmlns:xlink="http://www.w3.org/1999/xlink"
xlink:href="#svg-1d98"></use></svg>

```

```

    <svg class="u-svg-content" enable-background="new 0 0 551.13 551.13"
viewBox="0 0 551.13 551.13" xmlns="http://www.w3.org/2000/svg" id="svg-
1d98"><path d="m275.565 189.451 223.897 223.897h51.6681-275.565-275.565-
275.565 275.565h51.668z"></path></svg>
    </span>
    </body>
</html>

```

## P. Kode program pembayaran menu

```

<?php include ("config.php") ?>
<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>

<?php
$gtotal = 0;
foreach($_SESSION["orderMakanan"] as $keys => $values)
{
    $id_menu = $values["food_id"];
    $nama_menu = $values["nama_makanan"];
    $jumlah_pesanan = $values["jumlah_makanan"];
    $harga = $values["harga"];
    $total = ($values["jumlah_makanan"] * $values["harga"]);
    $customer_name = $_SESSION["username"];
    $tanggal_pesan = date('Y-m-d');

    $gtotal = $gtotal + $total;

?>

<?php
{
}
}

?>
<div class="container">

```

```

    <h2 class="u-custom-font u-font-montserrat u-text u-text-1" style="text-align: center;">Terima kasih sudah memesan</h2>

    <h3 class="u-custom-font u-font-montserrat u-text u-text-1" style="text-align: center;">Grand Total: Rp. <?php echo "$gtotal"; ?></h3>

<h3 class="u-custom-font u-font-montserrat u-text u-text-1" style="text-align: center;">Silahkan pilih metode pembayaran</h3>
<section class="u-align-center u-clearfix u-section-4" id="sec-3f22">
<a href="cobamenukafe.php"><button class="orderbutton"><span class="glyphicon glyphicon-credit-card"></span>Continue Shopping</button></a>
<a href="bayarOnline.php"><button class="orderbutton"><span class="glyphicon glyphicon-credit-card"></span>Pay with E-Wallet</button></a>
<a href="bayarTunai.php"><button class="orderbutton"><span class="glyphicon glyphicon-credit-card"></span>Pay with Cash</button></a>
</h1>

</div>
</div>
</body>
</html>

```

## Q. Kode program pembayaran E-wallet

```

<?php include ("config.php") ?>
<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}
<?php
include("config.php");
if (isset($_POST["submit"])) {
    echo "

```

```

        <script>
            alert('Terimakasih telah memesan! silahkan tunggu sebentar pesanan
anda sedang dibuat');
            document.location.href = 'home.html';
        </script>
    ";
}
if (isset($_POST["kembali"])) {
    echo "
        <script>
            document.location.href = 'pembayaran.php';
        </script>
    ";
}
?>
<?php
$gtotal = 0;
foreach($_SESSION["orderMakanan"] as $keys => $values)
{
    $id_menu = $values["food_id"];
    $nama_menu = $values["nama_makanan"];
    $jumlah_pesanan = $values["jumlah_makanan"];
    $harga = $values["harga"];
    $total = ($values["jumlah_makanan"] * $values["harga"]);
    $customer_name = $_SESSION["username"];
    $tanggal_pesan = date('Y-m-d');

    $gtotal = $gtotal + $total;

    $query = "INSERT INTO TRANSAKSI (id_menu, nama_menu,
harga, jumlah_pesanan, tanggal_pesan, customer_name)
VALUES ('" . $id_menu . "', '" . $nama_menu . "', '" . $harga . "', '" .
$jumlah_pesanan . "', '" . $tanggal_pesan . "', '" . $customer_name . "')";

    $success = $conn->query($query);

    if(!$success)
    {
        ?>
        <div class="container">
            <div class="jumbotron">
                <h1>Something went wrong!</h1>
                <p>Try again later.</p>
            </div>
        </div>
    }
}
?>

```



```

    <?php
    }
}

    ?>
<form action="" method="post" enctype="multipart/form-data">
    <section class="u-clearfix u-section-1" id="sec-ff76">
        <div class="u-clearfix u-sheet u-sheet-1">
            
            <p class="u-align-justify u-text u-text-default u-text-1">Scan kode QR
diatas dan membayar sesuai dengan total belanja.<br>
            </p>
            <p class="u-align-justify u-text u-text-default u-text-2">Total
Belanja: Rp. <?php echo "$gttotal"; ?>&nbsp;  </p>
            <input type="submit" name="kembali" class="cobabutton" value="Kembali">
            <br><br>
            <input type="submit" name="submit" class="cobabutton"
value="Konfirmasi Pembayaran">
            <br>
            </div>
        </section>
    </form>
</body></html>

```

## R. Kode program pembayaran tunai

```

<?php
session_start();

if( !isset($_SESSION['masuk']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: login.php");
    exit;
}

?>
<!-- Tabel Pesanan menu -->
<div style="overflow-x: auto;">
<table>

```

```

<tr>
  <th width="25%">Nama menu</th>
  <th width="30%">Jumlah pesanan</th>
  <th width="30%">Harga</th>
  <th width="20%">Total Harga</th>
</tr>
</thead>

<h4 class="u-align-center u-custom-font u-font-montserrat u-text u-text-
default u-text-1">Pesanan Menu</h4>
<?php
$total = 0;
foreach($_SESSION["orderMakanan"] as $keys => $values)
{
?>

<tr>

<td><?php echo $values["nama_makanan"]; ?></td>
<td><?php echo $values["jumlah_makanan"] ?></td>
<td>Rp. <?php echo $values["harga"]; ?></td>
<td>Rp. <?php echo number_format($values["jumlah_makanan"] *
$values["harga"]); ?></td>
</tr>
<br>
<?php
$total = $total + ($values["jumlah_makanan"] * $values["harga"]);
}
?>
<tr>
<td colspan="3" align="right">Total </td>
<td align="right">Rp. <?php echo number_format($total); ?></td>
<td></td>
</tr>
</table>
<br>

<a href="keranjang.php" class="cobabutton">Kembali</a>
<section class="u-clearfix u-section-1" id="sec-ff76">
  <div class="u-clearfix u-sheet u-sheet-1">
    <p class="u-align-justify u-text u-text-default u-text-1">Silahkan
melakukan pembayaran di Kasir</p>
    <p class="u-align-justify u-text u-text-default u-text-1">Cek kembali
pesanan anda sebelum melakukan pembayaran di kasir, Terimakasih sudah
memesan<br>
    </p>
  </div>
</section>

```

```

</div>
  </body>
</html>

```

### S. Kode program login admin

```

<?php include ("admin/functionAdmin.php"); ?>

<div class="login-wrapper">
  <h1>Welcome to Keizai</h1>
  <h2>please login here</h2>
  <form method="POST" class="form" action="Adminlogin.php" id="login-form">
    <?php include('errors.php'); ?>
    <div class="form-group">
      <label for="username">username</label>
      <br><br>
      <input type="text" name="username" id="username"
required="_required" placeholder="username" />
    </div>
    <br>
    <div class="form-group">
      <label for="password"><i class="zmdi zmdi-lock"></i>password</label>
      <br><br>
      <input type="password" name="password" id="password"
required="_required" placeholder="Password" />
    </div>
    <input type="submit" name="login_admin" id="login_admin" value="Log
in">

  </div>
</form>
</section>
</body>
</html>

```

### T. Kode program function login admin

```

<?php
session_start();

// initializing variables
$username = "";
$email    = "";
$masukAdmin = "";

```

```

$errors = array();

// connect to the database
$conn = mysqli_connect('localhost', 'root', '', 'keizai');
if (mysqli_connect_errno()) {
    echo "Failed to connect to MySQL: " . mysqli_connect_error();
}

// query
function query($sql)
{
    global $conn;
    $result = mysqli_query($conn, $sql);

    $rows = [];
    while ($row = mysqli_fetch_assoc($result)) {
        $rows[] = $row;
    }

    return $rows;
}

// LOGIN ADMIN
if (isset($_POST['login_admin'])) {

    $username = mysqli_real_escape_string($conn, $_POST['username']);
    $password = mysqli_real_escape_string($conn, $_POST['password']);

    if (empty($username)) {
        array_push($errors, "Username is required");
    }
    if (empty($password)) {
        array_push($errors, "Password is required");
    }

    if (count($errors) == 0) {
        $query = "SELECT * FROM admin WHERE username='$username' AND password
        ='$password'";

        $sql = "SELECT Nama FROM admin WHERE username='$username' AND password
        ='$password'";
        $result = mysqli_query($conn, $sql);
        $row = mysqli_fetch_assoc($result);

        $results = mysqli_query($conn, $query);
    }
}

```

```

$res = mysqli_num_rows($results);
if ($res) {
    $_SESSION['masukAdmin'] = $masukAdmin;
    $_SESSION['Nama'] = $Nama;
    $_SESSION['username'] = $username;
    header('location: admin/Homeadmin.php');
} else {
    array_push($errors, "Wrong username/password combination");
}
}
}

function cek_gambar()
{
    // ambil data gambar
    $gambar = $_FILES["gambar"]["name"];
    $tmp_name = $_FILES["gambar"]["tmp_name"];
    $ukuran = $_FILES["gambar"]["size"];
    $tipe = $_FILES["gambar"]["type"];
    $error = $_FILES["gambar"]["error"];

    // pengecekan gambar
    // jika ukuran file melebihi 5MB
    if ($ukuran > 5000000) {
        echo "<script>
            alert('ukuran file terlalu besar!');
            document.location.href = '';
        </script>";
        return false;
    }

    // jika bukan gambar
    $tipeGambarAman = ['jpg', 'jpeg', 'png', 'gif'];
    $ekstensiGambar = explode('.', $gambar);
    $ekstensiGambar = strtolower(end($ekstensiGambar));

    if (!in_array($ekstensiGambar, $tipeGambarAman)) {
        echo "<script>
            alert('yang anda pilih bukan gambar!');
            document.location.href = '';
        </script>";
        return false;
    }

    return true;
}

// Add menu minuman

```

```

function tambahMinum($data) {

    global $conn;

    $nama_menu = htmlspecialchars($data["nama_menu"]);
    $harga = htmlspecialchars($data["harga"]);
    $jenis_menu = htmlspecialchars($data["jenis_menu"]);
    $gambar = GambarMinuman();

    $query = "INSERT INTO minuman VALUES
        ('', '$nama_menu', '$harga', '$jenis_menu', '$gambar')";
    mysqli_query($conn, $query);

    return mysqli_affected_rows($conn);
}

// Add menu makanan
function tambahMakan($data) {

    global $conn;

    $nama_menu = htmlspecialchars($data["nama_menu"]);
    $harga = htmlspecialchars($data["harga"]);
    $jenis_menu = htmlspecialchars($data["jenis_menu"]);
    $gambar = GambarMakanan();

    $query = "INSERT INTO makanan VALUES
        ('', '$nama_menu', '$harga', '$jenis_menu', '$gambar')";
    mysqli_query($conn, $query);

    return mysqli_affected_rows($conn);
}

// Add menu kopi
function tambahKopi($data) {

    global $conn;

    $nama_menu = htmlspecialchars($data["nama_menu"]);
    $harga = htmlspecialchars($data["harga"]);
    $jenis_menu = htmlspecialchars($data["jenis_menu"]);
    $gambar = GambarKopi();

    $query = "INSERT INTO kopi VALUES
        ('', '$nama_menu', '$harga', '$jenis_menu', '$gambar')";
    mysqli_query($conn, $query);
}

```



```

return mysqli_affected_rows($conn);
}

// Upload Gambar minuman
function GambarMinuman() {

    $NamaGambar = $_FILES['gambar']['name'];
    $UkuranGambar = $_FILES['gambar']['size'];
    $error = $_FILES['gambar']['error'];
    $tmpName = $_FILES['gambar']['tmp_name'];

    // cek apakah tidak ada gambar yang diupload
    if( $error === 4 ) {
        echo "<script>
            alert('Pilih Gambar terlebih dahulu!');
        </script>";
        return false;
    }
    // cek apakah yang diupload adalah gambar
    $ExtensionBerkasBenar = ['png'];
    $ExtensionBerkas = explode('.', $NamaGambar);
    $ExtensionBerkas = strtolower(end($ExtensionBerkas));
    if( !in_array($ExtensionBerkas, $ExtensionBerkasBenar) ) {
        echo "<script>
            alert('Format File harus PNG!');
        </script>";
        return false;
    }
    // cek jika ukurannya terlalu besar
    if( $UkuranGambar > 4000000 ) {
        echo "<script>
            alert('Ukuran Berkas terlalu besar!');
        </script>";
        return false;
    }
    // lolos pengecekan, gambar siap diupload
    // generate nama gambar baru
    $NamaBerkasBaru = uniqid();
    $NamaBerkasBaru .= '.';
    $NamaBerkasBaru .= $ExtensionBerkas;

    move_uploaded_file($tmpName, '../imgMinuman/' . $NamaBerkasBaru);

    return $NamaBerkasBaru;
}

// Upload Gambar Makanan

```

```

function GambarMakanan() {

    $NamaGambar = $_FILES['gambar']['name'];
    $UkuranGambar = $_FILES['gambar']['size'];
    $error = $_FILES['gambar']['error'];
    $tmpName = $_FILES['gambar']['tmp_name'];

    // cek apakah tidak ada gambar yang diupload
    if( $error === 4 ) {
        echo "<script>
            alert('Pilih Gambar terlebih dahulu!');
        </script>";
        return false;
    }
    // cek apakah yang diupload adalah gambar
    $ExtensionBerkasBenar = ['png'];
    $ExtensionBerkas = explode('.', $NamaGambar);
    $ExtensionBerkas = strtolower(end($ExtensionBerkas));
    if( !in_array($ExtensionBerkas, $ExtensionBerkasBenar) ) {
        echo "<script>
            alert('Format File harus PNG!');
        </script>";
        return false;
    }
    // cek jika ukurannya terlalu besar
    if( $UkuranGambar > 4000000 ) {
        echo "<script>
            alert('Ukuran Berkas terlalu besar!');
        </script>";
        return false;
    }
    // lolos pengecekan, gambar siap diupload
    // generate nama gambar baru
    $NamaBerkasBaru = uniqid();
    $NamaBerkasBaru .= '.';
    $NamaBerkasBaru .= $ExtensionBerkas;

    move_uploaded_file($tmpName, '../imgMakanan/' . $NamaBerkasBaru);

    return $NamaBerkasBaru;
}

// Upload Gambar Kopi
function GambarKopi() {

    $NamaGambar = $_FILES['gambar']['name'];
    $UkuranGambar = $_FILES['gambar']['size'];
    $error = $_FILES['gambar']['error'];

```

```

$tmpName = $_FILES['gambar']['tmp_name'];

// cek apakah tidak ada gambar yang diupload
if( $error === 4 ) {
    echo "<script>
        alert('Pilih Gambar terlebih dahulu!');
    </script>";
    return false;
}
// cek apakah yang diupload adalah gambar
$ExtensionBerkasBenar = ['png'];
$ExtensionBerkas = explode('.', $NamaGambar);
$ExtensionBerkas = strtolower(end($ExtensionBerkas));
if( !in_array($ExtensionBerkas, $ExtensionBerkasBenar) ) {
    echo "<script>
        alert('Format File harus PNG!');
    </script>";
    return false;
}
// cek jika ukurannya terlalu besar
if( $UkuranGambar > 4000000 ) {
    echo "<script>
        alert('Ukuran Berkas terlalu besar!');
    </script>";
    return false;
}
// lolos pengecekan, gambar siap diupload
// generate nama gambar baru
$NamaBerkasBaru = uniqid();
$NamaBerkasBaru .= '.';
$NamaBerkasBaru .= $ExtensionBerkas;

move_uploaded_file($tmpName, '../imgKopi/' . $NamaBerkasBaru);

return $NamaBerkasBaru;
}
?>

```

#### U. Kode program halaman utama admin

```

<?php
require_once("functionAdmin.php");

if( !isset($_SESSION['masukAdmin']) ) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: ../Adminlogin.php");
    exit;
}

```

```

}
?>
<body>

<!-- SIDEBAR -->
<section id="sidebar">
  <a href="#" class="brand">
    
    <span class="text">Admin</span>
  </a>
  <ul class="side-menu top">
    <li class="active">
      <a href="MenuAdmin.html">
        <i class='bx bxs-dashboard' ></i>
        <span class="text">Dashboard</span>
      </a>
    </li>
    <li>
      <a href="ListMinuman.php">
        <i class='bx bx-food-menu'></i>
        <span class="text">Menu</span>
      </a>
    </li>
    <li>
      <a href="TransaksiCafe.php">
        <i class='bx bxs-doughnut-chart' ></i>
        <span class="text">Transaksi</span>
      </a>
    </li>
  </ul>
  <ul class="side-menu">
    <li>
      <a href="#" class="logout">
        <i class='bx bxs-log-out-circle' ></i>
        <span class="text">Logout</span>
      </a>
    </li>
  </ul>
</section>
<section id="content">
  <nav>
    <i class='bx bx-menu' ></i>
    <a href="#" class="nav-link">Keizai Coffee and Garden</a>
  </nav>
  <main>
    <div class="head-title">
    <div class="left">

```

```

        <h1>Dashboard</h1>
        <ul class="breadcrumb">
            <li>
                <a href="#">Dashboard</a>
            </li>
            <li><i class='bx bx-chevron-right' ></i></li>
            <li>
                <a class="active" href="#">Home</a>
            </li>
        </ul>

        <br>
        <h2>Welcome Admin</h2>

    </div>
</main>
</section>
<script src="script.js"></script>
</body>
</html>

```

## V. Kode program halaman tampil menu minuman admin

```

<?php
include("../config.php");
if (isset($_GET['search'])) {
    $searchKey = $_GET['search'];
    $sql = "SELECT * FROM minuman WHERE nama_menu LIKE '%$searchKey%'";
} else
    $sql = "SELECT * FROM minuman";
$result = $conn->query($sql);
?>
<nav>
    <i class='bx bx-menu'></i>
    <a href="#" class="nav-link">Keizai Coffee and Garden</a>
    <form action="" method="GET">
        <div class="form-input">
            <input type="text" name="search" placeholder="Cari menu"
value=<?php echo @$_GET['search']; ?>
            <button class="search-btn"><i class='bx bx-
search'></i></button>
        </div>
    </form>

</nav>
<!-- NAVBAR -->

```

```

<!-- MAIN -->
<br>
<div class="dropdown">
  <button class="dropbtn">Daftar Menu</button>
  <div class="dropdown-content">
    <a href="ListMinuman.php">Menu Minuman</a>
    <a href="ListMakanan.php">Menu Makanan</a>
    <a href="ListKopi.php">Menu Kopi</a>
  </div>
</div>
  <a href="tambahmenuminuman.php" class="dropbtn">Tambah Menu</a>
<br><br>
<table>
  <thead>
    <tr>
      <th>No.</th>
      <th>Gambar</th>
      <th>Nama Menu</th>
      <th>Harga</th>
    </tr>
  </thead>
  <?php $i = 1; ?>
  <?php foreach ($minuman as $row) { ?>
    <tbody>
      <tr>
        <td>"
width="70"></td>
        <td><?=$row["nama_menu"]; ?></td>
        <td><?=$row["harga"]; ?></td>
        <td>
          <div class="dropdownopsi">
            <button onclick="myFunction()"
class="btnopsi">Action</button>
            <div id="myDropdown" class="dropdown-opsi">
              <td><a href="EditMenuMinuman.php?id=<?php
echo $row["id_menu"]; ?>">Edit</a></td>
              <td><a href="deleteMenu.php?id=<?php echo
$row["id_menu"]; ?>" onclick="return confirm('yakin hapus
menu?');">Delete</a></td>
            </div>
          </div>
        </td>
      </tr>
    </tbody>
    <?php $i++; ?>
  <?php } ?>
</table>
</main>

```



```

    <!-- MAIN -->
</section>
<!-- CONTENT -->

<script src="script.js"></script>
<script src="Menuadmin.js"></script>
<script>
    /* When the user clicks on the button,
toggle between hiding and showing the dropdown content */
    function myFunction() {
        document.getElementById("myDropdown").classList.toggle("show");
    }

    // Close the dropdown if the user clicks outside of it
    window.onclick = function(event) {
        if (!event.target.matches('.btnopsi')) {
            var dropdowns = document.getElementsByClassName("dropdown-opsi");
            var i;
            for (i = 0; i < dropdowns.length; i++) {
                var openDropdown = dropdowns[i];
                if (openDropdown.classList.contains('show')) {
                    openDropdown.classList.remove('show');
                }
            }
        }
    }
</script>
</body>
</html>

```

## W. Kode program halaman tampil menu makanan admin

```

<table>
    <thead>
        <tr>
            <th>No.</th>
            <th>Gambar</th>
            <th>Nama Menu</th>
            <th>Harga</th>
        </tr>
    </thead>
    <?php $i = 1; ?>
    <?php foreach ($makanan as $row) { ?>
        <tr>
            <tbody>

```

```

        <td><?= $i; ?></td>
        <td>"
width="70"></td>
        <td><?= $row["nama_menu"]; ?></td>
        <td><?= $row["harga"]; ?></td>
        <td>
            <div class="dropdownopsi">
                <button onclick="myFunction()"
class="btnopsi">Action</button>
                <div id="myDropdown" class="dropdown-opsi">
                    <td><a href="EditMenuMakanan.php?id=<?php echo
$row["id_menu"]; ?>">Edit</a></td>
                    <td><a href="deleteMenu.php?id_makanan=<?php echo
$row["id_menu"]; ?>" onclick="return confirm('yakin hapus
menu?');">Delete</a></td>
                </div>
            </td>
        </tr>
    </tbody>
    <?php $i++; ?>
    <?php } ?>
</table>

```

## X. Kode program halaman tampil menu kopi admin

```

<div class="dropdown">
    <button class="dropbtn">Daftar Menu</button>
    <div class="dropdown-content">
        <a href="ListMinuman.php">Menu Minuman</a>
        <a href="ListMakanan.php">Menu Makanan</a>
        <a href="ListKopi.php">Menu Kopi</a>
    </div>
</div>
<a href="tambahmenukopi.php" class="dropbtn">Tambah Menu</a>
<br><br>
<table>
    <tbody>
        <tr>
            <th>No.</th>
            <th>Gambar</th>
            <th>Nama Menu</th>
            <th>Harga</th>
        </tr>
        <?php $i = 1; ?>
        <?php foreach ($kopi as $row) : ?>
            <tr>
                <td><?= $i; ?></td>

```

```

        <td>"
width="70"></td>
        <td><?=$row["nama_menu"]; ?></td>
        <td><?=$row["harga"]; ?></td>
        <td>
            <div class="dropdownopsi">
                <button onclick="myFunction()"
class="btnopsi">Action</button>
                <div id="myDropdown" class="dropdown-opsi">
                    <td><a href="EditMenuKopi.php?id=<?php echo
$row["id_menu"]; ?>">Edit</a></td>
                    <td><a href="deleteMenu.php?id_kopi=<?php echo
$row["id_menu"]; ?>" onclick="return confirm('yakin hapus
menu?');">Delete</a></td>
                </div>
            </td>
        </tr>
        <?php $i++; ?>
    <?php endforeach; ?>

```

## Y. Kode program halaman edit minuman

```

<?php
include("functionAdmin.php");
if (!isset($_SESSION['masukAdmin'])) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: ../Adminlogin.php");
    exit;
}
if (isset($_POST['submit'])){
    $id = $_POST['id'];
    $nama_menu=mysqli_real_escape_string($conn, $_POST['nama_menu']);
    $harga=mysqli_real_escape_string($conn, $_POST['harga']);
    $gambar=mysqli_real_escape_string($conn, $_POST['gambar']);

    $sql = mysqli_query($conn, "UPDATE minuman SET nama_menu='$nama_menu',
harga='$harga', gambar='$gambar' WHERE id_menu = '$id'");
    echo "<script>alert('Data berhasil diubah');</script>";
    // Code for redirection
    echo "<script>>window.location.href='listminuman.php'</script>";
}
if (isset($_GET['id']) && is_numeric($_GET['id']) && $_GET['id'] > 0)
{
    $id = $_GET['id'];
    $result = mysqli_query($conn,"SELECT * FROM minuman WHERE
id_menu=".$_GET['id']);

```

```

$row = mysqli_fetch_array($result);

if($row)
{
    $id = $row['id_menu'];
    $nama_menu = $row['nama_menu'];
    $harga = $row['harga'];
    $gambar=$row['gambar'];
}
else
{
    echo "No results!";
}
}
?>
<form action="" method="post" enctype="multipart/form-data"
action="EditMenuMinuman.php">
<input type="hidden" name="id" value="<?php echo $id; ?>"/>
    <div class="wrapper">
        <div class="title">
            Edit Menu Minuman
        </div>
        <tr>
            <div class="form">
                <div class="inputfield">
                    <th><label>Nama Menu</label></th>
                    <th><input type="text" class="input" name="nama_menu" value="<?php
echo $nama_menu; ?>" /></th>
                </div>
            </tr>
            <div class="inputfield">
                <label>Harga</label>
                <input type="text" class="input" name="harga" value="<?php echo
$harga; ?>">
            </div>
            <div class="inputfield">
                <label>Gambar</label>
                
                <input type="file" class="input" id="gambar" name="gambar">
            </div>
            <div class="inputfield">
                <input type="submit" name="submit" class="btn" value="Ubah data">
            </div>
        </div>
    </div>

```

## Z. Kode program halaman edit menu makanan

```
<?php
include("functionAdmin.php");
if (!isset($_SESSION['masukAdmin'])) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: ../Adminlogin.php");
    exit;
}
if (isset($_POST['submit'])){
    $id = $_POST['id'];
    $nama_menu=mysqli_real_escape_string($conn, $_POST['nama_menu']);
    $harga=mysqli_real_escape_string($conn, $_POST['harga']);
    $gambar=mysqli_real_escape_string($conn, $_POST['gambar']);

    $sql = mysqli_query($conn, "UPDATE makanan SET nama_menu='$nama_menu',
harga='$harga', gambar='$gambar' WHERE id_menu = '$id'");
    echo "<script>alert('Data berhasil diubah');</script>";
    // Code for redirection
    echo "<script>>window.location.href='listmakanan.php'</script>";
}
if (isset($_GET['id']) && is_numeric($_GET['id']) && $_GET['id'] > 0)
{
    $id = $_GET['id'];
    $result = mysqli_query($conn,"SELECT * FROM makanan WHERE
id_menu=".$_GET['id']);

    $row = mysqli_fetch_array($result);

    if($row)
    {
        $id = $row['id_menu'];
        $nama_menu = $row['nama_menu'];
        $harga = $row['harga'];
        $gambar=$row['gambar'];
    }
    else
    {
        echo "No results!";
    }
}
?>
<form action="" method="post" enctype="multipart/form-data"
action="EditMenuMakanan.php">
<input type="hidden" name="id" value="<?php echo $id; ?>" />
<div class="wrapper">
```

```

<div class="title">
    Edit Menu Makanan
</div>
<tr>
<div class="form">
    <div class="inputfield">
        <th><label>Nama Menu</label></th>
        <th><input type="text" class="input" name="nama_menu" value="<?php
echo $nama_menu; ?>" /></th>
    </div>
</tr>
    <div class="inputfield">
        <label>Harga</label>
        <input type="text" class="input" name="harga" value="<?php echo
$harga; ?>">
    </div>
    <div class="inputfield">
        <label>Gambar</label>
         <br>
        <input type="file" class="input" id="gambar" name="gambar">
    </div>
    <div class="inputfield">
        <input type="submit" name="submit" class="btn" value="Ubah data">
    </div>
</div>
</div>

```

#### AA. Kode program halaman edit menu kopi

```

<?php
include("functionAdmin.php");
if (!isset($_SESSION['masukAdmin'])) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: ../Adminlogin.php");
    exit;
}
if (isset($_POST['submit'])){
    $id = $_POST['id'];
    $nama_menu=mysqli_real_escape_string($conn, $_POST['nama_menu']);
    $harga=mysqli_real_escape_string($conn, $_POST['harga']);
    $gambar=mysqli_real_escape_string($conn, $_POST['gambar']);

    $sql = mysqli_query($conn, "UPDATE kopi SET nama_menu='$nama_menu',
harga='$harga', gambar='$gambar' WHERE id_menu = '$id'");

```

```

    echo "<script>alert('Data berhasil diubah');</script>";
// Code for redirection
echo "<script>>window.location.href='listkopi.php'</script>";
}
if (isset($_GET['id']) && is_numeric($_GET['id']) && $_GET['id'] > 0)
{

    $id = $_GET['id'];
    $result = mysqli_query($conn,"SELECT * FROM kopi WHERE
id_menu=".$_GET['id']);

    $row = mysqli_fetch_array($result);

if($row)
{

    $id = $row['id_menu'];
    $nama_menu = $row['nama_menu'];
    $harga = $row['harga'];
    $gambar=$row['gambar'];
}
else
{
    echo "No results!";
}
}
?>
<form action="" method="post" enctype="multipart/form-data"
action="EditMenuKopi.php">
<input type="hidden" name="id" value="<?php echo $id; ?>"/>
    <div class="wrapper">
        <div class="title">
            Edit Menu Kopi
        </div>
        <tr>
            <div class="form">
                <div class="inputfield">
                    <th><label>Nama Menu</label></th>
                    <th><input type="text" class="input" name="nama_menu" value="<?php
echo $nama_menu; ?>" /></th>
                </div>
            </tr>
            <div class="inputfield">
                <label>Harga</label>
                <input type="text" class="input" name="harga" value="<?php echo
$harga; ?>">
            </div>
            <div class="inputfield">

```



```

        <label>Gambar</label>
         <br>
        <input type="file" class="input" id="gambar" name="gambar">
    </div>
    <div class="inputfield">
        <input type="submit" name="submit" class="btn" value="Ubah data">
    </div>
</div>
</div>

```

## BB. Kode program delete menu

```

<?php
$conn = mysqli_connect('localhost', 'root', '', 'keizai');
if (mysqli_connect_errno())
{
    echo "Failed to connect to MySQL: " . mysqli_connect_error();
}
?>
<?php
// Hapus menu minuman
if (isset($_GET['id']))
{
    $result = mysqli_query($conn,"DELETE FROM minuman WHERE id_menu=".$_GET['id']);
    if($result==true)
    echo "<script>alert('Data berhasil dihapus');</script>";
    echo "<script>>window.location.href='listminuman.php'</script>";
}

// Hapus menu makanan
if (isset($_GET['id_makanan']))
{
    $result = mysqli_query($conn,"DELETE FROM makanan WHERE
id_menu=".$_GET['id_makanan']);
    if($result==true)
    echo "<script>alert('Data berhasil dihapus');</script>";
    echo "<script>>window.location.href='listmakanan.php'</script>";
}

// Hapus menu kopi
if (isset($_GET['id_kopi']))
{
    $result = mysqli_query($conn,"DELETE FROM kopi WHERE
id_menu=".$_GET['id_kopi']);
    if($result==true)
    echo "<script>alert('Data berhasil dihapus');</script>";
    echo "<script>>window.location.href='listkopi.php'</script>";
}

```

```
}  
?>
```

## CC. Kode program tambah menu makanan

```
<?php  
include("functionAdmin.php");  
if (!isset($_SESSION['masukAdmin'])) {  
    $_SESSION['msg'] = "Harap login terlebih dahulu";  
    header("Location: ../Adminlogin.php");  
    exit;  
}  
if (isset($_POST["tambah_makanan"])) {  
    if (tambahMakanan($_POST) > 0) {  
        echo "  
            <script>  
                alert('Menu berhasil ditambahkan!');  
                document.location.href = 'listMakanan.php';  
            </script>  
        ";  
    } else {  
        echo "  
            <script>  
                alert('data gagal ditambahkan!');  
                document.location.href = 'tambahmenumakanan.php';  
            </script>  
        ";  
    }  
    if (GambarMakanan($_POST)) {  
        echo "  
            <script>  
                alert('Menu berhasil ditambahkan!');  
                document.location.href = 'listMakanan.php';  
            </script>  
        ";  
    } else {  
        echo "  
            <script>  
                alert('data gagal ditambahkan!');  
                document.location.href = 'tambahmenumakanan.php';  
            </script>  
        ";  
    }  
    }  
    }  
    }  
    }  
?>  
<form action="" method="post" enctype="multipart/form-data" action="">
```

```

<div class="wrapper">
  <div class="title">
    Tambah Menu Makanan
  </div>
  <tr>
    <div class="form">
      <div class="inputfield">
        <th><label>Nama Menu</label></th>
        <th><input type="text" class="input" id="nama_menu"
name="nama_menu" placeholder="Masukan Nama menu" required></th>
      </div>
    </tr>
    <div class="form">
      <div class="inputfield">
        <th><label>Harga</label></th>
        <th><input type="text" class="input" id="harga"
name="harga" placeholder="Masukan Harga menu" required></th>
      </div>
    </tr>
    <div class="inputfield">
      <label>Jenis Menu</label>
      <div class="custom_select">
        <select name="jenis_menu" id="jenis_menu">
          <option value="">Select</option>
          <option value="makanan">Makanan</option>
        </select>
      </div>
    </div>
    <div class="inputfield">
      <label>Gambar</label>
      <input type="file" class="input" id="gambar" name="gambar"
placeholder="Masukan gambar" required>
    </div>
    <div class="inputfield">
      <input type="submit" name="tambah_makanan" class="btn"
value="Tambah Menu">
    </div>
  </div>
</div>
</div>
</form>
</body>
</html>

```

#### DD. Kode program tambah menu minuman

```
<?php
```

```

include("functionAdmin.php");
if (!isset($_SESSION['masukAdmin'])) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: ../Adminlogin.php");
    exit;
}
if (isset($_POST["tambah_minuman"])) {
    if (tambahMinum ($_POST) > 0) {
        echo "
            <script>
                alert('Menu berhasil ditambahkan!');
                document.location.href = 'listMinuman.php';
            </script>
        ";
    } else {
        echo "
            <script>
                alert('data gagal ditambahkan!');
                document.location.href = 'tambahmenuminuman.php';
            </script>
        ";
    }
    if (GambarMinuman ($_POST)) {
        echo "
            <script>
                alert('Menu berhasil ditambahkan!');
                document.location.href = 'listMinuman.php';
            </script>
        ";
    } else {
        echo "
            <script>
                alert('data gagal ditambahkan!');
                document.location.href = 'tambahmenuminuman.php';
            </script>
        ";
    }
}
}
}
?>
<form action="" method="post" enctype="multipart/form-data" action="">
    <div class="wrapper">
        <div class="title">
            Tambah Menu Minuman
        </div>
        <tr>
            <div class="form">
                <div class="inputfield">

```

```

        <th><label>Nama Menu</label></th>
        <th><input type="text" class="input" id="nama_menu"
name="nama_menu" placeholder="Masukan Nama menu" required></th>
        </div>
    </tr>
    <div class="form">
        <div class="inputfield">
            <th><label>Harga</label></th>
            <th><input type="text" class="input" id="harga"
name="harga" placeholder="Masukan Harga menu" required></th>
        </div>
    </tr>
    <div class="inputfield">
        <label>Jenis Menu</label>
        <div class="custom_select">
            <select name="jenis_menu" id="jenis_menu">
                <option value="">Select</option>
                <option value="minuman">Minuman</option>
            </select>
        </div>
    </div>
    <div class="inputfield">
        <label>Gambar</label>
        <input type="file" class="input" id="gambar" name="gambar"
placeholder="Masukan gambar" required>
    </div>
    <div class="inputfield">
        <input type="submit" name="tambah_minuman" class="btn"
value="Tambah Menu">
    </div>
</div>
</div>
</form>
</body>
</html>

```

#### EE. Kode program tambah menu kopi

```

<?php
include("functionAdmin.php");
if (!isset($_SESSION['masukAdmin'])) {
    $_SESSION['msg'] = "Harap login terlebih dahulu";
    header("Location: ../Adminlogin.php");
    exit;
}
if (isset($_POST["tambah_kopi"])) {

```

```

if (tambahKopi ($_POST) > 0) {
    echo "
        <script>
            alert('Menu berhasil ditambahkan!');
            document.location.href = 'listKopi.php';
        </script>
    ";
} else {
    echo "
        <script>
            alert('data gagal ditambahkan!');
            document.location.href = 'tambahmenukopi.php';
        </script>
    ";
}

if (GambarKopi ($_POST)) {
    echo "
        <script>
            alert('Menu berhasil ditambahkan!');
            document.location.href = 'listKopi.php';
        </script>
    ";
} else {
    echo "
        <script>
            alert('data gagal ditambahkan!');
            document.location.href = 'tambahmenuKopi.php';
        </script>
    ";
}
}
}
?>
<form action="" method="post" enctype="multipart/form-data" action="">
    <div class="wrapper">
        <div class="title">
            Tambah Menu Kopi
        </div>
        <tr>
            <div class="form">
                <div class="inputfield">
                    <th><label>Nama Menu</label></th>
                    <th><input type="text" class="input" id="nama_menu"
name="nama_menu" placeholder="Masukan Nama menu" required></th>
                </div>
            </div>
            <div class="form">
                <div class="inputfield">

```

```

        <th><label>Harga</label></th>
        <th><input type="text" class="input" id="harga"
name="harga" placeholder="Masukan Harga menu" required></th>
    </div>
</tr>
<div class="inputfield">
    <label>Jenis Menu</label>
    <div class="custom_select">
        <select name="jenis_menu" id="jenis_menu">
            <option value="">Select</option>
            <option value="kopi">Kopi</option>
        </select>
    </div>
</div>
<div class="inputfield">
    <label>Gambar</label>
    <input type="file" class="input" id="gambar" name="gambar"
placeholder="Masukan gambar" required>
</div>
<div class="inputfield">
    <input type="submit" name="tambah_kopi" class="btn"
value="Tambah Menu">
</div>
</div>
</div>
</div>
</form>
</body>
</html>

```

#### FF.Kode program transaksi cafe

```

<?php
include("functionAdmin.php");
$Transaksi = query("SELECT * FROM transaksi");
?>

<table>
    <tbody>
        <tr>
            <th>No.</th>
            <th>Kode Transaksi</th>
            <th>Nama Pemesan</th>
            <th>Nama Menu</th>
            <th>Jumlah</th>
            <th>Harga</th>
            <th>Tanggal Pesanan</th>
        </tr>

```



```

<?php $i = 1; ?>
<?php foreach ($Transaksi as $row) : ?>
    <tr>
        <td><?= $i; ?></td>

        <td><?= $row["id_transaksi"]; ?></td>
        <td><?= $row["customer_name"]; ?></td>
        <td><?= $row["nama_menu"]; ?></td>
        <td><?= $row["jumlah_pesanan"]; ?></td>
    <td><?= $row["harga"]; ?></td>
    <td><?= $row["tanggal_pesan"]; ?></td>
    <td>
        <div class="dropdownopsi">
            <button onclick="myFunction()"
class="btnopsi">Action</button>
            <div id="myDropdown" class="dropdown-opsi">
                <a href="EditMenuMinuman.php?id=<?=
$row["id_menu"]; ?>">Edit</a>
                <a href="deleteMenu.php?id=<?=
$row["id_menu"]; ?>" onclick="return confirm('yakin?');">Delete</a>
            </div>
        </div>
    </td>
</tr>
<?php $i++; ?>
<?php endforeach; ?>
</tbody>
</table>
</main>
</section>

<script src="script.js"></script>
<script src="Menuadmin.js"></script>
<script>
    function myFunction() {
        document.getElementById("myDropdown").classList.toggle("show");
    }
    window.onclick = function(event) {
        if (!event.target.matches('.btnopsi')) {
            var dropdowns = document.getElementsByClassName("dropdown-
opsi");
            var i;
            for (i = 0; i < dropdowns.length; i++) {
                var openDropdown = dropdowns[i];
                if (openDropdown.classList.contains('show')) {
                    openDropdown.classList.remove('show');
                }
            }
        }
    }
}

```

```
    }  
  }  
</script>  
</body>  
</html>
```

#### **GG. Kode program logout admin**

```
<?php  
session_start();  
unset($_SESSION['masukAdmin']);  
unset($_SESSION['login']);  
session_destroy();  
header("Location:../Adminlogin.php");  
?>
```

#### **HH. Kode program logout user**

```
<?php  
session_start();  
unset($_SESSION['masuk']);  
unset($_SESSION['login']);  
session_destroy();  
header("Location:../Adminlogin.php");  
?>
```