

DAFTAR PUSTAKA

1. Soepardi E, Iskandar N, et al. Buku ajar ilmu kesehatan telinga hidung tenggorok kepala dan leher. 6th ed. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2007. Available from: <https://lib.ui.ac.id/detail?id=20417489>
2. Kim J. Prevalence and Factors Associated With Hearing Loss and Hearing Aid Use in Korean Elders. *Iran J Public Health*. 2015;44(3):317. Available from: <https://pmc.ncbi.nlm.nih.gov/articles/PMC4402408/>
3. Addressing the rising prevalence of hearing loss. Geneva: World Health Organization; 2018. Available from: <https://apps.who.int/iris/bitstream/handle/10665/260336/9789241550260-eng.pdf>
4. Mutawakkil A, Ridwan A, Taufik N. The effects of earphone use on the incidence of noise-induced hearing loss: an empirical study of senior high school students in banda aceh. *Int J Innov Sci Res Technol*. 2021;6:8. Available from: <https://ijisrt.com/assets/upload/files/IJISRT21DEC417.pdf>
5. Natarajan N, Batts S, Stankovic KM. Noise induced hearing loss. *J Clin Med*. 2023;12(6). Available from: <https://pubmed.ncbi.nlm.nih.gov/36983347/>
6. Krug E, Cieza M, et al. Hearing loss due to recreational exposure to loud sounds . Switzerland: World Health Organization; 2015. Available from: https://apps.who.int/iris/bitstream/handle/10665/154589/9789241508513_eng.pdf
7. Osmanoglu H, Dizdar H, et al. The effects of music listening time with headphones on hearing thresholds among the young population. *Egypt J Otolaryngol*. 2024;(40):10. Available from: <https://ejo.springeropen.com/articles/10.1186/s43163-024-00574-9>
8. Putra M, Triansyah I. Hubungan intensitas penggunaan earphone dengan derajat gangguan pendengaran pada mahasiswa fakultas kedokteran universitas baiturrahmah. *Sci J*. 2022;1:8. Available from: <https://journal.scientic.id/index.php/sciena/article/view/49>
9. Dixon PR, Feeny D, et al. Health related quality of life changes associated with hearing loss. *JAMA Otolaryngol-- Head Neck Surg*. 2020;146(7):10. Available from: <https://pubmed.ncbi.nlm.nih.gov/32407468/>
10. Yusni, Ikbali, Meutia F. Prevalence and Population at Risk For Noise Induced Hearing Loss (NIHL) in Adolescent Students. *Fol Med Indones*. 2021;Volume 57(3). Available from: <https://e-journal.unair.ac.id/FMI/article/view/20391>

11. Yunita S, Nurannisa S, Valentina A. Strategi Kreatif Kampanye Panggunaan Earphone yang Aman Bagi Kesehatan Telinga. LPPM STMIK STIKOM Indones. 2021;4:8. Available from: https://linter.untar.ac.id/repository/penelitian/buktipenelitian_10605007_4A12_0721170525.pdf
12. Rifqi M, Suherlan E, Yunus A. First Year College Students Knowledge about The Impact of Using Earphone on Noise Induce Hearing Loss (NIHL) in Faculty of Medicine Islamic Bandung University. Pros Pendidik Dr . 2019;5(1):7. Available from: https://www.academia.edu/108364996/Tingkat_Pengetahuan_Mahasiswa_Tingkat_Pertama_tentang_Dampak_Penggunaan_Earphone_terhadap_Noise_Induced_Hearing_Loss_NIHL_di_Fakultas_Kedokteran_Universitas_Islam_Bandung
13. Scempham J, Hertmaan G. The Influence of Earphone Usage Behaviour on Ear Disorders. J Medihealthico . 2021;2(5):10–5. Available from: https://www.researchgate.net/publication/354222999_The_Influence_of_Earphone_Usage_Behaviour_on_Ear_Disorders
14. Setiani L, Syakila N, Yusni Y. Hubungan Lama Paparan Penggunaan Earphone Musik Terhadap Terjadinya Gangguan Pendengaran Akibat Bising pada Mahasiswa Fakultas Kedokteran Universitas Syiah Kuala. J Kedokt Nanggroe Med. 2018;1(2):17–26. Available from: <https://www.jknamed.com/jknamed/article/view/51>
15. John E. Hall, Ph.D. Guyton and Hall Textbook of Medical Physiology. 13th ed. Elsevier; 2019. Available from: [https://repository.poltekkes-kaltim.ac.id/1147/1/Guyton%20and%20Hall%20Textbook%20of%20Medical%20Physiology%20\(%20PDFDrive%20\).pdf](https://repository.poltekkes-kaltim.ac.id/1147/1/Guyton%20and%20Hall%20Textbook%20of%20Medical%20Physiology%20(%20PDFDrive%20).pdf)
16. Bethesda. How do You Hear. Natl Inst Deaf Commun Disord. 2015;1. Available from: <https://www.nidcd.nih.gov/health/how-do-we-hear>
17. Swanepoel D, Laurent C. Classification of hearing loss. Researchgate. 2019;5. Available from: https://www.researchgate.net/publication/336306315_Classification_of_hearing_loss
18. Yusof B. Hearing Loss and Noise Exposure: A Review. 2023;6:128–34. Available from: https://www.researchgate.net/publication/373110918_Hearing_Loss_and_Noise_Exposure_A_Review
19. Clark A, Archbold S, et al. Word report on hearing. Geneva: World Health Organization; 2021. Available from: <https://www.efhoh.org/wp-content/uploads/2021/03/World-Hearing-Report.pdf>

20. Cohen B, Durstenfeld A, et al. Viral causes of hearing loss. *Trends Hear.* 2014;18. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4222184/>
21. Misron K, Tengku Kamalden TMI, Mohammad N. Bilateral sudden sensorineural hearing loss following head trauma. *Oman Med J.* 2021;36(1):28. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8336420/>
22. Alpsoy M, Sönmez S, et al. Evaluation of patients with post-traumatic hearing loss. *J Int Adv Otol.* 2021;17:239. Available from: <https://pubmed.ncbi.nlm.nih.gov/34100749/>
23. Fransiska. Ototoksisitas aminoglikosida. *J Kesehatan Dan Kedokt.* 2019;1(1):47. Available from: <https://media.neliti.com/media/publications/301806-ototoksisitas-aminoglikosida-07b118eb.pdf>
24. Korver AMH, Smith RJH, Van Camp G, Schleiss MR, Bitner-Glindzicz MAK, Lustig LR, et al. Congenital hearing loss. *Nat Rev Dis Primer.* 2017; Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5675031/>
25. Kenna MA. Neonatal hearing screening. *Pediatr Clin North Am.* 2003;50(2):13. Available from: <https://pubmed.ncbi.nlm.nih.gov/12809324/>
26. Kuhn M, Heman-Ackah SE, Shaikh JA, Roehm PC. Sudden sensorineural hearing loss. *Trends Amplif.* 2011;15(3):91. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4040829/>
27. Peraturan Menteri Kesehatan Republik Indonesia Nomor 2 Tahun 2023. *Kemendes;* 2023. Available from: <https://peraturan.bpk.go.id/Download/301587/Permenkes%20Nomor%202%20Tahun%202023.pdf>
28. Noerjoedianto D, Kusmawan D. Noise-Induced Hearing Loss (NIHL) Risk Factors among Manufacturing Industry Workers: A Systematic Review. *Researchgate.* 2021;17. Available from: <https://www.researchsquare.com/article/rs-643998/v1.pdf>
29. Raju G. Disability evaluation in acoustic blast trauma. *Indian J Occup Environ Med.* 2015;19(3):13. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4765251/>
30. Choirunisa R. Hearing loss and health complaints in technicians air skadron 3 iswahjudi airport and its association with aircraft noise. *J Kesehatan Lingkung.* 2019;11(1):61. Available from: <https://e-journal.unair.ac.id/JKL/article/view/4932>

31. Safe listening devices and systems: a WHO-ITU standard . Geneva: World Health Organization and International and Telecommunication Union; 2019. Available from: <https://iris.who.int/handle/10665/280085>
32. Agustaputra M, Kristanti A, Sebong P. Prevalensi Gangguan Dengar Akibat Bising dan Safe Listening pada Mahasiswa Kedokteran Universitas Katolik Soegijapranata. *J Pranata Biomedika* . 2023;2(1):22. Available from: <https://journal.unika.ac.id/index.php/JPB/article/view/10134>
33. Mohammad M, Suhail M. Textbook of ear, nose and throat diseases . 11th ed. Jaypee Brothers Medical; 2007. Available from: https://jaiu.kg/wp-content/uploads/2024/10/Maqbool_s-Textbook-of-ENT.pdf
34. Setiani L, Syakila N, Yusni Y. Hubungan lama paparan penggunaan earphone musik terhadap terjadinya gangguan pendengaran akibat bising pada mahasiswa fakultas kedokteran universitas syiah kuala. *J Kedokt Nanggroe Med* . 2018 [cited 2024 Oct 7];1(2):17–26. Available from: <https://www.jknamed.com/jknamed/article/view/51>
35. Jarvey S, Gouyaso H. The influence of earphone usage behaviour on ear disorders. *J Medihealthico* . 2021;2:10–5. Available from: https://www.researchgate.net/publication/354222999_The_Influence_of_Earphone_Usage_Behaviour_on_Ear_Disorders
36. Nadifa A, Rofii A, Noor Z, et al. Hubungan Penggunaan Earphone terhadap Derajat Keluhan Gatal pada Telinga. *Homeostasis* . 2022;5(2):247–54. Available from: <https://ppjp.ulm.ac.id/journals/index.php/hms/article/view/6268>
37. Salim SL, Hartanto DD, et al. Perancangan Kampanye Bijak Menggunakan Earphone. *J Desain Komun Vis Adiwarna* . 2014;1(4):12. Available from: <https://media.neliti.com/media/publications/81441-ID-perancangan-kampanye-bijak-menggunakan-e.pdf>
38. Shim H, Lee S, Koo M, Kim J. Analysis of Output Levels of an MP3 Player: Effects of Earphone Type, Music Genre, and Listening Duration. *J Audiol Otol* . 2018;22(3):147. Available from: <https://pmc.ncbi.nlm.nih.gov/articles/PMC6103496/>
39. Haseung Song. The Effects of Ear Dimensions and Product Attributes on the Wearing Comfort of Wireless Earphones. *Aplied Sci* . 2020; Available from: https://www.researchgate.net/publication/347619095_The_Effects_of_Ear_Dimensions_and_Product_Attributes_on_the_Wearing_Comfort_of_Wireless_Earphones

40. Punch JL, Elfenbein JL, James RR. Targeting hearing health messages for users of personal listening devices. *Am J Audiol* . 2011 Jun;20(1):69–82. Available from: <https://pubmed.ncbi.nlm.nih.gov/21474557/>
41. Friesen C, Papadopoulos A. Personal listening habits and the potential for hearing loss of Canadian university students. *Environ Health Rev* . 2015 Dec 1;58:79–86. Available from: https://www.researchgate.net/publication/315315424_Personal_listening_habits_and_the_potential_for_hearing_loss_of_Canadian_university_students
42. Sastroasmoro S, Ismael S. *Dasar-dasar metodologi penelitian klinis*. 5th ed. Jakarta: Sagung Seto; 2014.
43. Fauziyah N. *Sampling dan Besar Sampel Bidang Kesehatan Masyarakat dan Klinis* . 1st ed. Bandung: Politeknik Kesehatan Kemenkes; 2019. Available from: <http://repo.poltekkesbandung.ac.id/7608/1/BUKU%206%20SAMPLING%20DAN%20BESAR%20SAMPEL.pdf>
44. Mohammadpoorasl A, Hajizadeh M, Marin S, Heydari P, Ghalenoi M. Prevalence and Pattern of Using Headphones and Its Relationship with Hearing Loss among Students. *Health Scope* . 2018;8:1–5. Available from: https://www.researchgate.net/publication/327381300_Prevalence_and_Pattern_of_Using_Headphones_and_Its_Relationship_with_Hearing_Loss_Among_Students
45. Endi D, Bondan D, et al. *Panduan kalibrasi sound level meter metode coupler* . 1st ed. Vol. 1. Direktorat Standar Nasional Satuan Ukuran Mekanika, Radiasi dan Biologi Badan Standardisasi Nasional; 2020. Available from: https://bsn.go.id/uploads/download/snsu_pk.a-01-2020_sound_level_meter.pdf
46. *Noise measurement procedures manual* . 2nd ed. Australia: Tasmania; 2020. 33 p. Available from: https://www.des.qld.gov.au/policies?a=272936:policy_registry/eis-tm-noise-measurement-manual.pdf
47. Byeon H. Associations between adolescents' earphone usage in noisy environments, hearing loss, and self-reported hearing problems in a nationally representative sample of South Korean middle and high school students. *Medicine (Baltimore)* . 2020;100(3):7. Available from: <https://doi.org/10.1097/MD.00000000000024056>
48. Kurnia A, Yahya A, Pradina F. Lama Paparan dan Tingkat Volume Headphone atau Earphone Meningkatkan Resiko Gngguan Dengar pada Mahasiswa Fakultas Kedokteran Universitas Islam Malang. *J Kedokt Komunitas J*

- Community Med . 2024;12:10. Available from: <https://nusantarahasanaajournal.com/index.php/nhj/article/view/1174/977>
49. Yudiasari N, Widati S. Pengembangan Media Promosi Kesehatan Tentang Bahaya Penggunaan Earphone Mahasiswa Universitas Airlangga Di Surabaya. J Kesehat Masy . 2021;12:30. Available from: <https://jurnal.fkm.untad.ac.id/index.php/preventif/article/view/182>
 50. Widyatmoko V, Anisa R, Duhitrissari FP. Efek Polusi Bising Kereta Api Terhadap Pendengaran Penduduk di Pinggiran Rel Kelurahan Jodipan, Kota Malang. J Kedokt Komunitas J Community Med . 2023;11(1). Available from: <https://jim.unisma.ac.id/index.php/jkkfk/article/view/20632>
 51. Iqbal M, R DCN. Keluhan Gangguan Pendengaran pada Pekerja Konstruksi Bangunan Gedung. J Ris Kesehat POLTEKKES DEPKES Bdg . 2022;14(1):22. Available from: <https://www.juriskes.com/index.php/jrk/article/view/2037>
 52. Kabir H, Danjuma A, Abimiku S, Bello M. Prevalence and Pattern of Hearing Loss among Young Adults in Tertiary Institutions with Habitual Headphone/Earphone Usage in Kaduna Metropolis. J West Afr Coll Surg . 2023;13(4):98–135. Available from: <https://pmc.ncbi.nlm.nih.gov/articles/PMC38449547/>
 53. Lin HYH, Lai HS, Huang CY, Chen CH, Wu SL, Chu YC, et al. Smartphone-bundled earphones as personal sound amplification products in adults with sensorineural hearing loss. iScience . 2022;25(12):12. Available from: <https://www.sciencedirect.com/science/article/pii/S2589004222017084>
 54. Afriani Y, Anggraeni R. Skrining Gangguan Dengar pada Pekerja Salah Satu Pabrik Tekstil di Bandung. Bdg Med J . 2012;44(2):5. Available from: <https://journal.fk.unpad.ac.id/index.php/mkb/article/view/82>
 55. Sagala H, Zakaria R, Andrian D. Faktor-Faktor yang Berhubungan dengan Gangguan Pendengaran pada Pekerja Bagian Pengolahan Minyak Kelapa Sawit di PT. Samudra Sawit Nabati Singgersing Kota Subulussalam Provinsi Aceh Tahun 2022. J Kesehat Tambusai . 2023 Jun 30;4(2):23. Available from: <https://journal.universitaspahlawan.ac.id/index.php/jkt/article/view/15773/12450>
 56. Ayu N, Lintong F, Rumampuk J. Hubungan Penggunaan Earphone dengan Gangguan Pendengaran pada Siswa SMA Negeri 9 Manado. J Kedokt Klin . 2016;1(1):7. Available from: <https://ejournal.unsrat.ac.id/v3/index.php/jkk/article/view/14363>
 57. Lee HJ, Jeong IS. Personal Listening Device Use Habits, Listening Belief, and Perceived Change in Hearing Among Adolescents. Asian Nurs Res .

- 2021;15(2):113–20. Available from: <https://pubmed.ncbi.nlm.nih.gov/33444851/>
58. Feder K, McNamee J, Marro L, Portnuff C. Personal Listening Device Usage Among Canadians and Audiometric Outcomes Among 6–29 Year Olds. *Int J Audiol* . 2021;60(10):16. Available from: <https://www.tandfonline.com/doi/full/10.1080/14992027.2021.1878398>
 59. Marisdayana R, Suhartono, Nurjazuli. Hubungan Intensitas Paparan Bising Dan Masa Kerja Dengan Gangguan Pendengaran Pada Karyawan PT. X. *J Kesehat Lingkung Indones* . 2016;15(1):6. Available from: <https://ejournal.undip.ac.id/index.php/jkli/article/view/12311>
 60. Hendradewi S, Setiamika M, Sudrajad H, Kandhi PW, Primadewi N, Pratiwi D, et al. Noise Induce Hearing Loss Due to Usage of Headphone/Earphone. *J Pengabd Masy Med* . 2023;2(3):7. Available from: <https://journals2.ums.ac.id/jpmmedika/article/view/1274>
 61. Nadifa A, Rofii A, Noor Z, Illiandri O, Marisa D. Hubungan Penggunaan Earphone terhadap Derajat Keluhan Gatal pada Telinga. *Homeostasis* . 2022;5(2):247–54. Available from: <https://ppjp.ulm.ac.id/journals/index.php/hms/article/view/6268>
 62. Huh DA, Choi YH, Moon KW. The Effects of Earphone Use and Environmental Lead Exposure on Hearing Loss in the Korean Population: Data Analysis of the Korea National Health and Nutrition Examination Survey (KNHANES), 2010–2013. *Plos One* . 2016;11(12):14. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5193416/>
 63. Mishra G, Sharma Y, Mahida DA. Effect on Hearing due to Amplified Music Exposure. *Int J Otorhinolaryngol Clin* . 2022;14(1):4. Available from: <https://www.aijoc.com/doi/10.5005/jp-journals-10003-1424>
 64. Widén SE, Båsjö S, Möller C, Kähäri K. Headphone Listening Habits and Hearing Thresholds in Swedish Adolescents. *Noise Health* . 2017;19(88):125–32. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5501022/>
 65. Halim N, Setiawan I, Indradi R. Hubungan Lama Paparan Dan Intensitas Kebisingan Terhadap Gangguan Pendengaran Akibat Bising. *CoMPHI J Community Med Public Health Indones J* . 2022;3(1):5. Available from: <http://comphi.sinergis.org/comphi/article/view/97>
 66. Zain T, Warto N, Masri M. Gambaran Perilaku Remaja Terhadap Penggunaan Earphone Pada Siswa SMA Negeri Kota Padang. *J Kesehat Andalas* . 2016;5(3):6. Available from: https://www.researchgate.net/publication/339877097_Gambaran_Perilaku_Re

maja Terhadap Penggunaan Earphone Pada Siswa SMA Negeri Kota Padang

67. Kashyap P, Bhatia A. Effect of Duration of Exposure to Personal Listening Devices on Hearing Thresholds in Young Adults. *Indian J Otolaryngol Head Neck Surg* . 2018;70(4). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6224831/>
68. Marron K, Sproat B, Ross D, Wagner S, Alessio H. Music Listening Behavior, Health, Hearing and Otoacoustic Emission Levels. *Int J Environ Res Public Health* . 2014;11(8):7592–607. Available from: <https://pubmed.ncbi.nlm.nih.gov/25068604/>

