

DAFTAR PUSTAKA

- [1] L. H. Pratomo, "Performance Analysis of Parallel PV Modules Using an MPPT Charge Controller," in *2021 International Seminar on Application for Technology of Information and Communication (iSemantic)*, Semarang, Indonesia: IEEE, Sep. 2021, pp. 167–172. doi: [10.1109/iSemantic52711.2021.9573216](https://doi.org/10.1109/iSemantic52711.2021.9573216).
- [2] S. Fitrianto and L. H. Pratomo, "Design and Implementation of Double PI Controller in Three Level DC-DC Converter (TLDDC) for PMSG Wind Turbine," in *2022 International Conference on Technology and Policy in Energy and Electric Power (ICT-PEP)*, Jakarta, Indonesia: IEEE, Oct. 2022, pp. 83–88. doi: [10.1109/ICT-PEP57242.2022.9988870](https://doi.org/10.1109/ICT-PEP57242.2022.9988870).
- [3] A. Wibisono, L. H. Pratomo, and A. K. D. Santoso, "Feasibility Study Analysis on Run-Off-Natural River Mini-Hydro Power Plant Business Development," in *2021 International Conference on Technology and Policy in Energy and Electric Power (ICT-PEP)*, Jakarta, Indonesia: IEEE, Sep. 2021, pp. 318–323. doi: [10.1109/ICT-PEP53949.2021.9601035](https://doi.org/10.1109/ICT-PEP53949.2021.9601035).
- [4] C. Liu *et al.*, "Novel Bipolar-Type Direct AC–AC Converter Topology Based on Non-Differential AC Choppers," *IEEE Trans. Power Electron.*, vol. 34, no. 10, pp. 9585–9599, Oct. 2019, doi: [10.1109/TPEL.2018.2890581](https://doi.org/10.1109/TPEL.2018.2890581).
- [5] N. Manimaran, J. Baskaran, K. Padmanathan, and G. Mahalakshmi, "A Buck-Boost-Flyback integrated converter for grid-connected wind-photovoltaic battery energy storage system using hybrid optimization assisted model," *J. Energy Storage*, vol. 104, p. 114484, Dec. 2024, doi: [10.1016/j.est.2024.114484](https://doi.org/10.1016/j.est.2024.114484).
- [6] I. Jagadeesh and V. Indragandhi, "Solar photo voltaic based hybrid CUK, SEPIC, ZETA converters for microgrid applications," *E-Prime - Adv. Electr. Eng. Electron. Energy*, vol. 6, p. 100364, Dec. 2023, doi: [10.1016/j.prime.2023.100364](https://doi.org/10.1016/j.prime.2023.100364).
- [7] L. Mo, Y. Wang, C. Jiang, X. Wang, and B. Zhang, "A Novel Topology Derivation Method Revealed From Classical Cuk, Sepic, and Zeta Converters," *IEEE Trans. Power Electron.*, vol. 39, no. 7, pp. 7828–7833, Jul. 2024, doi: [10.1109/TPEL.2024.3387057](https://doi.org/10.1109/TPEL.2024.3387057).
- [8] S. G and A. P. N, "An efficient buck-boost converter for fast active balancing of lithium-ion battery packs in electric vehicle applications," *Comput. Electr. Eng.*, vol. 118, p. 109429, Sep. 2024, doi: [10.1016/j.compeleceng.2024.109429](https://doi.org/10.1016/j.compeleceng.2024.109429).
- [9] M. Lotfi-nejad, H. Hajisadeghian, A. A. Aghajani, A. A. Motie Birjandi, and E. Adib, "New single-switch buck–boost converter with continuous input/output currents and a wide conversion range," *Heliyon*, vol. 10, no. 17, p. e37236, Sep. 2024, doi: [10.1016/j.heliyon.2024.e37236](https://doi.org/10.1016/j.heliyon.2024.e37236).
- [10] K. Balachander, A. Amudha, M. Siva Ramkumar, G. Emayavaramban, S.

- Divyapriy, and P. Nagaveni, "Design and analysis of modified CUK converter for electric hybrid vehicle," *Mater. Today Proc.*, vol. 45, pp. 1691–1695, 2021, doi: [10.1016/j.matpr.2020.08.566](https://doi.org/10.1016/j.matpr.2020.08.566).
- [11] E. Alhani and F. Anayi, "The design of a hybrid DC/DC converter for LED lighting system using a single switch," *Energy Rep.*, vol. 10, pp. 4491–4502, Nov. 2023, doi: [10.1016/j.egy.2023.10.081](https://doi.org/10.1016/j.egy.2023.10.081).
- [12] C. A. Ramos-Paja, D. Gonzalez Montoya, and J. D. Bastidas-Rodríguez, "Sliding-mode control of a CuK converter for voltage regulation of a dc-bus," *Sustain. Energy Technol. Assess.*, vol. 42, p. 100807, Dec. 2020, doi: [10.1016/j.seta.2020.100807](https://doi.org/10.1016/j.seta.2020.100807).
- [13] R. Kushwaha and B. Singh, "A Power Quality Improved EV Charger With Bridgeless Cuk Converter," *IEEE Trans. Ind. Appl.*, vol. 55, no. 5, pp. 5190–5203, Sep. 2019, doi: [10.1109/TIA.2019.2918482](https://doi.org/10.1109/TIA.2019.2918482).
- [14] Y. Zhang, S. Tian, and Y. Zhang, "A New Equalization Method for Lithium-Ion Battery Packs Based on CUK Converter," *Energy Eng.*, vol. 121, no. 6, pp. 1459–1472, 2024, doi: [10.32604/ee.2024.047247](https://doi.org/10.32604/ee.2024.047247).
- [15] R. Pandey and B. Singh, "A Power-Factor-Corrected LLC Resonant Converter for Electric Vehicle Charger Using Cuk Converter," *IEEE Trans. Ind. Appl.*, vol. 55, no. 6, pp. 6278–6286, Nov. 2019, doi: [10.1109/TIA.2019.2934059](https://doi.org/10.1109/TIA.2019.2934059).
- [16] A. R. Assidiq, A. Dahono, A. Rizqiawan, and J. Furqani, "High ratio DC-DC converter based on cascade modified Cuk converter topology," *E-Prime - Adv. Electr. Eng. Electron. Energy*, vol. 9, p. 100654, Sep. 2024, doi: [10.1016/j.prime.2024.100654](https://doi.org/10.1016/j.prime.2024.100654).
- [17] W. Ma *et al.*, "Hopf Bifurcation and Its Control in the One-Cycle Controlled Cuk Converter," *IEEE Trans. Circuits Syst. II Express Briefs*, vol. 66, no. 8, pp. 1411–1415, Aug. 2019, doi: [10.1109/TCSII.2018.2880868](https://doi.org/10.1109/TCSII.2018.2880868).
- [18] D. Chen and X. Hu, "A Multiobjective Feedback Linearization Control of a Cuk Converter," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 11, no. 3, pp. 2990–2999, Jun. 2023, doi: [10.1109/JESTPE.2023.3241391](https://doi.org/10.1109/JESTPE.2023.3241391).
- [19] R. Heidari, E. Adib, K.-I. Jeong, and J.-W. Ahn, "Soft-Switched Boost-Cuk-Type High Step-Up Converter for Grid-Tied With Half-Bridge Inverter," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 11, no. 1, pp. 786–795, Feb. 2023, doi: [10.1109/JESTPE.2022.3203614](https://doi.org/10.1109/JESTPE.2022.3203614).
- [20] J. C. D. S. De Moraes, J. L. D. S. De Moraes, and R. Gules, "Photovoltaic AC Module Based on a Cuk Converter With a Switched-Inductor Structure," *IEEE Trans. Ind. Electron.*, vol. 66, no. 5, pp. 3881–3890, May 2019, doi: [10.1109/TIE.2018.2856202](https://doi.org/10.1109/TIE.2018.2856202).
- [21] R. A. and A. Gnana Saravanan, "Torque ripple minimization of bridgeless CUK converter-based BLDC motor using Improved Jellyfish Search Algorithm," *ISA Trans.*, vol. 136, pp. 374–389, May 2023, doi: [10.1016/j.isatra.2022.11.025](https://doi.org/10.1016/j.isatra.2022.11.025).
- [22] L. Zhou, T. Shi, J. Deng, W. Chen, Y. Cao, and X. Li, "Torque Ripple Reduction Strategy for Brushless DC Motor Based on Output Mode Reconstruction of Cuk Converter," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 11, no. 5, pp. 5244–5255, Oct. 2023, doi: [10.1109/JESTPE.2023.3294009](https://doi.org/10.1109/JESTPE.2023.3294009).

- [23] M. Shahabadini, N. Moeini, M. Bahrami-Fard, and H. Iman-Eini, "HERIC-Based Cascaded H-Bridge Inverter for Leakage Current Suppression in PV Systems," *IEEE Trans. Power Electron.*, vol. 38, no. 3, pp. 4005–4014, Mar. 2023, doi: [10.1109/TPEL.2022.3218634](https://doi.org/10.1109/TPEL.2022.3218634).
- [24] U. A. Khan and J.-W. Park, "Full-Bridge Single-Inductor-Based Buck–Boost Inverters," *IEEE Trans. Power Electron.*, vol. 36, no. 2, pp. 1909–1920, Feb. 2021, doi: [10.1109/TPEL.2020.3011462](https://doi.org/10.1109/TPEL.2020.3011462).
- [25] Q. Yu, E. Lemmen, C. G. E. Wijnands, and B. Vermulst, "Output Spectrum Modeling of an H-Bridge Inverter With Dead-Time Based on Switching Mode Analysis," *IEEE Trans. Power Electron.*, vol. 36, no. 10, pp. 11344–11356, Oct. 2021, doi: [10.1109/TPEL.2021.3067638](https://doi.org/10.1109/TPEL.2021.3067638).
- [26] J. Jiang *et al.*, "A Weighted Efficiency Enhancement Method for Coupled Inductor Filter-Based H-Bridge Inverters," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 10, no. 4, pp. 4456–4468, Aug. 2022, doi: [10.1109/JESTPE.2021.3134266](https://doi.org/10.1109/JESTPE.2021.3134266).
- [27] N. Rigogiannis, N. Delianidis, I. Mandourarakis, N. Papanikolaou, and E. Koutroulis, "Feasibility Study of a Fully Decentralized Control Scheme for PV Cell-Level Cascaded H-Bridge Inverters," *IEEE Access*, vol. 11, pp. 69826–69840, 2023, doi: [10.1109/ACCESS.2023.3293891](https://doi.org/10.1109/ACCESS.2023.3293891).
- [28] M. Kumar, "Detection and Localization of Open Switch Faults for Level-Shifted PWM Cascaded H-Bridge Inverter," *IEEE Trans. Circuits Syst. II Express Briefs*, vol. 71, no. 4, pp. 2409–2413, Apr. 2024, doi: [10.1109/TCSII.2023.3332214](https://doi.org/10.1109/TCSII.2023.3332214).
- [29] D. Choi, J. Ju, and J.-S. Lee, "Dead-Time Compensation Method in Cascaded H-Bridge Inverter to Mitigate Zero-Crossing Distortion by Reflecting the Ratio of Current Polarity," *IEEE Trans. Power Electron.*, vol. 39, no. 10, pp. 11974–11979, Oct. 2024, doi: [10.1109/TPEL.2024.3421531](https://doi.org/10.1109/TPEL.2024.3421531).
- [30] M. Bahrami-Fard, N. Moeini, M. Shahabadini, H. Iman-Eini, and M. Liserre, "A New Topology and Modulation Strategy to Suppress the Leakage Current in Transformerless Cascaded H-Bridge Inverters in PV Application," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 11, no. 1, pp. 1219–1229, Feb. 2023, doi: [10.1109/JESTPE.2022.3158424](https://doi.org/10.1109/JESTPE.2022.3158424).
- [31] A. Lashab *et al.*, "A Cascaded H-Bridge With Integrated Boosting Circuit," *IEEE Trans. Power Electron.*, vol. 36, no. 1, pp. 18–22, Jan. 2021, doi: [10.1109/TPEL.2020.3000724](https://doi.org/10.1109/TPEL.2020.3000724).
- [32] A. Gohari, H. Althuwaini, and M. B. Shadmand, "Optimal Utilization of Battery Sources in Cascaded H-Bridge Inverter by Coordinated Sequence Selection," *IEEE Trans. Ind. Electron.*, vol. 71, no. 9, pp. 10841–10853, Sep. 2024, doi: [10.1109/TIE.2023.3335462](https://doi.org/10.1109/TIE.2023.3335462).
- [33] S. Shuvo, E. Hossain, T. Islam, A. Akib, S. Padmanaban, and Md. Z. R. Khan, "Design and Hardware Implementation Considerations of Modified Multilevel Cascaded H-Bridge Inverter for Photovoltaic System," *IEEE Access*, vol. 7, pp. 16504–16524, 2019, doi: [10.1109/ACCESS.2019.2894757](https://doi.org/10.1109/ACCESS.2019.2894757).
- [34] T. Qanbari and B. Tousi, "Single-Source Three-Phase Multilevel Inverter Assembled by Three-Phase Two-Level Inverter and Two Single-Phase Cascaded H-Bridge Inverters," *IEEE Trans. Power Electron.*, vol. 36, no. 5,

- pp. 5204–5212, May 2021, doi: [10.1109/TPEL.2020.3029870](https://doi.org/10.1109/TPEL.2020.3029870).
- [35] A. P. Monteiro, C. B. Jacobina, J. P. R. A. Mello, and N. B. De Freitas, “Single-Phase Cascaded H-Bridge Inverters Without Power Regeneration,” *IEEE Trans. Ind. Appl.*, vol. 56, no. 6, pp. 6565–6575, Nov. 2020, doi: [10.1109/TIA.2020.3014180](https://doi.org/10.1109/TIA.2020.3014180).
- [36] Swarnim and S. Kamlu, “Comparative analysis for Cascaded H-Bridge Multilevel Inverter,” in *2024 3rd International Conference for Innovation in Technology (INOCON)*, Bangalore, India: IEEE, Mar. 2024, pp. 1–6. doi: [10.1109/INOCON60754.2024.10511338](https://doi.org/10.1109/INOCON60754.2024.10511338).
- [37] P. M. Lingom, J. Song-Manguelle, D. L. Mon-Nzongo, R. C. C. Flesch, and T. Jin, “Analysis and Control of PV Cascaded H-Bridge Multilevel Inverter With Failed Cells and Changing Meteorological Conditions,” *IEEE Trans. Power Electron.*, vol. 36, no. 2, pp. 1777–1789, Feb. 2021, doi: [10.1109/TPEL.2020.3009107](https://doi.org/10.1109/TPEL.2020.3009107).
- [38] T. Zhao and D. Chen, “A Power Adaptive Control Strategy for Further Extending the Operation Range of Single-Phase Cascaded H-Bridge Multilevel PV Inverter,” *IEEE Trans. Ind. Electron.*, vol. 69, no. 2, pp. 1509–1520, Feb. 2022, doi: [10.1109/TIE.2021.3060646](https://doi.org/10.1109/TIE.2021.3060646).
- [39] H. Katir, A. Abouloifa, K. Noussi, I. Lachkar, and F. Giri, “Cascaded H-Bridge Inverters for UPS Applications: Adaptive Backstepping Control and Formal Stability Analysis,” *IEEE Control Syst. Lett.*, vol. 6, pp. 145–150, 2022, doi: [10.1109/LCSYS.2021.3051875](https://doi.org/10.1109/LCSYS.2021.3051875).