

DAFTAR PUSTAKA

- [1] H. Wang and F. Blaabjerg, "Power Electronics Reliability: State of the Art and Outlook," *IEEE J. Emerg. Sel. Top. Power Electron.*, vol. 9, no. 6, pp. 6476–6493, 2021, doi: 10.1109/JESTPE.2020.3037161.
- [2] Y. Yang, H. Wang, A. Sangwongwanich, and F. Blaabjerg, *Design for Reliability of Power Electronic Systems*, 4th ed. Elsevier Inc., 2017. doi: 10.1016/B978-0-12-811407-0.00051-9.
- [3] Q. Peng, Q. Jiang, Y. Yang, T. Liu, H. Wang, and F. Blaabjerg, "On the Stability of Power Electronics-Dominated Systems: Challenges and Potential Solutions," *IEEE Trans. Ind. Appl.*, vol. 55, no. 6, pp. 7657–7670, 2019, doi: 10.1109/TIA.2019.2936788.
- [4] F. Hong, J. Liu, B. Ji, Y. Zhou, J. Wang, and C. Wang, "Single Inductor Dual Buck Full-Bridge Inverter," *IEEE Trans. Ind. Electron.*, vol. 62, no. 8, pp. 4869–4877, 2015, doi: 10.1109/TIE.2015.2399280.
- [5] G. R. Zhu, H. Wang, B. Liang, S. C. Tan, and J. Jiang, "Enhanced Single-Phase Full-Bridge Inverter with Minimal Low-Frequency Current Ripple," *IEEE Trans. Ind. Electron.*, vol. 63, no. 2, pp. 937–943, 2016, doi: 10.1109/TIE.2015.2491881.
- [6] Y. Chen *et al.*, "A ZVS Grid-Connected Full-Bridge Inverter with a Novel ZVS SPWM Scheme," *IEEE Trans. Power Electron.*, vol. 31, no. 5, pp. 3626–3638, 2016, doi: 10.1109/TPEL.2015.2456032.
- [7] U. A. Khan and J. W. Park, "Full-Bridge Single-Inductor-Based Buck-Boost Inverters," *IEEE Trans. Power Electron.*, vol. 36, no. 2, pp. 1909–1920, 2021, doi: 10.1109/TPEL.2020.3011462.
- [8] Y. Xia and R. Ayyanar, "Naturally Adaptive, Low-Loss Zero-Voltage-Transition Circuit for High-Frequency Full-Bridge Inverters with Hybrid PWM," *IEEE Trans. Power Electron.*, vol. 33, no. 6, pp. 4916–4933, 2018, doi: 10.1109/TPEL.2017.2734638.
- [9] T. Rossmann, "Topological representation zeta functions of unipotent groups," *J. Algebr.*, vol. 448, pp. 210–237, 2016, doi: 10.1016/j.jalgebra.2015.09.050.
- [10] N. Vosoughi, M. Abbasi, E. Abbasi, and M. Sabahi, "A Zeta-based switched-capacitor DC-DC converter topology," *Int. J. Circuit Theory Appl.*, vol. 47, no. 8, pp. 1302–1322, 2019, doi: 10.1002/cta.2647.
- [11] Bondu Pavan Kumar Reddy, "PV-based Performance Evaluation of Zeta and Sepic Topologies for EV Applications," *J. Electr. Syst.*, vol. 20, no. 5s, pp. 438–446, 2024, doi: 10.52783/jes.2068.
- [12] B. Moon, H. Y. Jung, S. H. Kim, and S. H. Lee, "A Modified Topology of Two-Switch Buck-Boost Converter," *IEEE Access*, vol. 5, pp. 17772–17780, 2017, doi: 10.1109/ACCESS.2017.2749418.
- [13] L. E. D. L. Igths, "D C -D C B Uck -B Oost and Sepic C Onverters To D Rive," *2018 Int. Conf. Adv. Electr. Electron. Eng.*, vol. 7, no. 4, pp. 1283–1293, 2014.
- [14] F. Blaabjerg, Y. Yang, K. Ma, and X. Wang, "Power electronics-the key technology for renewable energy system integration," *2015 Int. Conf. Renew. Energy Res. Appl. ICRERA 2015*, pp. 1618–1626, 2015, doi: 10.1109/ICRERA.2015.7418680.

- [15] M. A. Hannan, M. S. H. Lipu, P. J. Ker, R. A. Begum, V. G. Agelidis, and F. Blaabjerg, "Power electronics contribution to renewable energy conversion addressing emission reduction: Applications, issues, and recommendations," *Appl. Energy*, vol. 251, no. May, p. 113404, 2019, doi: 10.1016/j.apenergy.2019.113404.
- [16] S. M. S. H. Rafin, R. Islam, and O. A. Mohammed, "Overview of Power Electronic Converters in Electric Vehicle Applications," *2023 4th Int. Symp. 3D Power Electron. Integr. Manuf. 3D-PEIM 2023*, pp. 22–80, 2023, doi: 10.1109/3D-PEIM55914.2023.10052532.
- [17] R. Kotb, S. Chakraborty, D. D. Tran, E. Abramushkina, M. El Baghdadi, and O. Hegazy, "Power Electronics Converters for Electric Vehicle Auxiliaries: State of the Art and Future Trends," *Energies*, vol. 16, no. 4, 2023, doi: 10.3390/en16041753.
- [18] M. S. H. Lipu *et al.*, *Power Electronics Converter Technology Integrated Energy Storage Management in Electric Vehicles: Emerging Trends, Analytical Assessment and Future Research Opportunities*, vol. 11, no. 4, 2022, doi: 10.3390/electronics11040562.
- [19] C. Hou, M. Zhu, Z. Li, Y. Li, and X. Cai, "Inter Harmonic THD Amplification of Voltage Source Converter: Concept and Case Study," *IEEE Trans. Power Electron.*, vol. 35, no. 12, pp. 12651–12656, 2020, doi: 10.1109/TPEL.2020.2994751.
- [20] M. Srndovic, A. Zhetessov, T. Alizadeh, Y. L. Familiant, G. Grandi, and A. Ruderman, "Simultaneous Selective Harmonic Elimination and THD Minimization for a Single-Phase Multilevel Inverter with Staircase Modulation," *IEEE Trans. Ind. Appl.*, vol. 54, no. 2, pp. 1532–1541, 2018, doi: 10.1109/TIA.2017.2775178.
- [21] M. H. Mandol, P. B. Shuvra, M. K. Hosain, F. Samad, and M. W. Rahman, "A Novel Single Phase Multilevel Inverter Topology with Reduced Number of Switching Elements and Optimum THD Performance," *2nd Int. Conf. Electr. Comput. Commun. Eng. ECCE 2019*, pp. 7–9, 2019, doi: 10.1109/ECACE.2019.8679468.
- [22] D. Stepsins, "An Improved Control Technique of Switching-Frequency-Modulated Power Factor Correctors for Low THD and High Power Factor," *IEEE Trans. Power Electron.*, vol. 31, no. 7, pp. 5201–5214, 2016, doi: 10.1109/TPEL.2015.2478848.
- [23] H. Nene, C. Jiang, and S. Choudhury, "Control for Light Load Efficiency and THD Improvements in PFC Converter," *IEEE Appl. Power Electron. Conf. Expo.*, pp. 1785–1788, 2017.
- [24] G. Fusiek and P. Niewczas, "Construction and Evaluation of an Optical Medium Voltage Transducer Module Aimed at a 132 kV Optical Voltage Sensor for WAMPAC Systems," *Sensors*, vol. 22, no. 14, 2022, doi: 10.3390/s22145307.
- [25] G. Fusiek and P. Niewczas, "Photonic voltage transducer with lightning impulse protection for distributed monitoring of MV networks," *Sensors (Switzerland)*, vol. 20, no. 17, pp. 1–23, 2020, doi: 10.3390/s20174830.
- [26] E. Lesniewska and A. Lisowiec, "Estimation of Influence of External

Magnetic Field on New Technology Current-to-Voltage Transducers Operating in Protection System of AC Power Networks,” *IEEE Trans. Power Deliv.*, vol. 31, no. 2, pp. 541–550, 2016, doi: 10.1109/TPWRD.2015.2454051.

