

6. DAFTAR PUSTAKA

- Abdulkarim, S. M., Long, K., Lai, O. M., Muhammad, S. K. S., & Ghazali, H. M. (2007). Food Chemistry Frying quality and stability of high-oleic Moringa oleifera seed oil in comparison with other vegetable oils. 105(0308), 1382–1389. <https://doi.org/10.1016/j.foodchem.2007.05.013>
- Akoh, C. C., & Min, D. B. (2002). Food Lipids: Chemistry, Nutrition, and Biotechnology (C. C. Akoh & D. B. Min (eds.); Issue January 2002). <https://doi.org/10.1201/9780203908815>
- Aljabeili, H. S., Barakat, H., & Abdel-Rahman, H. A. (2018). Chemical Composition, Antibacterial and Antioxidant Activities of Thyme Essential Oil (<i>Thymus vulgaris</i>). Food and Nutrition Sciences, 09(05), 433–446. <https://www.scirp.org/journal/paperinformation?paperid=84405>
- Alkaff, H., & Nurlela, N. (2020). ANALISA BILANGAN PEROKSIDA terhadap KUALITAS MINYAK GORENG SEBELUM DAN SESUDAH DIPAKAI BERULANG. Jurnal Redoks, 5(1), 65. <https://jurnal.univpgri-palembang.ac.id/index.php/redoks/article/view/4129>
- Aly, A. A., Zaky, E. A., Elhabeby, B. S., Alessa, H., Hameed, A. M., Aljohani, M., Nassan, M. A., Kadasah, S., Mohamed, E. S., & Alghamdi, A. A. A. (2021). Effect of Thyme Addition on some Chemical and Biological Properties of Sunflower Oil. Arabian Journal of Chemistry, 14(11), 103411. <https://www.sciencedirect.com/science/article/pii/S1878535221004263?via%3Dihub>
- Andriani, M., Permana, I. D. G. M., & Widarta, I. W. R. (2019). PENGARUH SUHU DAN WAKTU EKSTRAKSI DAUN BELIMBING WULUH (Averrhoa bilimbi L.) TERHADAP AKTIVITAS ANTIOKSIDAN DENGAN METODE ULTRASONIC ASSISTED EXTRACTION (UAE). Jurnal Ilmu Dan Teknologi Pangan, 8. <https://erepo.unud.ac.id/id/eprint/34044/1/a7abc45c1acb74389965aa6c5cd2764f.pdf>
- Araújo Couto, H. G. S. de, Blank, A. F., Oliveira e Silva, A. M. de, Nogueira, P. C. de L., Arrigoni-Blank, M. de F., Nizio, D. A. de C., & Pinto, J. A. de O. (2019). Essential oils of basil chemotypes: Major compounds, binary mixtures, and

antioxidant activity. Food Chemistry, 293, 446–454.
<https://doi.org/10.1016/j.foodchem.2019.04.078>

Badan Standar Nasional (2013). SNI 3741:2013 : SNI MINYAK GORENG. 23.
www.bsn.go.id

Biswal, A. R., Sarathchandra, G., & Selvam, P. S. (2021). Current trends on the utility of antioxidant in cooking oil: A review. ~ 463 ~ The Pharma Innovation Journal, 10(3), 463–471.
<https://www.thepharmajournal.com/archives/2021/vol10issue3/PartG/10-3-18-723.pdf>

Blasi, F., & Cossignani, L. (2020). An overview of natural extracts with antioxidant activity for the improvement of the oxidative stability and shelf life of edible oils. Processes, 8(8). <https://www.mdpi.com/2227-9717/8/8/956>

Casarotti, S. N., & Jorge, N. (2014). Antioxidant activity of rosemary extract in soybean oil under thermoxidation. Journal of Food Processing and Preservation, 38(1), 136–145. <https://doi.org/10.1111/j.1745-4549.2012.00755.x>

Dhianawaty, D. D. (2013). Antioxidant Activity of The Waste Water of Boiled Zea mays (Sweet Corn) on The Cob Diah Dhianawaty D, Ramdan Panigoro Biochemistry Department Faculty of Medicine of Universitas Padjadjaran, Bandung, Indonesia. International Journal of Research in Pharmaceutical Sciences, 4(2), 266–269. <https://pustaka.unpad.ac.id/wp-content/uploads/2013/12/17-IJRPS-Activities-of-the-water-of-boiled-corn.pdf>

Eisele, T., Giusti, M. M., Hofsommer, H., Koswig, S., Krueger, D. A., Kupina, S., Martin, S. K., Martinsen, B. K., Miller, T. C., Paquette, F., Ryabkova, A., Skrede, G., Trenn, U., & Wightman, J. D. (2005). Determination of Total Monomeric Anthocyanin Pigment Content of Fruit Juices, Beverages, Natural Colorants, and Wines by the pH Differential Method: Collaborative Study. 1269–1278. <https://watermark.silverchair.com/jaoac1269.pdf>

Farnad, N., Heidari, R., & Aslanipour, B. (2014). Phenolic composition and comparison of antioxidant activity of alcoholic extracts of Peppermint (*Mentha piperita*). Journal of Food Measurement and Characterization, 8(2), 113–121.
<https://doi.org/10.1007/s11694-014-9171-x>

Gonçalves, S., Mansinhos, I., & Romano, A. (2020). Aromatic plants: A source of compounds with antioxidant and neuroprotective effects. *Oxidative Stress and Dietary Antioxidants in Neurological Diseases*, 155–173. <https://doi.org/10.1016/B978-0-12-817780-8.00011-6>

Hakim, L., Rumah, K., & Hakim, L. (n.d.). *Rempah & Herba* (Issue 164).

Jorge, N., Veronezi, C. M., & Del Ré, P. V. (2015). Antioxidant Effect of Thyme (*Thymus vulgaris*L.) and Oregano (*Origanum vulgare*L.) Extracts in Soybean Oil Under Thermoxidation. *Journal of Food Processing and Preservation*, 39(6), 1399–1406. <https://doi.org/10.1111/jfpp.12358>

Karadag, A., Ozcelik, B., & Saner, S. (2009). Review of methods to determine antioxidant capacities. *Food Analytical Methods*, 2(1), 41–60. <https://doi.org/10.1007/s12161-008-9067-7>

Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412–422. <https://doi.org/10.1007/s13197-011-0251-1>

Mardiyah, S. (2018). EFEKTIFITAS PENAMBAHAN SERBUK KUNYIT TERHADAP BILANGAN PEROKSIDA DAN BILANGAN ASAM MINYAK GORENG BEKAS PAKAI. <https://journal2.unusa.ac.id/index.php/MTPHJ/article/view/780/609>

Marinova, D., Ribarova, F., & Atanassova, M. (2005). Total Phenolics and Total Flavonoids in Bulgarian Fruits and Vegetables. 255–260. https://www.researchgate.net/publication/258769164_Total_phenolics_and_flavonoids_in_Bulgarian_fruits_and_vegetables

Michalak, I., & Chijnacka, K. (2014). Algal extracts: Technology and advance. <https://doi.org/10.1002/elsc.201400139>.This

Mikołajczak, N., Tańska, M., & Konopka, I. (2021). The effect of the hydrophilic and lipophilic herbal extracts on the oxidative stability of cooking plant oils during low- and high-temperature heating. *NFS Journal*, 25(May), 41–50. <https://www.sciencedirect.com/science/article/pii/S2352364621000250?via%3Dih>

- Milojevi, S. Ž., Radosavljevi, D. B., & Pavi, V. P. (2013). Modeling the kinetics of essential oil hydrodistillation from plant materials. May 2015. <https://doi.org/10.2298/HEMIND121026009M>
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 26 (December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Mukhriani. (2014). EKSTRAKSI, PEMISAHAN SENYAWA, DAN IDENTIFIKASI SENYAWA AKTIF. Program Studi Farmasi Ilmu Kesehatan UIN Alauddin Makassar. <https://media.neliti.com/media/publications/137566-ID-ekstraksi-pemisahan-senyawa-dan-identifi.pdf>
- Nielsen, S. S. (2010). *Food Analysis*. Springer Science.
- Nguyen, H. C., Nguyen, H. N. T., Huang, M. Y., Lin, K. H., Pham, D. C., Tran, Y. B., & Su, C. H. (2021). Optimization of aqueous enzyme-assisted extraction of rosmarinic acid from rosemary (*Rosmarinus officinalis* L.) leaves and the antioxidant activity of the extract. *Journal of Food Processing and Preservation*, 45(3), 1–10. <https://doi.org/10.1111/jfpp.15221>
- Olmedo, R., Nepote, V., & Grosso, N. R. (2014). Antioxidant activity of fractions from oregano essential oils obtained by molecular distillation. *Food Chemistry*, 156, 212–219. <https://doi.org/10.1016/j.foodchem.2014.01.087>
- Permana, T., Wiradjaja, N., Sutanto, H., & Surya, V. S. (2022). A Review on the Potential of Natural Antioxidant Sources to Improve Oxidative Stability in Edible Oils. 16, 117–125. <https://www.atlantis-press.com/proceedings/ic-fanres-21/125968074>
- Pitaro, S., Fiorani, L., & Jorge, N. (2014). Antioxidant activity of basil and oregano extracts added to soybean oil for accelerated storage test. *Journal of Food Biochemistry*, 37(4), 485–490. <https://doi.org/10.1111/j.1745-4514.2012.00653.x>
- Prasanto, D., Gartika, M., & Padjadjaran, U. (2019). Uji Aktivitas Antioksidan Ekstrak Bawang Putih (*Allium sativum*). December 2017. https://www.researchgate.net/publication/323204121_UJI_AKTIVITAS_ANTI

OKSIDAN EKSTRAK BAWANG PUTIH *Allium sativum*

- Roby, M. H. H., Sarhan, M. A., Selim, K. A. H., & Khalel, K. I. (2014). Evaluation of antioxidant activity, total phenols and phenolic compounds in thyme (*Thymus vulgaris* L.), sage (*Salvia officinalis* L.), and marjoram (*Origanum majorana* L.) extracts. *Industrial Crops and Products*, 43(1), 827–831. <https://doi.org/10.1016/j.indcrop.2012.08.029>
- Saini, A., Pandey, A., Sharma, S., Suradkar, U. S., Yellamelli, R., Meena, A. P., Raman, R., & Asman, S. (2020). Assessment of antioxidant activity of rosemary (*Rosmarinus officinalis*) and Betal (*Piper betel*) leaves extract combination. *The Pharma Innovation*, 9(5), 377–380.
- Sartika, R. A. . (2009). Pengaruh Suhu dan Lama Proses Menggoreng (Deep Frying) Terhadap Pembentukan Asam Lemak Trans. *Makara, Sains*, 13(1), 23–28. <https://scholarhub.ui.ac.id/cgi/viewcontent.cgi?article=1730&context=science>
- Shahidi, F. (2015). Critical Reviews in Food Science and Nutrition Phenolic antioxidants. February 1992. <https://doi.org/10.1080/10408399209527581>
- Spickett, C. M., & Forman, H. J. (2015). *Lipid Oxidation in Health and Disease*. CRC Press. <https://www.taylorfrancis.com/books/mono/10.1201/b18138/lipid-oxidation-health-disease-henry-jay-forman-corinne-spickett>
- Santoso, U. (2021). *Antioksidan Pangan.pdf*. Gadjah Mada University Press.
- Sharma, S., Cheng, S., Bhattacharya, B., & Chakkaravarthi, S. (2019). Trends in Food Science & Technology E ffi cacy of free and encapsulated natural antioxidants in oxidative stability of edible oil: Special emphasis on nanoemulsion-based encapsulation. *Trends in Food Science & Technology*, 91(August 2018), 305–318. <https://doi.org/10.1016/j.tifs.2019.07.030>
- Taghvaei, M., & Jafari, S. M. (2015). Application and stability of natural antioxidants in edible oils in order to substitute synthetic additives. *Journal of Food Science and Technology*, 52(3), 1272–1282. <https://doi.org/10.1007/s13197-013-1080-1>

Widowati, W. P. I. K. (2011). Uji Fitokimia dan Potensi Antioksidan Ekstrak Etanol Kayu Secang (*Caesalpinia sappan* L .). Jurnal Kedokteran Maranatha, 11(65), 23–31. <https://media.neliti.com/media/publications/151615-ID-uji-fitokimia-dan-potensi-antioksidan-ek.pdf>

Winslow, L. C., & Kroll, D. J. (1998). Herbs as medicines. Archives of Internal Medicine, 158(20), 2192–2199. <https://doi.org/10.1001/archinte.158.20.2192>

