

DAFTAR PUSTAKA

- Achadiyah, S. (2017). Kajian pembuatan kopi jahe celup. *AGROTEKNOSE (Jurnal Teknologi dan Enjiniring Pertanian)*, 3(2).
<http://journal.instiperjogja.ac.id/index.php/ATS/article/view/68/65>
- Aditya, I. W., Nocianitri, K. A., & Yusasrini, N. L. A. (2016). Kajian kandungan kafein kopi bubuk, nilai pH dan karakteristik aroma dan rasa seduhan kopi jantan (pea berry coffee) dan betina (flat beans coffee) jenis arabika dan robusta. *Jurnal Ilmu Dan Teknologi Pangan (Itepa)*, 5(1).
<https://erepo.unud.ac.id/id/eprint/3998/1/237697d09a129fd6b9cf5ae8b1d59553.pdf>
- Adly, Damaty, & Waseif. (2023). Effect of using Non-dairy creamer as a fat substitution on quality properties of cake. *Egyptian Journal of Chemistry*, 66(3), 69-78.
https://ejchem.journals.ekb.eg/article_251875_0649c8f448c3799d654c209da5ed7dfb.pdf
- Afrizal, A. (2019). Pengaruh Pemberian Susu Bubuk Skim Terhadap Kualitas Dadih Susu Kambing. *Jurnal Ilmiah Fillia Cendekia*, 4(2), 88-94.
<https://download.garuda.kemdikbud.go.id/article.php?article=1252686&val=14840&title=Pengaruh%20Pemberian%20Susu%20Bubuk%20Skim%20Terhadap%20Kualitas%20Dadiah%20Susu%20Kambing>
- Agustia, F. C., Rukmini, H. S., & Naufalin, R. (2018). Formulasi tiwul instan tinggi protein dari tepung ubi kayu yang disubstitusi tepung koro pedang dan susu skim. *Jurnal Aplikasi Teknologi Pangan*, 7(1).
https://www.researchgate.net/publication/327317536_Formulasi_Tiwul_Instan_Tinggi_Protein_dari_Tepung_Ubi_Kayu_yang_Disubstitusi_Tepung_Koro_Pedang_dan_Susu_Skim
- Aina, Q., Ferdiana, S., & Rahayu, F. C. (2019). Penggunaan daun stevia sebagai pemanis dalam pembuatan sirup empon-empon. *Journal of Scientech Research and Development*, 1(1), 001-011.
<https://idm.or.id/JSCR/index.php/JSCR/article/view/1/1>
- Alipour, A., Marhamatizadeh, M., & Mohammadi, M. (2021). Effect of Fucoidan Extracted From *Sargassum angustifolium* (Brown Seaweed) on Oxidative Stability of Butter Produced From Sour Cream. *Egyptian Journal of Veterinary Sciences*, 52(1), 31-37.
https://journals.ekb.eg/article_117334_3cab042ca4187c727bca516e15670c4.pdf
- Ale, M. T., Mikkelsen, J. D., & Meyer, A. S. (2011). Important determinants for

fucoidan bioactivity: A critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. *Marine drugs*, 9(10), 2106-2130.

<https://www.mdpi.com/1660-3397/9/10/2106>

Almaidah Ar, A. N. (2020). Kemampuan Ekstrak Fucoidan Dari Alga Coklat Terhadap Penghambatan Bakteri Penyebab Kerusakan Rongga Mulut.

<http://repository.unhas.ac.id/id/eprint/1935/>

Andarina, R., & Djauhari, T. (2017). Antioksidan dalam dermatologi. *Jurnal Kedokteran dan Kesehatan: Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya*, 4(1), 39-48.

<https://jkk-fk.ejournal.unsri.ac.id/index.php/jkk/article/download/77/77>

Azizah, M., Sutamihardja, R. T. M., & Wijaya, N. (2019). Karakteristik kopi bubuk arabika (*Coffea arabica* L) terfermentasi *saccharomyces cerevisiae*. *Jurnal Sains Natural*, 9(1), 37-46.

<https://core.ac.uk/download/pdf/230825344.pdf>

Bahriul, P., Rahman, N., & Diah, A. W. M. (2014). Uji aktivitas antioksidan ekstrak daun salam (*Syzygium polyanthum*) dengan menggunakan 1, 1-difenil-2-pikrilhidrazil. *Jurnal Akademika Kimia*, 3(3), 143-149.

<https://media.neliti.com/media/publications/224124-uji-aktivitas-antioksidan-ekstrak-daun-s.pdf>

Benjakul, S., Karnjanapratum, S., & Visessanguan, W. (2018). Production and characterization of odorless antioxidative hydrolyzed collagen from seabass (*Lates calcarifer*) skin without descaling. *Waste and biomass valorization*, 9(4), 549-559.

<https://link.springer.com/article/10.1007/s12649-017-0008-9>

Chen, A., Lan, Y., Liu, J., Zhang, F., Zhang, L., Li, B., & Zhao, X. (2017). The structure property and endothelial protective activity of fucoidan from *Laminaria japonica*. *International journal of biological macromolecules*, 105, 1421-1429.

<https://www.sciencedirect.com/science/article/abs/pii/S0141813017316264>

Cunha, L., & Grenha, A. (2016). Sulfated seaweed polysaccharides as multifunctional materials in drug delivery applications. *Marine drugs*, 14(3), 42.

<https://www.mdpi.com/1660-3397/14/3/42>

Dewi, C. C., & Saptarini, N. M. (2016). Hidroksi propil metil selulosa dan karbomer serta sifat fisikokimianya sebagai gelling agent. *farmaka*, 14(3), 1-10.

<https://jurnal.unpad.ac.id/farmaka/article/view/8593/5045>

- Fathurrachman, D. A. (2014). Pengaruh konsentrasi pelarut terhadap aktivitas antioksidan ekstrak etanol daun sirsak (*Annona muricata* Linn) dengan metode peredaman radikal bebas DPPH.
<https://repository.uinjkt.ac.id/dspace/bitstream/123456789/25696/3/DENNY%20AKMAL%20FATHURRACHMAN-FKIK.pdf>
- Fletcher, H. R., Biller, P., Ross, A. B., & Adams, J. M. M. (2017). The seasonal variation of fucoidan within three species of brown macroalgae. *Algal Research*, 22, 79–86. doi:10.1016/j.algal.2016.10.015.
<https://www.sciencedirect.com/science/article/pii/S2211926416305604>
- Foedinatha, B., & Hartanto, D. D. (2021). Perancangan Aplikasi sebagai Wadah Penggemar Kopi di Indonesia. *Jurnal Desain Komunikasi Visual Nirmana*, 21(1), 38-53.
<https://nirmana.petra.ac.id/index.php/dkv/article/view/24393>
- Framida, F., Santoso, B., Wijaya, A., & Priyanto, G. (2023). Penambahan Gula Aren dan Krim dalam Kopi Gambir. In *Seminar Nasional Lahan Suboptimal* (Vol. 10, No. 1, pp. 368-387).
<https://conference.unsri.ac.id/index.php/lahansuboptimal/article/view/2480/1518>
- Hapsari, D. R., Puspasari, E., & Fachriani, F. (2024). Karakteristik Kimia dan Sensori Minuman Susu Kopi Liberika (*Coffea Liberica*). *Jurnal Ilmiah Pangan Halal*, 6(1), 116-125.
<https://ojs.unida.ac.id/JIPH/article/view/10753/5169>
- Hasan, H., Thomas, N. A., Hiola, F., Ramadhani, F. N., & Ibrahim, A. S. (2022). Skrining fitokimia dan uji aktivitas antioksidan kulit batang matoa (*Pometia pinnata*) dengan metode 1, 1-diphenyl-2 picrylhydrazyl (DPPH). *Indonesian Journal of Pharmaceutical Education*, 2(1), 67-73.
<https://ejurnal.ung.ac.id/index.php/ijpe/article/view/10995/4069>
- Hedayatnia, S., Mirhosseini, H., Amid, B. T., Sarker, Z. I., Veličkovska, S. K., & Karim, R. (2016). Effect of different fat replacers and drying methods on thermal behaviour, morphology and sensory attributes of reduced-fat coffee creamer. *LWT-Food Science and Technology*, 72, 330-342.
<https://www.sciencedirect.com/science/article/abs/pii/S0023643816302638>
- Hossain, M. F., Islam, M. T., Islam, M. A., & Akhtar, S. (2017). Cultivation and uses of stevia (*Stevia rebaudiana* Bertoni): A review. *African Journal of Food, Agriculture, Nutrition and Development*, 17(4), 12745-12757.
<https://www.ajol.info/index.php/ajfand/article/view/163660>
- Hudáková, J., Marcinčáková, D., & Legáth, J. (2016). Study of antioxidant effects of selected types of coffee. *Folia Veterinaria*, 60(3), 34-38.

<https://intapi.sciendo.com/pdf/10.1515/fv-2016-0026>

Husni, A., Izmi, N., Ayunani, F. Z., Kartini, A., Husnayain, N., & Isnansetyo, A. (2022). Characteristics and antioxidant activity of fucoidan from *Sargassum hystrix*: Effect of extraction method. *International journal of food science*, 2022(1), 3689724.

<https://onlinelibrary.wiley.com/doi/epdf/10.1155/2022/3689724>

Imbs, T. I., Skriptsova, A. V., & Zvyagintseva, T. N. (2015). Antioxidant activity of fucose-containing sulfated polysaccharides obtained from *Fucus evanescens* by different extraction methods. *Journal of Applied Phycology*, 27, 545-553.

<https://link.springer.com/article/10.1007/s10811-014-0293-7>

Ismail, T., Ponya, Z., Mushtaq, A., & Masood, A. (2020). Stevia a bio sweetener scope in the European Union as a commercial product. *American-Eurasian Journal of Sustainable Agriculture*, 14(2), 23-26.

https://www.researchgate.net/publication/348381824_Stevia_a_bio_sweetener_scope_in_the_European_Union_as_a_commercial_product

Kusumayanti, H., Hanindito, S. B., & Mahendrajaya, R. T. (2016). Pangan fungsional dari tanaman lokal Indonesia. *Metana*, 12(1), 26-30.

<https://ejournal.undip.ac.id/index.php/metana/article/view/17512/12503>

Lamdo, H., Sari, Y., Al Faridzi, R., Pebriyanti, P., Winanta, R. A., & Latif, F. (2023). TEKNOLOGI DAN BUDIDAYA TANAMAN HORTIKULTURA, BUAH SUBTROPISKA, PANGAN, PEMANIS DAN SERAT, SERTA PERKEBUNAN TEH. *Seroja: Jurnal Pendidikan*, 2(4).

<https://jurnal.anfa.co.id/index.php/seroja/article/view/1017/991>

Liang, N., & Kitts, D. D. (2014). Antioxidant property of coffee components: assessment of methods that define mechanisms of action. *Molecules*, 19(11), 19180-19208.

<https://www.mdpi.com/1420-3049/19/11/19180>

Lim, S. J., Mustapha, W. A. W., & Maskat, M. Y. (2017). Seaweed tea: fucoidan-rich functional food product development from Malaysian brown seaweed, *Sargassum binderi*. *Sains Malays*, 46, 1573-1579.

https://www.researchgate.net/publication/321535961_Seaweed_Tea_Fucoidan-Rich_Functional_Food_Product_Development_from_Malaysian_Brown_Seaweed_Sargassum_binderi

Mahardani, O. T., & Yuanita, L. (2021). Efek metode pengolahan dan penyimpanan terhadap kadar senyawa fenolik dan aktivitas antioksidan. *UNESA Journal of Chemistry*, 10(1), 64-78.

<https://ejournal.unesa.ac.id/index.php/unesa-journal-of-chemistry/article/view/40302/34963>

Mohammed, N. K., Tan, C. P., Abd Manap, M. Y., Muhiaddin, B. J., & Meor Hussin, A. S. (2019). Production of functional non-dairy creamer using Nigella sativa oil via fluidized bed coating technology. *Food and Bioprocess Technology*, 12, 1352-1365.

<https://link.springer.com/article/10.1007/s11947-019-02294-y>

Mulangsi, D. A. K., Budiarti, A., & Saputri, E. N. (2017). Aktivitas antioksidan fraksi dietileter buah mangga arumanis (*Mangifera indica* L.) dengan metode DPPH. *Jurnal Pharmascience*, 4(1).

<https://ppjp.ulm.ac.id/journal/index.php/pharmascience/article/view/5760/4823>

Noval, N., Kuncahyo, I., Pratama, A. F. S., Nabillah, S., & Hatmayana, R. (2021). Formulasi Sediaan Tablet Effervescent dari Ekstrak Etanol Tanaman Bundung (*Actionoscirpus grossus*) sebagai Antioksidan. *Jurnal Surya Medika (JSM)*, 7(1), 128-139.

<https://journal.umpr.ac.id/index.php/jsm/article/view/2649/1964>

Nurhayati, N. (2017). Karakteristik sensori kopi celup dan kopi instan varietas robusta dan arabika. *Jurnal Ilmiah Inovasi*, 17(2).

<https://publikasi.poliije.ac.id/jii/article/view/547/453>

Pangestuty, A. (2016). Uji aktivitas antioksidan dan penetapan kadar fenolik total fraksi etil asetat ekstrak etanol buah buni [*Antidesma bunius* L.(Spreng)] dengan metode 2, 2–difenil-1-pikrilhidrazil (DPPH) dan metode folin-ciocalteu. Universitas Sanata Dharma.

http://library.usd.ac.id/Data%20PDF/F.%20Farmasi/Farmasi/128114114_full.pdf

Peteliuk, V., Rybchuk, L., Bayliak, M., Storey, K. B., & Lushchak, O. (2021). Natural sweetener Stevia rebaudiana: Functionalities, health benefits and potential risks. *EXCLI journal*, 20, 1412.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8600158/pdf/EXCLI-20-1412.pdf>

Ponce, N. M., & Stortz, C. A. (2020). A comprehensive and comparative analysis of the fucoidan compositional data across the phaeophyceae. *Frontiers in Plant Science*, 11, 556312.

<https://www.frontiersin.org/journals/plant-science/articles/10.3389/fpls.2020.556312/full>

Poveda-Castillo, G. D. C., Rodrigo, D., Martínez, A., & Pina-Pérez, M. C. (2018). Bioactivity of fucoidan as an antimicrobial agent in a new functional

- beverage. *Beverages*, 4(3), 64.
<https://www.mdpi.com/2306-5710/4/3/64>
- Pratama, A. N., & Busman, H. (2020). Potensi antioksidan kedelai (*Glycine Max* L) terhadap penangkapan radikal bebas. *Jurnal Ilmiah Kesehatan Sandi Husada*, 9(1), 497-504.
<http://repository.lppm.unila.ac.id/25222/1/Jurnal%20ANDESTYA-JIKSH%20Juni%202020.pdf>
- Purwanto, A., & Zamzani, I. (2020). Formulation of an antioxidant gel from green tea leaves (*Camellia sinensis* L.) using combination of polymer methyl cellulosa and carbopol 940. *Journal of Current Pharmaceutical Sciences*, 4(1), 300-307.
https://www.researchgate.net/publication/345673498_FORMULATION_OF_ANTIOXIDANT_GEL_FROM_GREEN_TEA_LEAVES_Camellia_sinensis_L_USING_COMBINATION_OF_POLYMER_METHYL_CELLULOSE_AND_CARBOPOL_940_AS
- Puspantari, W., Kusnandar, F., Lioe, H. N., & Laily, N. (2020). Penghambatan fraksi fukoidan rumput laut cokelat (*Sargassum polycystum* dan *Turbinaria conoides*) terhadap α -amilase dan α -glukosidase. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(1), 122-136.
<https://journal.ipb.ac.id/index.php/jphpi/article/view/30925/19831>
- Rahmawati, M. A., & Fibrianto, K. (2018). Karakterisasi sensori kopi robusta dampit: kajian pustaka. *Jurnal Pangan dan Agroindustri*, 6(1).
<https://jpa.ub.ac.id/index.php/jpa/article/view/579/425>
- Sadeer, B. N., Montesano, D., Albrizio, S., Zengin, G., & Mahomoodally, M. F. (2020). The versatility of antioxidant assays in food science and safety—Chemistry, applications, strengths, and limitations. *Antioxidants*, 9(8), 709.
<https://www.mdpi.com/2076-3921/9/8/709>
- Saha, D., & Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in food: a critical review. *Journal of food science and technology*, 47, 587-597.
<https://link.springer.com/article/10.1007/s13197-010-0162-6>
- Satyarsa, A. B. (2019). Potential of Fucoidan From Brown Seaweeds (*Sargassum* sp.) as Innovation Therapy on Breast Cancer. *Journal of Medicine and Health*, 2(3).
<https://journal.maranatha.edu/index.php/jmh/article/view/1235/920>
- Saud, S., & Salamatullah, A. M. (2021). Relationship between the chemical composition and the biological functions of coffee. *Molecules*, 26(24), 7634.
<https://www.mdpi.com/1420-3049/26/24/7634>

- Setiawan, Y. (2020). Analisis fisikokimia gula aren cair. *Agroscience (Agsci)*, 10(1), 69.
<https://pdfs.semanticscholar.org/269d/a5b5a9bbea9c25ff2f4973770e33f044b517.pdf>
- Sholikhati, A., Sukoharjanti, B. T., & Rusidah, Y. (2023). POTENSI EKSTRAK KOPI (COFFEA SP.) SEBAGAI ANTIOKSIDAN. *Jurnal Medika Indonesia*, 4(2), 30-38.
<https://ejr.umku.ac.id/index.php/JMI/article/view/2049/1183>
- Simon-Gruita, A., Pojoga, M. D., Constantin, N., & Duta-Cornescu, G. (2019). Genetic engineering in coffee. In *Caffeinated and cocoa based beverages* (pp. 447-488). Woodhead Publishing.
<https://www.sciencedirect.com/science/article/abs/pii/B9780128158647000143>
- Sintasari, R. A., Kusnadi, J., & Ningtyas, D. W. (2014). Pengaruh penambahan konsentrasi susu skim dan sukrosa terhadap karakteristik minuman probiotik sari beras merah [in press juli 2014]. *Jurnal pangan dan Agroindustri*, 2(3), 65-75.
<https://jpa.ub.ac.id/index.php/jpa/article/view/53/63>
- Sinurat, E., & Suryaningrum, T. D. (2019). Aktivitas antioksidan dan sifat sensori teh rumput laut *Sargassum* sp. berdasarkan variasi lama perendaman. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(1), 581-588.
<https://pdfs.semanticscholar.org/5c52/87539359759d4ce12cabff6545da4cb57503.pdf>
- Snehitha, N., & Meghwal, M. (2021). Determination of engineering properties of coffee beans and coffee powder. *Seed*, 11, 12.
https://www.researchgate.net/publication/355066642_Determination_of_Engineering_Properties_of_Coffee_Beans_and_Coffee_Powder
- Tanna, B., & Mishra, A. (2019). Nutraceutical potential of seaweed polysaccharides: Structure, bioactivity, safety, and toxicity. *Comprehensive Reviews in Food Science and Food Safety*, 18(3), 817-831.
<https://ift.onlinelibrary.wiley.com/doi/abs/10.1111/1541-4337.12441>
- Tee, S., Ivana, S., & Melinda, V. (2022). Proses pembuatan krimer nabati di PT. Santos Premium Krimer, Sukodono-Sidoarjo.
<http://repository.ukwms.ac.id/id/eprint/31729/>
- Triyono, A. (2010). Mempelajari pengaruh maltodekstrin dan susu skim terhadap karakteristik yoghurt kacang hijau (*Phaseolus radiatus* L.).
<http://eprints.undip.ac.id/22692/1/B-03.pdf>

- Wang, B., & Liu, J. (2014). Trans-Free Nondairy Creamer Prepared from Enzymatic Interesterification of Soybean Oil and Fully Hydrogenated Soybean Oil. *Journal of food process engineering*, 37(4), 339-348.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jfpe.12090>
- Wibawa, J. C., Arifin, M. Z., & Herawati, L. (2020). Mekanisme vitamin C menurunkan stres oksidatif setelah aktivitas fisik. *Jossae (Journal of Sport Science and Education)*, 5(1), 57-63.
<https://repository.unair.ac.id/96705/>
- Widayati, E. (2023). Oksidasi biologi, radikal bebas, dan antioxidant. *Majalah Ilmiah Sultan Agung*, 50(128), 26-32.
<https://jurnal.unissula.ac.id/index.php/majalahilmiahsultanagung/article/view/70/64>
- Wigati, E. I., Pratiwi, E., Nissa, T. F., & Utami, N. F. (2018). Uji karakteristik fitokimia dan aktivitas antioksidan biji kopi robusta (*coffea canephora pierre*) dari Bogor, Bandung dan Garut dengan metode DPPH (1, 1-diphenyl-2-picrylhydrazyl). *Fitofarmaka: Jurnal Ilmiah Farmasi*, 8(1), 59-66.
<https://journal.unpak.ac.id/index.php/fitofarmaka/article/view/1172/pdf>
- Wijayanti, R., & Anggia, M. (2020). Analisis kadar kafein, antioksidan dan mutu bubuk kopi beberapa industri kecil menengah (IKM) di kabupaten tanah datar. *Jurnal Teknologi & Industri Hasil Pertanian Vol*, 25(1).
<https://jurnal.fp.unila.ac.id/index.php/JTHP/article/view/3196/pdf>
- Werdhasari, A. (2014). Peran antioksidan bagi kesehatan. *Jurnal Biotek Medisiana Indonesia*, 3(2), 59-68.
<https://download.garuda.kemdikbud.go.id/article.php?article=378889&val=5689&title=Peran%20Antioksidan%20Bagi%20Kesehatan>
- Zarwinda, I., Nadia, N., & Rejeki, D. P. (2022). Formulasi Permen Keras (Hard Candy) Kopi Defect Arabika Gayo. *Journal of Pharmaceutical and Health Research*, 3(3), 118-122.
<https://ejurnal.seminar-id.com/index.php/jharma/article/view/2787/1700>
- Zayed, A., El-Aasr, M., Ibrahim, A. R. S., & Ulber, R. (2020). Fucoidan characterization: Determination of purity and physicochemical and chemical properties. *Marine drugs*, 18(11), 571.
<https://www.mdpi.com/1660-3397/18/11/571>
- Zhao, D., Xu, J., & Xu, X. (2018). Bioactivity of fucoidan extracted from *Laminaria japonica* using a novel procedure with high yield. *Food chemistry*, 245, 911-918.
<https://www.sciencedirect.com/science/article/abs/pii/S0308814617319027>