

VI. DAFTAR PUSTAKA

- A. Coulibaly, B. Kouakou, J. Chen. (2012). Extruded adult breakfast based on millet and soybean: nutritional and functional qualities, source of low glycemic food, *J. Nutr. Food Sci.* (2)2.
- A. Desiye, K. Abegaz. (2013). Isolation, characterization and identification of lactic acid bacteria and yeast involved in fermentation of Teff (*Eragrostis tef*) batter, *Adv. Res. Biol. Sci.* (1) 36–44.
- A. Giri, N., & Sakhale, B. K. (2019). Development of sweet potato flour based high protein and low calorie gluten free cookies. *Current Research in Nutrition and Food Science Journal*, 7(2), 427–435. <https://doi.org/10.12944/crnfsj.7.2.12>
- A. Gull, N.G. Ahmad, K. Prasad, et al., (2016). Technological, processing and nutritional approach of finger millet (*Eleusine coracana*)-a mini review, *J. Food Process. Technol.* (7) 2.
- Aguiar, E. V., Santos, F. G., Krupa-Kozak, U., & Capriles, V. D. (2023). Nutritional facts regarding commercially available gluten-free bread worldwide: Recent advances and future challenges. *Critical Reviews in Food Science and Nutrition*, 63(5), 693–705. <https://doi.org/10.1080/10408398.2021.1952403>
- Akesowan, A. (2016). Influence of konjac flour on foaming properties of milk protein concentrate and quality characteristics of gluten-free cookie. *International Journal of Food Science and Technology*, 51(7), 1560–1569. <https://doi.org/10.1111/ijfs.13125>
- Altindag, ~ G., Certel, M., Erem, F., & İlknur Konak, Ü. (2015). Quality characteristics of gluten-free cookies made of buckwheat, corn, and rice flour with/without transglutaminase. *Food Science and Technology International*, 21(3), 213–220. <https://doi.org/10.1177/1082013214525428>
- Anacleto, R., Badoni, S., Parween, S., Butardo, V. M., Jr., Misra, G., Cuevas, R. P., & Sreenivasulu, N. (2019). Integrating a genome-wide association study with a largescale transcriptome analysis to predict genetic regions influencing the glycaemic index and texture in rice. *Plant Biotechnology Journal*, 17(7), 1261–1275. <https://doi.org/10.1111/pbi.13051>
- B. Igbetar, C. Bosch, C. Orfila. (2018). Pearl millet: a sustainable cereal with low glycemic potential, *Proc. Nutr. Soc.* (77) E136.
- Brites, L. T. G. F., Ortolan, F., da Silva, D. W., Bueno, F. R., de Rocha, T. S., Chang, Y. K., et al. (2019). Gluten-free cookies elaborated with buckwheat flour, millet flour and chia seeds. *Food Science and Technology*, 39(2), 458–466. <https://doi.org/10.1590/fst.30416>
- Brotman, Y., Llorente-Wiegand, C., Oyong, G., Badoni, S., Misra, G., Anacleto, R., & Anonuevo, J. J. (2021). The genetics underlying metabolic signatures in a brown rice diversity panel and their vital role in human nutrition. *The Plant Journal*, 106(2), 507–525. <https://doi.org/10.1111/tpj.15182>
- Chauhan, A., Saxena, D. C., & Singh, S. (2015). Total dietary fibre and antioxidant activity of gluten free cookies made from raw and germinated amaranth

- (*Amaranthus* spp.) flour. *LWT - Food Science and Technology*, 63(2), 939–945. <https://doi.org/10.1016/j.lwt.2015.03.115>
- Chen, J., & Rosenthal, A. (2015). Food texture and structure. *Modifying Food Texture*, 3–24. <https://doi.org/10.1016/b978-1-78242-333-1.00001-2>
- D. Bhati, V. Bhatnagar, V. Acharya, Effect of pre-milling processing techniques on pearl millet grains with special reference to in-vitro iron availability, *Asian J. Dairy Food Res.* 35 (2016) 76–80.
- D.N. Yadav, M. Sharma, N. Chikara, et al. (2014). Quality characteristics of vegetable-blended wheat–pearl millet composite pasta, *Agric. Res.* (3) 263–270.
- Damat, D., Anggriani, R., Setyobudi, R. H., & Soni, P. (2019). Dietary fiber and antioxidant activity of gluten-free cookies with coffee cherry flour addition. *Coffee Science*, 14(4), 493. <https://doi.org/10.25186/cs.v14i4.1625>
- Dapčević Hadnađev, T. R., Torbica, A. M., & Hadnađev, M. S. (2013). Influence of buckwheat flour and carboxymethyl cellulose on rheological behaviour and baking performance of gluten-free cookie dough. *Food and Bioprocess Technology*, 6(7), 1770–1781. <https://doi.org/10.1007/s11947-012-0841-6>.
- Dapčević Hadnađev, T. R., Torbica, A. M., & Hadnađev, M. S. (2013). Influence of buckwheat flour and carboxymethyl cellulose on rheological behaviour and baking performance of gluten-free cookie dough. *Food and Bioprocess Technology*, 6(7), 1770–1781. <https://doi.org/10.1007/s11947-012-0841-6>.
- De Petre N., Rozycki V., De la Torre M., Erben M., Bernardi C., and Osella C. (2016). “Optimization of Gluten Free Cookies from Red and White Sorghum Flours.” *Journal of Food and Nutrition Research*, (4)7, 671-676. doi: 10.12691/jfnr-4-10-7.
- Demirkesen, I. (2016). Formulation of chestnut cookies and their rheological and quality characteristics. *Journal of Food Quality*, 39(4), 264–273. <https://doi.org/10.1111/jfq.12209>
- Di Cairano, M., Galgano, F., Tolve, R., Caruso, M. C., & Condelli, N. (2018). Focus on gluten free biscuits: Ingredients and issues. *Trends in Food Science & Technology*, 81, 203–212. <https://doi.org/10.1016/j.tifs.2018.09.006>.
- Duta, D. E., & Culetu, A. (2015). Evaluation of rheological, physicochemical, thermal, mechanical and sensory properties of oat-based gluten free cookies. *Journal of Food Engineering*, 162, 1–8. <https://doi.org/10.1016/j.jfoodeng.2015.04.002>
- Duta, D. E., & Culetu, A. (2015). Evaluation of rheological, physicochemical, thermal, mechanical and sensory properties of oat-based gluten free cookies. *Journal of Food Engineering*, 162, 1–8. <https://doi.org/10.1016/j.jfoodeng.2015.04.002>.
- E. Boncompagni, G. Orozco-Arroyo, E. Cominelli, et al. (2018). Antinutritional factors in pearl millet grains: Phytate and goitrogens content variability and molecular characterization of genes involved in their pathways, *PLoS One* 13, e0198394.
- E.A. Adgidzi, J.C. Ani, R. Karim. (2018). Physical and chemical characteristics of depigmented oven dried dehulled millet flours, *Turk. J. Agric. Food Sci. Technol.* (6) 1022–1029.

- Eunice, A.T., Phebean, I.O., Samuel, Owolabi, Edith, E.N., & Dorcas, A. O. (2020) "Production of Gluten-free Cookies from Blends of Malted Sorghum (*S. Bicolor*) and Tiger Nut (*Cyperus esculentus*) Flour." *American Journal of Food Science and Technology*, 8(3), 106-111. doi: 10.12691/ajfst-8-3-4.
- Filipčev, B., Šimurina, O., Sakač, M., Sedej, I., Jovanov, P., Pestorič, M., et al. (2011). Feasibility of use of buckwheat flour as an ingredient in ginger nut biscuit formulation. *Food Chemistry*, 125(1), 164–170. <https://doi.org/10.1016/j.foodchem.2010.08.055>.
- G. Singh, S. Sehgal, A. Kawatra, Mineral profile, anti-nutrients and in vitro digestibility of biscuit prepared from blanched and malted pearl millet flour, *Nutri. Food Sci.* 36 (2006) 231–239.
- Góngora Salazar, V. A., Vázquez Encalada, S., Corona Cruz, A., & Segura Campos, M. R. (2018). Stevia rebaudiana : A sweetener and potential bioactive ingredient in the development of functional cookies. *Journal of Functional Foods*, 44, 183–190. <https://doi.org/10.1016/j.jff.2018.03.007>
- Gerzhova, A., Mondor, M., Benali, M., & Aider, M. (2016). Incorporation of canola proteins extracted by electroactivated solutions in gluten-free biscuit formulation of rice-buckwheat flour blend: Assessment of quality characteristics and textural properties of the product. *International Journal of Food Science and Technology*, 51(3), 814–827. <https://doi.org/10.1111/ijfs.13034>.
- Giri, N. A., & Sajeev, M. S. (2019). Physico-mechanical and nutritional evaluation of taro (*Colocasia esculenta*) flour-based gluten-free cookies. *Agricultural Research*, 9(1), 125–131. <https://doi.org/10.1007/s40003-019-00411-z>
- Giuberti, G., Marti, A., Fortunati, P., & Gallo, A. (2017). Gluten free rice cookies with resistant starch ingredients from modified waxy rice starches: Nutritional aspects and textural characteristics. *Journal of Cereal Science*, 76, 157–164. <https://doi.org/10.1016/j.jcs.2017.06.008>
- Giuberti, G., Rocchetti, G., Sigolo, S., Fortunati, P., Lucini, L., & Gallo, A. (2018). Exploitation of alfalfa seed (*Medicago sativa* L.) flour into gluten-free rice cookies: Nutritional, antioxidant and quality characteristics. *Food Chemistry*, 239, 679–687. <https://doi.org/10.1016/j.foodchem.2017.07.004>.
- HadiNezhad, M., & Butler, F. (2009). Effect of flour type and dough rheological properties on cookie spread measured dynamically during baking. *Journal of Cereal Science*, 49(2), 178–183. <https://doi.org/10.1016/j.jcs.2008.09.004>.
- Hamdani, A. M., Wani, I. A., & Bhat, N. A. (2020). Gluten free cookies from rice-chickpea composite flour using exudate gums from Acacia, apricot and Karaya. *Food Bioscience*, 35, 100541. <https://doi.org/10.1016/j.fbio.2020.100541>
- Herawati, B. R. A., Nanik Suhartatik, & Widanti, Y. A. (n.d.). COOKIES TEPUNG BERAS MERAH (*Oryza nivara*) – MOCAF (Modified Cassava Flour) DENGAN PENAMBAHAN BUBUK KAYU MANIS (*Cinnamomum burmanni*). *Jurnal Teknologi Dan Industri Pangan*, 3(1), 33–40.

- I. Amadou, M.E. Gounga, Y.H. Shi. (2014). Fermentation and heat-moisture treatment induced changes on the physicochemical properties of foxtail millet (*Setaria italica*) flour, *Food Bioprod. Process.* (92) 38–45.
- Igrejas, G., Ikeda, T. M., & Guzmán, C. (2020). *Wheat quality for improving processing and human health*. Springer International Publishing Springer.
- Iqbal, M., Qamar, M. A., Bokhari, T. H., Abbas, M., Hussain, F., Masood, N., & Nazir, A. (2017). Total phenolic, chromium contents and antioxidant activity of raw and processed sugars. *Information Processing in Agriculture*, 4(1), 83–89. <https://doi.org/10.1016/j.inpa.2016.11.002>
- Itagi, H. B., Sartagoda, K. J., Gupta, N., Pratap, V., Roy, P., Tiozon, R. N., Regina, A., & Sreenivasulu, N. (2023). Enriched nutraceuticals in gluten-free whole grain rice cookies with alternative sweeteners. *LWT*, 186, 115245. <https://doi.org/10.1016/j.lwt.2023.115245>
- Itagi, H., Sartagoda, K. J. D., Pratap, V., Roy, P., Tiozon, R. N., Regina, A., & Sreenivasulu, N. (2023). Popped rice with distinct nutraceutical properties. *LWT - Food Science and Technology*, 173, Article 114346. <https://doi.org/10.1016/j.lwt.2022.114346>
- J.A. Adebiyi, A.O. Obadina, A.F. Mulaba-Bafubandi, et al. (2016). Effect of fermentation and malting on the microstructure and selected physicochemical properties of pearl millet (*Pennisetum glaucum*) flour and biscuit, *J. Cereal Sci.* (70), 132–139.
- J.R.N. Taylor, J. Kruger. (2016). *Millet, Encyclopedia of Food and Health*, Academic Press, Oxford. pp. 748–757.
- J.R.N. Taylor, J. Taylor. (2017). *Proteins from sorghum and millets, Sustainable Protein Sources*, Academic Press, pp. 79–104
- Jan, K. N., Panesar, P. S., & Singh, S. (2018). Optimization of antioxidant activity, textural and sensory characteristics of gluten-free cookies made from whole Indian quinoa flour. *LWT*, 93, 573–582. <https://doi.org/10.1016/j.lwt.2018.04.013>
- K.N. Rai, C.L.L. Gowda, B.V.S. Reddy, et al., Adaptation and potential uses of sorghum and pearl millet in alternative and health foods, *Compr. Rev. Food Sci. Food Saf.* 7 (2008) 320–396
- K.S. Premavalli, T.K.Majumdar, C.V. Madhura, et al. (2003). Development of traditional products. V. Ragi based convenience mixes, *J. Food Sci. Technol.* (40), 361–365.
- Kasote, D., Tiozon, R. N., Sartagoda, K. J. D., Itagi, H., Roy, P., Kohli, A., & Sreenivasulu, N. (2021). Food processing Technologies to develop functional foods with enriched bioactive phenolic compounds in cereals [Review] *Frontiers in Plant Science*, 12(2660). <https://doi.org/10.3389/fpls.2021.771276>.
- Kaur, M., Sandhu, K. S., Arora, A. P., & Sharma, A. (2015). Gluten free biscuits prepared from buckwheat flour by incorporation of various gums: Physicochemical and sensory properties. *LWT-Food Science and Technology*, 62(1), 628–632.
- Kaur, M., Sandhu, K. S., Arora, A. P., & Sharma, A. (2015). Gluten free biscuits prepared from buckwheat flour by incorporation of various gums:

- Physicochemical and sensory properties. *LWT-Food Science and Technology*, 62(1), 628–632.
- Kowsalya, P., Sharanyakanth, P., & Mahendran, R. (2022). Traditional rice varieties: A comprehensive review on its nutritional, medicinal, therapeutic and health benefit potential. *Journal of Food Composition and Analysis*. , Article 104742. <https://doi.org/10.1016/j.jfca.2022.104742>
- Kumari, S., Singh, B., & Kaur, A. (2023). Influence of malted buckwheat, foxtail and Proso Millet flour incorporation on the physicochemical, protein digestibility and antioxidant properties of gluten-free rice cookies. *Food Chemistry Advances*, 3, 100557. <https://doi.org/10.1016/j.focha.2023.100557>
- L. Zhang, R. Liu, W. Niu. (2014). Phytochemical and antiproliferative activity of proso millet, *PLoS One* 9 e104058
- Lazaridou, A., Duta, D., Papageorgiou, M., Belc, N., & Biliaderis, C. G. (2007). Effects of hydrocolloids on dough rheology and bread quality parameters in gluten-free formulations. *Journal of Food Engineering*, 79(3), 1033–1047. <https://doi.org/10.1016/j.jfoodeng.2006.03.032>
- Li, H., Qiu, J., Liu, C., Ren, C., & Li, Z. (2014). Milling characteristics and distribution of phytic acid, minerals, and some nutrients in oat (*Avena sativa* L.). *Journal of Cereal Science*, 60(3), 549–554. <https://doi.org/10.1016/j.jcs.2014.08.004>
- Lin, S.-D., Lee, C.-C., Mau, J.-L., Lin, L.-Y., & Chiou, S.-Y. (2010). Effect of erythritol on quality characteristics of reduced calorie Danish cookies. *Journal of Food Quality*, 33, 14–26. <https://doi.org/10.1111/j.1745-4557.2010.00307.x>.
- M. Rani, D. Aman, L. Ananthanarayan. (2019) . Impact of partial replacement of rice with other selected cereals on idli batter fermentation and idli characteristics, *J. Food Sci. Technol.* (56), 1192–1201.
- M.A. Ali, A.H. El-Tinay, A.H. Abdalla. (2003). Effect of fermentation on the in vitro protein digestibility of pearl millet, *Food Chem.* (80) 51–54.
- M.E. El-Hag, A.H. El-Tinay, N.E. Yousif. (2002). Effect of fermentation and dehulling on starch, total polyphenols, phytic acid content and in vitro protein digestibility of pearl millet, *Food Chem.* (77), 193–196.
- M.K. Sihag, V. Sharma, A. Goyal, et al. (2015). Effect of domestic processing treatments on iron, β -carotene, phytic acid and polyphenols of pearl millet, *Cogent Food Agric.* (1) 1109171.
- M.V.S.S.T. Subba Rao, G. Muralikrishna. (2002). Evaluation of the antioxidant properties of free and bound phenolic acids from native and malted finger millet (Ragi, *Eleusine coracana* Indaf-15), *J. Agric. Food Chem.* (50) 889–892.
- Maghaydah, S., Abdul-hussain, S., Ajo, R., Tawalbeh, Y., & Elshoryi, N. (2013). Effect of lupine flour on baking characteristics of gluten free cookies. *Advance Journal of Food Science and Technology*, 5(5), 600–605. <https://doi.org/10.19026/ajfst.5.3134>
- Mancebo, C. M., Rodriguez, P., & Gómez, M. (2016). Assessing rice flour-starch-protein mixtures to produce gluten free sugar-snap cookies. *Lebensmittel-*

- Wissenschaft und -Technologie- Food Science and Technology*, 67, 127–132. <https://doi.org/10.1016/j.lwt.2015.11.045>
- Marak, N. R., Malemnganbi, C. C., Marak, C. R., & Mishra, L. K. (2019). Functional and antioxidant properties of cookies incorporated with foxtail millet and Ginger Powder. *Journal of Food Science and Technology*, 56(11), 5087–5096. <https://doi.org/10.1007/s13197-019-03981-6>
- Mbanjo, E. G. N., Kretzschmar, T., Jones, H., Ereful, N., Blanchard, C., Boyd, L. A., & Sreenivasulu, N. (2020). The genetic basis and nutritional benefits of pigmented rice grain. *Frontiers in Genetics*, 11, 229.
- McKevith, B. (2004). Nutritional aspects of cereals. *Nutrition Bulletin*, 29(2), 111–142. <https://doi.org/10.1111/j.1467-3010.2004.00418.x>.
- Molinari, R., Costantini, L., Timperio, A. M., Lelli, V., Bonafaccia, F., Bonafaccia, G., & Merendino, N. (2018). Tartary buckwheat malt as ingredient of gluten-free cookies. *Journal of Cereal Science*, 80, 37–43. <https://doi.org/10.1016/j.jcs.2017.11.011>
- N. Jha, R. Krishnan, M.S. Meera. (2015). Effect of different soaking conditions on inhibitory factors and bioaccessibility of iron and zinc in pearl millet, *J. Cereal Sci.* (66), 46–52.
- N. Ranasalva, R. Visvanathan. (2014). Development of cookies and bread from cooked and fermented pearl millet flour, *Afr. J. Food Sci.* (8) 330–336.
- N.A. Gowda, K. Siliveru, P.V. Prasad, et al. (2022). Modern processing of Indian millets: a perspective on changes in nutritional properties, *Foods* (11) 499.
- N.G. Malleshi, P.V. Reddy, C.F. Klopfenstein. (2004). Milling trials of sorghum, pearl millet and finger millet in quadrumat junior mill and experimental roll stands and the nutrient composition of milling fractions, *J. Food Sci. Technol.* (41) 618–622.
- Narin Charoenphun, & Wiyada Kwanhian. (2019). Production of Gluten Free Cookies Supplemented with Durian Rind Flour. *Science and Technology RMUTT Journal*, 9(2), 23–28.
- Nielsen, S.S. (2010) *Food Analysis*. 4th Edition, Food Science Text Series, Springer, USA, 602. <http://dx.doi.org/10.1007/978-1-4419-1478-1>
- O. Obadina, C.A. Arogbokun, A.O. Soares, et al. (2017). Changes in nutritional and physico-chemical properties of pearl millet (*Pennisetum glaucum*) Ex-Borno variety flour as a result of malting, *J. Food Sci. Technol.* (54) 4442–4451.
- O.E. Chinenye, O.A. Ayodeji, A.J. Baba. (2017). Effect of fermentation (natural and starter) on the physicochemical, anti-nutritional and proximate composition of pearl millet used for flour production, *Am. J. Biosci. Bioeng.* (5), 12–16.
- Ogunbusola, E. M., Alabi, O. O., Sanni, T. A., Seidu, K. T., Oke, H. O., & Akinwale, O. R. (2021). Assessment of gluten-free cookies made from rice and soy protein isolate blends. *Journal of Microbiology, Biotechnology and Food Sciences*, 9(5), 907–912. <https://doi.org/10.15414/jmbfs.2020.9.5.907-912>

- Oktaviana, A. S., Hersoelistyorini, W., & Nurhidajah. (2017). Kadar Protein, Daya Kembang, dan Organoleptik Cookies dengan Substitusi Tepung Mocaf dan Tepung Pisang Kepok. *JURNAL PANGAN DAN GIZI*, 7(2), 72–81.
- Olawoye, B., & Gbadamosi, S. O. (2020). Sensory profiling and mapping of gluten-free cookies made from blends Cardaba banana flour and starch. *Journal of Food Processing and Preservation*, 44(9). <https://doi.org/10.1111/jfpp.14643>
- Oxentenko, A. S., & Rubio-Tapia, A. (2019). Celiac disease. *Mayo Clinic Proceedings*, 94(12), 2556–2571. <https://doi.org/10.1016/j.mayocp.2019.02.019>
- P, V. A., Dudung Angkasa, & Hendra Wijaya. (n.d.). *PEMBUATAN COOKIES BEBAS GLUTEN BERBAHAN TEPUNG MOCAF DAN TEPUNG BERAS PECAH KULIT DENGAN TAMBAHAN SARI KURMA*.
- P. Arora, S. Sehgal, A. Kawatra. (2003). Content and HCl-extractability of minerals as affected by acid treatment of pearl millet, *Food Chem.* (80), 141–144.
- P.F. Suma, A. Urooj. (2014). Nutrients, antinutrients & bioaccessible mineral content (in vitro) of pearl millet as influenced by milling, *J. Food Sci. Technol.* (51), 756–761.
- Paciulli, M., Rinaldi, M., Cavazza, A., Ganino, T., Rodolfi, M., Chiancone, B., et al. (2018). Effect of chestnut flour supplementation on physico-chemical properties and oxidative stability of gluten-free biscuits during storage. *LWT*, 98, 451–457. <https://doi.org/10.1016/j.lwt.2018.09.002>
- Paesani, C., Bravo-Núñez, Á., & Gómez, M. (2020). Effect of extrusion of whole-grain maize flour on the characteristics of gluten-free cookies. *LWT*, 132, 109931. <https://doi.org/10.1016/j.lwt.2020.109931>
- Pareyt, B., Goovaerts, M., Broekaert, W. F., & Delcour, J. A. (2010). Arabinoxylan oligosaccharides (AXOS) as a potential sucrose replacer in sugar-snap cookies. *Lebensmittel-Wissenschaft und -Technologie- Food Science and Technology*, 44(3), 725–728. <https://doi.org/10.1016/j.lwt.2010.11.008>.
- Pareyt, B., Wilderjans, E., Goesaert, H., Brijs, K., & Delcour, J. A. (2008). The role of gluten in a sugar-snap cookie system: A model approach based on gluten–starch blends. *Journal of Cereal Science*, 48(3), 863–869. <https://doi.org/10.1016/j.jcs.2008.06.011>
- Paucean, A., Man, S., Muste, S., & Pop, A. (2016). Development of gluten free cookies from rice and coconut flour blends. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca. Food Science and Technology*, 73(2), 163. <https://doi.org/10.15835/buasvmcn-fst.12311>.
- Paz, G. M., King, J. M., Prinyawiwatukul, W., Tyus, C. M., & Aleman, R. J. (2020). Highprotein rice flour in the development of gluten-free muffins. *Journal of Food Science*, 85(5), 1397–1402. <https://doi.org/10.1111/1750-3841.15140>
- Perera, I., Fukushima, A., Arai, M., Yamada, K., Nagasaka, S., Seneweera, S., & Hirotsu, N. (2019). Identification of low phytic acid and high Zn bioavailable rice (*Oryza sativa* L.) from 69 accessions of the World Rice Core Collection. *Journal of Cereal Science*, 85, 206–213. <https://doi.org/10.1016/j.jcs.2018.12.010>

- Pratiwi, S. A., Made Darawati, Widiada, I. G. N., & Irianto. (2018). PEMBUATAN COOKIES UDELA BEBAS GLUTEN DAN KASEIN BERBAHAN TEPUNG KOMBINASI UBI JALAR UNGU, KACANG GUDE, LABU KUNING UNTUK ANAK AUTIS. *Jurnal Gizi Prima*, 3(2), 80–85. <http://jgp.poltekkes-mataram.ac.id/index.php/home>
- R. Krishnan, U. Dharmaraj, N.G. Malleshi. (2012). Influence of decortication, popping and malting on bioaccessibility of calcium, iron and zinc in finger millet, *LWT-Food Sci. Technol.* (48) 169–174.
- R. Krishnan, M.S.Meera. (2018). Pearl millet minerals: effect of processing on bioaccessibility, *J. Food Sci. Technol.* (55) 3362–3372
- R. Kumari, K. Singh, R. Singh, et al. (2019). Development of healthy ready-to-eat (RTE) breakfast cereal from popped pearl millet, *Indian J. Agric. Sci.* (89), 877–881.
- Rahmadewi, Y. M., & Sabila, S. (2019). Pengembangan cookies non terigu Dari CAMPURAN Tepung Beras, Tepung Tapioka, Dan Tepung Maizena. *Journal of Food and Culinary*, 2(1), 1. <https://doi.org/10.12928/jfc.v2i1.1186>
- S. Anitha, J. Kane-Potaka, R. Botha, et al. (2021). Millets can have a major impact on improving iron status, hemoglobin level, and in reducing iron deficiency anemia—a systematic review and meta-analysis, *Front. Nutr.* 712.
- S. Archana, A. Sehgal, D. Kawatra, et al. (2001). Anti-nutrients and in vitro digestibility of pearl millet cultivars, *Haryana Agric. Univ. J. Res.* (30) 45–47.
- S. Nithiyanantham, P. Kalaiselvi, M.F. Mahomoodally, et al. (2019). Nutritional and functional roles of millets-a review, *J. Food Biochem.* (43) e12859.
- S. Rani, R. Singh, R. Sehrawat. (2018). Pearl millet processing: a review, *Nutri. Food Sci.* (48) 30–44.
- S. Rathore, K. Singh, V. Kumar. (2016). Millet grain processing, utilization and its role in health promotion: a review, *Int. J. Nutr. Food Sci.* (5) 318–329.
- S. Saleh, Q. Zhang, J. Chen, et al. (2013). Millet grains: nutritional quality, processing, and potential health benefits, *Compr. Rev. Food Sci. Food Saf.* (12), 281–295.
- S. Sehgal, A. Kawatra, G. Singh. (2003). *Recent technologies in pearl millet and sorghum processing and food product development, Proceedings of the Expert Meeting ICRISAT, Alternative Uses of Sorghum and Pearl Millet in Asia, Patancheru Andhra Pradesh, India*, pp. 60–92.
- S. Sharma, D.C. Saxena, C.S. Riar. (2016). Analysing the effect of germination on phenolics, dietary fibres, minerals and γ -amino butyric acid contents of barnyard millet (*Echinochloa frumentaceae*), *Food Biosci.* (13), 60–68.
- S. Shobana, K. Krishnaswamy, V. Sudha, et al. (2013). Finger millet (*Ragi*, *Eleusine coracana* L.): a review of its nutritional properties, processing, and plausible health benefits, *Adv. Food Nutr. Res.* (69) 1–39
- S. Tatala, G. Ndossi, D. Ash, et al. (2007). Effect of germination of finger millet on nutritional value of foods and effect of food supplement on nutrition and anaemia status in Tanzanian children, *Tanzania Health Res. Bull.* (9) 77–86.

- Sarabhai, S., & Prabhasankar, P. (2015). Influence of whey protein concentrate and potato starch on rheological properties and baking performance of Indian water chestnut flour based gluten free cookie dough. *Lebensmittel-Wissenschaft und -Technologie- Food Science and Technology*, 63(2), 1301–1308. <https://doi.org/10.1016/j.lwt.2015.03.111>.
- Sarabhai, S., Indrani, D., Vijaykrishnaraj, M., Kumar, V. A., & Prabhasankar, P. (2015). Effect of protein concentrates, emulsifiers on textural and sensory characteristics of gluten free cookies and its immunochemical validation. *Journal of Food Science & Technology*, 52(6), 3763–3772.
- Selladurai, M., Pulivarthi, M. K., Raj, A. S., Iftikhar, M., Prasad, P. V. V., & Siliveru, K. (2023). Considerations for gluten free foods - pearl and finger millet processing and market demand. *Grain & Oil Science and Technology*, 6(2), 59–70. <https://doi.org/10.1016/j.gaost.2022.11.003>
- Sharma, S., Saxena, D. C., & Riar, C. S. (2016). Nutritional, sensory and in-vitro antioxidant characteristics of gluten free cookies prepared from flour blends of minor millets. *Journal of Cereal Science*, 72, 153–161. <https://doi.org/10.1016/j.jcs.2016.10.012>
- Sharma, S., Saxena, D. C., & Riar, C. S. (2016). Nutritional, sensory and in-vitro antioxidant characteristics of gluten free cookies prepared from flour blends of minor millets. *Journal of Cereal Science*, 72, 153–161.
- Simons, C. W., & Hall, C. (2018). Consumer acceptability of gluten-free cookies containing raw cooked and germinated pinto bean flours. *Food Sciences and Nutrition*, 6(1), 77–84. <https://doi.org/10.1002/fsn3.531>.
- Souza, E., Kruk, M., & Sunderman, D. W. (1994). Association of sugar-snap cookie quality with high molecular weight glutenin alleles in soft white spring wheats. *Cereal Chemistry*, 70, 601–605.
- Sulieman, A. A., Zhu, K.-X., Peng, W., Hassan, H. A., Obadi, M., Siddeeg, A., et al. (2018). Rheological and quality characteristics of composite gluten-free dough and biscuits supplemented with fermented and unfermented *Agaricus bisporus* polysaccharide flour. *Food Chemistry*, 271, 193–203. <https://doi.org/10.1016/j.foodchem.2018.07.189>
- T. Vinutha, D. Kumar, V. Bansal, et al. (2022). Thermal treatments reduce rancidity and modulate structural and digestive properties of starch in pearl millet flour, *Int. J. Biol. Macromol.* (195) 207–216.
- Trinidad, T. P., Mallillin, A. C., Valdez, D. H., Loyola, A. S., Askali-Mercado, F. C., Castillo, J. C., Encabo, R. R., Masa, D. B., Maglaya, A. S., & Chua, M. T. (2006). Dietary fiber from coconut flour: A functional food. *Innovative Food Science & Emerging Technologies*, 7(4), 309–317. <https://doi.org/10.1016/j.ifset.2004.04.003>
- U. Dharmaraj, R. Ravi, N.G. Malleshi. (2013). Optimization of process parameters for decortication of finger millet through response surface methodology, *Food Bioprocess Technol.* (6) 207–216.
- V. Venkateswaran, G. Vijayalakshmi. (2010). Value addition to finger millet (*Eleusine coracana*) by germination and fermentation with *Monascus purpureus*, *Int. J. Food Sci. Nutr.* (61) 722–727.

- V.F. Abioye, G.O. Ogunlakin, G. Taiwo. (2018). Effect of germination on antioxidant activity, total phenols, flavonoids and anti-nutritional content of finger millet flour, *J. Food Process. Technol.* (9) 719.
- V.K. Smitha, K. Sourav, N.G. Malleshi. (2008). Studies on the effect of milling finger millet in different pulverisers on physico-chemical properties of the flour, *J. Food Sci. Technol.* (45) 398–405.
- Vici, G., Belli, L., Biondi, M., & Polzonetti, V. (2016). Gluten free diet and nutrient deficiencies: A review. *Clinical Nutrition*, 35(6), 1236–1241. <https://doi.org/10.1016/j.clnu.2016.05.002>
- Xu, J., Zhang, Y., Wang, W., & Li, Y. (2020). Advanced properties of gluten-free cookies, cakes, and crackers: A Review. *Trends in Food Science & Technology*, 103, 200–213. <https://doi.org/10.1016/j.tifs.2020.07.017>
- Xu, K., & Kuang, J. (2024). Rheological, thermal, and structural properties of heat-induced gluten gel: Effects of starch with varying degrees of debranching. *International Journal of Biological Macromolecules*, 272, 132678. <https://doi.org/10.1016/j.ijbiomac.2024.132678>
- Yildiz, E., & Gocmen, D. (2020). Use of almond flour and stevia in rice-based gluten-free cookie production. *Journal of Food Science and Technology*, 58(3), 940–951. <https://doi.org/10.1007/s13197-020-04608-x>

