

DAFTAR PUSTAKA

- Ali, B., Al-Wabel, N. A., Shams, S., Ahamad, A., Khan, S. A., & Anwar, F. (2015). Essential oils used in aromatherapy: A systemic review. *Asian Pacific Journal of Tropical Biomedicine*, 5(8), 601–611. <https://doi.org/10.1016/j.apjtb.2015.06.008>
- An, K., Zhao, D., Wang, Z., Wu, J., Xu, Y., & Xiao, G. (2016). Comparison of different drying methods on Chinese ginger (*Zingiber officinale* Roscoe): Changes in volatiles, chemical profile, antioxidant properties, and microstructure. *Food Chemistry*, 197, 1292–1300. <https://doi.org/10.1016/j.foodchem.2015.11.033>
- Antal, T., Chong, C. H., Law, C. L., & Sikolya, L. (2014). Effects of freeze drying on retention of essential oils, changes in glandular trichomes of lemon balm leaves. *International Food Research Journal*, 21(1), 387-394. [https://www.ifrj.upm.edu.my/21%20\(01\)%202014/19%20IFRJ%2021%20\(01\)%202014%20Antal.pdf](https://www.ifrj.upm.edu.my/21%20(01)%202014/19%20IFRJ%2021%20(01)%202014%20Antal.pdf)
- Argyropoulos, D., & Müller, J. (2014). Changes of essential oil content and composition during convective drying of lemon balm (*Melissa officinalis* L.). *Industrial Crops and Products*, 52, 118-124. <https://doi.org/10.1016/j.indcrop.2013.10.029>
- Ayyobi, H., Peyvast, G. A., & Olfati, J. A. (2014). Effect of drying methods on essential oil yield, total phenol content, and antioxidant capacity of peppermint and dill. *Ratar. Povrt.*, 51(1), 18–22.
- Amer Baher, M. A., Gottschalk, K., & Hossain, M. A. (2018). Integrated hybrid solar drying system and its drying kinetics of chamomile. *Renewable Energy*, 121, 539–547. <https://doi.org/10.1016/j.renene.2018.01.092>
- Belwal, T., Cravotto, C., Prieto, M. A., Venskutonis, P. R., Daglia, M., Devkota, H. P., Baldi, A., Ezzat, S. M., Gómez-Gómez, L., Salama, M. M., Campone, L., Rastrelli, L., Echave, J., Jafari, S. M., & Cravotto, G. (2022). Effects of different drying techniques on the quality and bioactive compounds of plant-based products: A critical review on current trends. *Drying Technology*. <https://doi.org/10.1080/07373937.2022.2144521>

- Bor, T., Aljaloud, S. O., Gyawali, R., & Ibrahim, S. A. (2016). Antimicrobials from herbs, spices, and plants. In R. R. Watson & V. R. Preedy (Eds.), *Fruits, vegetables, and herbs* (pp. 551–578). Academic Press.
- Challa, S. K. R., Misra, N. N., & Martynenko, A. (2020). Drying of cannabis—state of the practices and future needs. *Drying Technology*. <https://doi.org/10.1080/07373937.2020.1833540>
- Darvishi, H., Khoshtaghaza, M. H., & Minaei, S. (2014). Fluidized bed drying characteristics of soybeans. *Journal of Agricultural Science and Technology*, 16, 1017-1031.
- Ebadi, M. T., Azizi, M., Sefidkon, F., & Ahmadi, N. (2015). Influence of different drying methods on drying period, essential oil content and composition of *Lippia citriodora* Kunth. *Journal of Applied Research on Medicinal and Aromatic Plants*. <https://doi.org/10.1016/j.jarmap.2015.08.001>
- Embuscado, M. E. (2015). *Herbs and spices as antioxidants for food preservation*. In Handbook of antioxidants for food preservation.
- Gao, Y., Xia, W., Shao, P., Wu, W., Chen, H., Fang, X., Mu, H., Xiao, J., & Gao, H. (2022). Impact of thermal processing on dietary flavonoids. *Current Opinion in Food Science*, 48, 100915. <https://doi.org/10.1016/j.cofs.2022.100915>
- Guclu, G., Keser, D., Kelebek, H., Keskin, M., Sekerli, Y. E., Soysal, Y., & Selli, S. (2021). Impact of production and drying methods on the volatile and phenolic characteristics of fresh and powdered sweet red peppers. *Food Chemistry*, 338, 128129. <https://doi.org/10.1016/j.foodchem.2020.127911>
- Hasegawa, T., Seimiya, H., Fujihara, T., Fujiwara, N., & Yamada, H. (2014). Aroma profile of star anise and the structure-odor relationship of anethole. *Natural Product Communications*, 9(2), 233-236.
- Iriti, M., Vitalini, S., Fico, G., & Faoro, F. (2010). Neuroprotective herbs and foods from different traditional medicines and diets. *Molecules*, 15(5), 3517–3555. <https://doi.org/10.3390/molecules15053517>
- Justine, V. T., Mustafa, M., Kankara, S. S., & Go, R. (2019). Effect of drying methods and extraction solvents on phenolic antioxidants and antioxidant activity of *Scurrula ferruginea* (Jack) Danser

- (Loranthaceae) leaf extracts. *Sains Malaysiana*, 48(7), 1383–1393. <https://doi.org/10.17576/jsm-2019-4807-05>
- Korkmaz, A., Hayaloglu, A. A., & Atasoy, A. F. (2017). Evaluation of the volatile compounds of fresh ripened *Capsicum annuum* and its spice pepper (dried red pepper flakes and isot). *LWT - Food Science and Technology*, 84, 842–850. <https://doi.org/10.1016/j.lwt.2017.06.011>
- Lafeuille, J.-L., Lefèvre, S., & Lebuhotel, J. (2014). Quantitation of chlorophylls and 22 of their colored degradation products in culinary aromatic herbs by HPLC-DAD-MS and correlation with color changes during the dehydration process. *Journal of Agricultural and Food Chemistry*, 62(9), 1926–1935. <https://doi.org/10.1021/jf500088v>
- Mahayothee, B., Thamsala, T., Khuwijitjaru, P., & Janjai, S. (2020). Effect of drying temperature and drying method on drying rate and bioactive compounds in cassumunar ginger (*Zingiber montanum*). *Journal of Applied Research on Medicinal and Aromatic Plants*. <https://doi.org/10.1016/j.jarmap.2020.100203>
- Mashkani, M. R. D., Larijani, K., Mehrafarin, A., & Badi, H. N. (2018). Changes in the essential oil content and composition of *Thymus daenensis* Celak. under different drying methods. *Industrial Crops and Products*, 112, 389–395. <https://doi.org/10.1016/j.indcrop.2017.12.012>
- Mokhtarihah, G., Ebadi, M. T., & Ayyari, M. (2020). Qualitative changes of spearmint essential oil as affected by drying methods. *Industrial Crops and Products*, 153, 112492. <https://doi.org/10.1016/j.indcrop.2020.112492>
- Moses, J. A., Norton, T., Alagusundaram, K., & Tiwari, B. K. (2014). Novel drying techniques for the food industry. *Food Engineering Reviews*, 6(1), 43–55. <https://doi.org/10.1007/s12393-013-9046-1>
- Naidu, M. M., Vedashree, M., Satapathy, P., Khanum, H., Ramsamy, R., & Hebbar, H. U. (2016). Effect of drying methods on the quality characteristics of dill (*Anethum graveolens*) greens. *Food Chemistry*, 192, 849–856. <https://doi.org/10.1016/j.foodchem.2015.07.065>
- Narayan, S., Patil, R., & Patil, N. (2018). Mathematical modeling of thin layer drying using open sun and shade of *Vernonia amygdalina* leaves. *Agriculture and Natural Resources*, 52(1), 53–58. <https://doi.org/10.1016/j.anres.2018.01.003>

- Nurhaslina, C. R., Bacho, S. A., & Mustapa, A. N. (2022). Review on drying methods for herbal plants. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2022.01.086>
- Orphanides, A., Goulas, V., & Gekas, V. (2015). Drying technologies: Vehicle to high-quality herbs. *Food Engineering Reviews*. <https://doi.org/10.1007/s12393-014-9068-8>
- Parveen, S., Das, S., Begum, A., Sultana, N., Hoque, M., & Ahmad, I. (2014). Microbiological quality assessment of three selected spices in Bangladesh. *International Food Research Journal*, 21(4), 1327–1330.
[http://www.ifrj.upm.edu.my/21%20\(04\)%202014/9%20IFRJ%2021%20\(04\)%202014%20Parveen%20674.pdf](http://www.ifrj.upm.edu.my/21%20(04)%202014/9%20IFRJ%2021%20(04)%202014%20Parveen%20674.pdf)
- Patil, R., & Gawande, R. (2016). A review on solar tunnel greenhouse drying system. *Renewable and Sustainable Energy Reviews*, 56, 196–214. <https://doi.org/10.1016/j.rser.2015.11.060>
- Pirbalouti, A. G., Salehi, S., & Craker, L. (2016). Effect of drying methods on qualitative and quantitative properties of essential oil from the aerial parts of coriander. *Journal of Applied Research on Medicinal and Aromatic Plants*, 4(1), 35–40.
<https://doi.org/10.1016/j.jarmap.2016.01.002>
- Prusinowska, R., & Śmigielski, K. (2015). Losses of essential oils and antioxidants during the drying of herbs and spices: A review. *Engineering Science and Technology*, 2(17), 51–62.
- Rababah, T. M., Al-u'datt, M., Alhamad, M., Al-Mahasneh, M., Ereifej, K., Andrade, J., Altarifi, B., Almajwal, A., & Yang, W. (2015). The effect of drying process on total phenolics, antioxidant activity, and flavonoid contents of common Mediterranean herbs. *International Journal of Agricultural and Biological Engineering*, 8(2), 145-150.
<https://doi.org/10.3965/j.ijabe.20150802.2035>
- Santacatalina, J. V., Fissore, D., Cárcel, J. A., Mulet, A., & García-Pérez, J. V. (2015). Model-based investigation into atmospheric freeze drying assisted by power ultrasound. *Journal of Food Engineering*, 151, 7–15. <https://doi.org/10.1016/j.jfoodeng.2014.09.014>
- Schaarschmidt, S. (2016). Public and private standards for dried culinary herbs and spices: Part I - Standards defining the physical and chemical product quality and safety. *Food Control*, 70, 339–349. <https://doi.org/10.1016/j.foodcont.2016.05.045>

- Sembiring, B., Supriadi, & Ediningsih. (2020). Reducing aflatoxin contamination of nutmeg using drying methods. *IOP Conference Series: Earth and Environmental Science*, 418, 012030. <https://doi.org/10.1088/1755-1315/418/1/012030>
- Shi, Y., Chen, G., Chen, K., Chen, X., Hong, Q., & Kan, J. (2021). Assessment of fresh star anise (*Illicium verum* Hook.f.) drying methods for influencing drying characteristics, color, flavor, volatile oil, and shikimic acid. *Food Chemistry*, 342, 128359. <https://doi.org/10.1016/j.foodchem.2020.128359>
- Sravan Kumar, S., Manoj, P., Shetty, N. P., & Giridhar, P. (2015). Effect of different drying methods on chlorophyll, ascorbic acid, and antioxidant compounds retention of leaves of *Hibiscus sabdariffa* L. *Journal of the Science of Food and Agriculture*, 95(9), 1812–1820. <https://doi.org/10.1002/jsfa.6865>
- Srinivas, Y., Mathew, S. M., Kothakota, A., Sagarika, N., & Pandiselvam, R. (2020). Microwave assisted fluidized bed drying of nutmeg mace for essential oil enriched extracts: An assessment of drying kinetics, process optimization and quality. *Innovative Food Science and Emerging Technologies*. <https://doi.org/10.1016/j.ifset.2020.102258>
- Sriwichai, T., Sookwong, P., Siddiqui, M. W., & Sommano, S. R. (2019). Aromatic profiling of *Zanthoxylum myriacanthum* (makwhaen) essential oils from dried fruits using different initial drying techniques. *Industrial Crops and Products*, 133, 284–291. <https://doi.org/10.1016/j.indcrop.2019.03.053>
- Thamkaew, G., Sjöholm, I., & Gómez Galindo, F. (2021). A review of drying methods for improving the quality of dried herbs. *Critical Reviews in Food Science and Nutrition*, 61(11), 1763–1786. <https://doi.org/10.1080/10408398.2020.1830137>
- Tummanichanont, C., Phoungchandang, S., & Srzednicki, G. (2017). Effects of pretreatment and drying methods on drying characteristics and quality attributes of *Andrographis paniculata*. *Journal of Food Processing and Preservation*, 41(6), e13310. <https://doi.org/10.1111/jfpp.13310>
- Vijayan, A., & Shyni, K. (2024). Spices and herbs as food preservatives. *FoodSci: Indian Journal of Research in Food Science and Nutrition*, 11(1), 32–38. <https://doi.org/10.15613/fjrfrn/2024/v11i1/44793>

- Yan, J., Wei, H., You, Z., Wu, H., Zhang, J., Chen, K., & Xie, H. (2023). Design and experiment of a box-type heat-pump dryer with side-ventilating and rack moving. *Case Studies in Thermal Engineering*, 41, 102641. <https://doi.org/10.1016/j.csite.2023.102641>
- Ye, S., Wang, Z., Shen, J., Shao, Q., Fang, H., Zheng, B., & Younis, A. (2019). Sensory qualities, aroma components, and bioactive compounds of *Anoectochilus roxburghii* (Wall.) Lindl. as affected by different drying methods. *Industrial Crops & Products*, 134, 80–88. <https://doi.org/10.1016/j.indcrop.2019.03.042>

