

DAFTAR PUSTAKA

- Afifah, A., Nugraha, A. W., & Larassati, D. P. (2023). The Application of Collagen Extract for Collagen Drink: A Review. *Jurnal Agroindustri Pangan*, 2(2), 28-43. <http://www.ojs.poltesa.ac.id/index.php/Agroindustri/article/view/543>
- Amiza, M. A. , W. M. S. W. M. , N. H. I. , and N. J. M. (2015). Optimatization of Gelatin Extraction Conditions from Corbia (*Rachycentron cannadum*) Skin and its Physico-chemical Characteristics as Compared to Bovine Gelatin. *International Food Research Journal* , 22(1). [http://www.ifrj.upm.edu.my/22%20\(01\)%202015/\(31\).pdf](http://www.ifrj.upm.edu.my/22%20(01)%202015/(31).pdf)
- Barati, M., Jabbari, M., Navekar, R., Farahmand, F., Zeinalian, R., Salehi-Sahlabadi, A., ... & Davoodi, S. H. (2020). Collagen supplementation for skin health: A mechanistic systematic review. *Journal of cosmetic dermatology*, 19(11), 2820-2829. <https://onlinelibrary.wiley.com/doi/abs/10.1111/jocd.13435>
- Budiman, A. (2009). Metode Sentrifugasi Untuk Pemisahan Biodisel Dalam Proses Pencucian. *Indonesian Journal of Industrial Research*, 3(3), 71181. <https://www.neliti.com/publications/71181/metode-sentrifugasi-untuk-pemisahan-biodisel-dalam-proses-pencucian>
- Deanti, H., Hulu, J. M., Setyaji, A., Eliyanti, R. N., Aliya, K., & Dewi, E. N. (2018). The Quality Of Edible Film Made From Nile Tilapia (*Oreochromis Niloticus*) Skin Gelatin With Addition Of Different Type Seaweed Hydrocolloid. In *IOP Conference Series: Earth and Environmental Science* (Vol. 116, No. 1, p. 012062). IOP Publishing. <https://iopscience.iop.org/article/10.1088/1755-1315/116/1/012062/meta>
- Devita, L., Nurimala, M., Lioe, H.N., dan Suhartono, M.T. (2021). Chemical and antioxidant characteristics of skin-derived collagen obtained by acid-enzymatic hydrolysis of bigeye tuna (*Thunnus obesus*). *Marine drugs*. 19(4), 222. <https://www.mdpi.com/1660-3397/19/4/222>
- Gbogouri, G. A., Linder, M., Fanni, J., & Parmenter, M. (2004). Influence of Hydrolysis Degree on the Functional Properties of Salmon Byproducts Hydrolysates. *Journal of Food Science*, 69(8), 615–622. <https://doi.org/10.1111/J.1365-2621.2004.TB09909.X>
- Gimenez, B., Turnay, J., Lizarbe, M. A., Montero, P., & Go, M. C. (2005). Use of Lactic Acid for Extraction of Fish Skin Gelatin. *Food Hydrocolloids*, 19, 941–950. <https://doi.org/10.1016/j.foodhyd.2004.09.011>

- Handbook, G. (2012). Gelatin Manufacturers Institute of America, 2012.
http://www.gelatin-gmia.com/uploads/1/1/8/4/118450438/gmia_gelatin_manual_2019.pdf
- Haryanto, T., & Ardi, B. S. (2015). Penggunaan Fitur Kimiafisik dan Posisi Atom untuk Prediksi Struktur Sekunder Protein. *Jurnal Edukasi dan Penelitian Informatika (JEPIN)* Vol, 1(2), 133.
<https://www.academia.edu/download/92254088/11419.pdf>
- Haryati, D., Nadhifa, L., & Abdullah, N. (2019, November). Extraction and characterization of gelatin from rabbitfish skin (*Siganus canaliculatus*) with enzymatic method using bromelin enzyme. In IOP Conference Series: Earth and Environmental Science (Vol. 355, No. 1, p. 012095). IOP Publishing.
<https://iopscience.iop.org/article/10.1088/1755-1315/355/1/012095/meta>
- Jongjareonrak, A., Benjakul, S., & Visessanguan, W. (2005). Food Chemistry Isolation and Characterisation of Acid and Pepsin-Solubilised Collagens from the Skin of Brownstripe Red Snapper (*Lutjanus vitta*). *Food Chemistry*, 93, 475–484.
<https://doi.org/10.1016/j.foodchem.2004.10.026>
- Karim, A. A., & Bhat, R. (2009). Fish gelatin: properties, challenges, and prospects as an alternative to mammalian gelatins. *Food hydrocolloids*, 23(3), 563-576.
<https://www.sciencedirect.com/science/article/pii/S0268005X08001446>
- Kusumadjaja, A. P., & Dewi, R. P. (2005). Penentuan Kondisi Optimum Enzim Papain Dari Pepaya Burung Varietas Jawa (*Carica Papaya*). *Indo. J. Chem*, 5(2), 147-151. <https://journal.ugm.ac.id/ijc/article/download/21822/14527>
- Li ZR, Wang B, Chi CF, Zhang QH, Gong YD, Tang JJ, Luo HY, Ding GF. 2013. Isolation and characterization of acid soluble collagens and pepsin soluble collagens from the skin and bone of Spanish mackerel (*Scomberomorus niphonius*). *Food Hydrocolloids*. 31:103-113.
<https://www.sciencedirect.com/science/article/pii/S0268005X12002147>
- Maharani, M., Bintari, Y. R., & Wulandari, D. N. (2022). *Effect Of Solvent Variations Of Ultrasonic Assisted Extraction (UAE) Methods On Yield Value And Total Flavonoid Of Lemongrass (Cymbopogon citratus)*. *Jurnal Bio Komplementer Medicine*, 9(2). <https://jim.unisma.ac.id/index.php/jbm/article/view/17652>
- Matmaroh, K., Benjakul, S., Prodpran, T., Encarnacion, A., Kishimura, H. (2011). Characteristics of Acid Soluble Collagen and Pepsin Soluble Collagen from Scale of Spotted Golden Goatfish (*Parupeneus heptacanthus*). *Journal of Food Chemistry*, 129:1179-1186.
<https://www.sciencedirect.com/science/article/pii/S0308814611008028>

- Miskiyah, M., Sasmitaloka, K. S., & Budiyo, A. (2022). Pengaruh lama waktu perendaman terhadap karakteristik gelatin ceker ayam. *Agrointek : Jurnal Teknologi Industri Pertanian*, 16(2), 186–192. <https://doi.org/10.21107/agrointek.v16i2.11846>
- Miwada, I. S., & Simpen, I. N. (2007). Optimalisasi potensi ceker ayam (shank) hasil limbah RPA melalui metode ekstraksi termodifikasi untuk menghasilkan gelatin. *Majalah Ilmiah Peternakan*, 10(1), 164-168. https://www.academia.edu/download/28563195/i.n._sumerta_miwda_100102007.pdf
- Mulyani, S., Hintono, A., Adefatma, N. R., & Pahlawan, I. F. (2021). Ekstraksi kolagen dari kulit kerbau menggunakan asam asetat. *Majalah Kulit, Karet, dan Plastik*, 37(2), 51-58. https://www.researchgate.net/profile/Sri-Mulyani-16/publication/357451660_Ekstraksi_kolagen_dari_kulit_kerbau_menggunakan_asam_asetat/links/647e6f7a2cad460a1bf896a7/Ekstraksi-kolagen-dari-kulit-kerbau-menggunakan-asam-asetat.pdf?origin=journalDetail&tp=eyJwYWdlIjoiam91cm5hbERldGFpbCJ9
- Pan BS, Chen HE, Sung WC. 2018. Molecular and thermal characteristics of acidsoluble collagen from orbicular batfish: effects of deep-sea water culturing. *International Journal of Food Properties*. 21(1):1080-1090. <https://www.tandfonline.com/doi/abs/10.1080/10942912.2018.1476873>
- Pan, B. S., Chen, H. E., & Sung, W. C. (2018). Molecular and Thermal Characteristics of Acid-Soluble Collagen from Orbicular Batfish: Effects of Deep-Sea Water Culturing. *International Journal of Food Properties*, 21(1), 1080–1090. <https://doi.org/10.1080/10942912.2018.1476873>
- Prastyo, D. T., & Trilaksani, W. (2020). Aktivitas antioksidan hidrolisat kolagen kulit ikan nila (*Oreochromis niloticus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(3), 423-433. <https://journal.ipb.ac.id/index.php/jphpi/article/view/31732>
- Prihatiningsih, Diah. , N. M. Puspawati. , dan J. S. (2014). Analisis Sifat Fisikokimia Gelatin yang Diekstrak dari Kulit Ayam dengan Variasi Konsentrasi Asam Laktat dan Lama Ekstraksi. *Journal of Applied Chemistry*, 2(1), 31–45. <https://ojs.unud.ac.id/index.php/cakra/article/view/9005>
- Puspitasari, D. A. P., Bintoro, V. P., & Setiani, B. E. (2013). Kualitas warna, tingkat kejernihan dan tingkat ketebalan film gelatin tulang cakar ayam sebagai alternatif bahan dasar edible film. *Jurnal Aplikasi Teknologi Pangan*, 2(3), 144-147.

<http://journal.ift.or.id/files/23144147%20KUALITAS%20WARNA,%20TINGKAT%20KEJERNIHAN%20DAN%20TINGKAT%20KETEBALAN%20FILM%20GELATIN%20TULANG%20CAKAR%20AYAM%20SEBAGAI%20ALTERNATIF%20BAHAN%20DASAR%20EDIBLE%20FILM.pdf>

- Rares, R. C. , M. Sompie. , A. Dp. Mirah. , dan J. A. D. K. (2017). Pengaruh Waktu Perendaman dalam Larutan Asam Asetat (CH₃COOH) terhadap Karakteristik Fisik dan Kimia Gelatin Ceker Ayam. *Jurnal Zootek* ("Zootek" Journal), 37(2), 268–275.
<https://ejournal.unsrat.ac.id/index.php/zootek/article/viewFile/16063/15569>
- Rianda Fidianti, F. A., Hartoyo, B., & Widiyastuti, T. (2023, July). Konversi Pakan dan *Income Over Feed Cost* Ayam Broiler Pada Penggunaan Biopeptida Ekstrak Ceker Ayam yang Dihidrolisis dengan Enzim Papain. In *Prosiding Seminar Nasional Teknologi Agribisnis Peternakan (STAP)* (Vol. 10, pp. 178-184).
<https://www.jnp.fapet.unsoed.ac.id/index.php/psv/article/view/2247>
- Rodriguez, F., Moran, L., Gonzales, G., Tronsoco, E., & N., Z. R. (2017). Collagen Extraction from Mussel Byssus : a New Marine Collagen Source with Physicochemical Properties of Industrial Interest. *J Food Sci Technol*, 54(5), 1228– 1238. <https://doi.org/10.1007/s13197-017-2566-z>
- Santosa, Herry. , dan S. B. W. (2018). Hidrolisa Kolagen dalam Ceker Ayam Hasil Perendaman dengan Asam Asetat pada Proses Pembuatan Gelatin. *GEMA TEKNOLOGI* , 20(1), 32–36.
https://ejournal.undip.ac.id/index.php/gema_teknologi/article/view/21224
- Schrieber, R., dan Gareis, H. 2007. *Gelatine Handbook*. Germany: Wiley. Science and Technology of Gelatin. New York (US): Academic Press. <http://download.e-bookshelf.de/download/0000/6030/47/L-G-0000603047-0002364753.pdf>
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., ... & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. *Ultrasonics Sonochemistry*, 106646.
<https://www.sciencedirect.com/science/article/pii/S1350417723003589>
- Sholihah, M. Ahmad, U., Budiastara, I.W. 2017. Aplikasi Gelombang Ultrasonik untuk Meningkatkan Rendemen Ekstraksi dan Efektivitas Antioksidan Kulit Manggis. *Jurnal Keteknikan Pertanian*, 5(2), 161- 168.
<https://doi.org/10.19028/jtep.05.2.161-168>.
- Shon j, Ji-Hyun E, Hwang SJ, Jong Bang E. 2011. Effect of processing conditions on functional properties of collagen powder from skate (*Raja kenoi*) skins. *The*

Journal of Food Science Biotechnology. 20 (1):99-106.
<https://link.springer.com/article/10.1007/s10068-011-0014-9>

Sibarani, F. (2024). *Pengaruh Durasi Ekstraksi Ultrasonic Assisted Extraction Dan Konsentrasi Asam Sitrat Terhadap Kolagen Ceker Ayam* (Doctoral Dissertation, Universitas Katolik Soegijapranata).
<http://repository.unika.ac.id/id/eprint/35403>

Sionkowska, A., K. Adamiak, K. Musial, and M. Gadomska. 2020. Collagen Based Materials in Cosmetic Applications. *Materials*. 13 (4217): 1-15.
<https://www.mdpi.com/1996-1944/13/19/4217>

SNI Gelatin (SNI 06-3735). 1995. Badan Standardisasi Nasional. Jakarta.

Sompie, M. , M. A. D. , dan K. I. (2015). Pengaruh Perbedaan Suhu Ekstraksi terhadap Karakteristik Gelatin Kulit Kaki Ayam. *J Biodiv Indon*, 1, 792– 795.
<https://smujo.id/psnmbi/article/view/1172/1143>

Strasburg, G. M., & Xiong, Y. L. (2017). Physiology and chemistry of edible muscle tissues. In *Fennema's Food Chemistry* (pp. 955-1015). CRC Press.
<https://www.taylorfrancis.com/chapters/edit/10.1201/9781315372914-18/physiology-chemistry-edible-muscle-tissues-gale-strasburg-youling-xiong>

Suryati, S., Nasrul, Z. A., Meriatna, M., & Suryani, S. (2017). Pembuatan dan karakterisasi gelatin dari ceker ayam dengan proses hidrolisis. *Jurnal Teknologi Kimia Unimal*, 4(2), 66-79.
<https://ojs.unimal.ac.id/index.php/jtk/article/view/74>

Sutanti, S., & Santo, M. (2021). Pembuatan Gelatin Tulang Kaki Ayam Broiler Dan Tulang Ikan Bandeng Menggunakan Ekstraksi Autoklaf. *CHEMTAG Journal of Chemical Engineering*, 2(1), 23-31.
<http://jurnal.untagsmg.ac.id/index.php/chemtag/article/view/1959>

Syakraeni, S., Anwar, M., & Hasri, H. (2017). Pengaruh konsentrasi asam sitrat dan waktu Demineraliasi pada perolehan gelatin dari tulang ikan kakap merah (*Lutjanus sp.*). *Analit: Analytical and Environmental Chemistry*, 2(1), 53-62.
<http://eprints.unm.ac.id/17320/>

Ulfah, M. 2011. Pengaruh Konsentrasi Larutan Asam Asetat dan Lama Waktu Perendaman terhadap Sifat-Sifat Gelatin Ceker Ayam. *Jurnal AGritech*, 31(3).
<https://journal.ugm.ac.id/agritech/article/view/9740>

- Woo, J., Yu, S., Cho, S., Lee, Y., & Kim, S. (2008). Extraction Optimization and Properties of Collagen from Yellowfin Tuna (*Thunnus albacares*) Dorsal Skin. *Food Hydrocolloids*, 22, 879–887. <https://doi.org/10.1016/j.foodhyd.2007.04.015>
- Yuliani., Marwati. (2015). Ekstraksi dan Karakterisasi Gelatin Tulang Ikan Tenggiri (*Scomberomorus commerson*). *Jurnal Teknologi Universitas Mulawarman. Samarinda*, 10(1):1-7. https://www.researchgate.net/profile/Yuliani-Yuliani/publication/320188241_EKSTRAKSI_DAN_KARAKTERISASI_GELATIN_TULANG_IKAN_TENGGIRI_Scomberomorus_commerson_Extraction_and_Characterization_of_Fish_Mackerel_Scomberomorus_commerson_Gelatin/links/59d3a2a00f7e9b4fd7ffb943/EKSTRAKSI-DAN-KARAKTERISASI-GELATIN-TULANG-IKAN-TENGGIRI-Scomberomorus-commerson-Extraction-and-Characterization-of-Fish-Mackerel-Scomberomorus-commerson-Gelatin.pdf
- Żelechowska, E., Sadowska, M., & Turk, M. (2010). Isolation and some properties of collagen from the backbone of Baltic cod (*Gadus morhua*). *Food Hydrocolloids*, 24(4), 325-329. <https://www.sciencedirect.com/science/article/pii/S0268005X09002148>
- Zhang, X., Xu, S., Shen, L., & Li, G. (2020). Factors affecting thermal stability of collagen from the aspects of extraction, processing and modification. *Journal of Leather Science and Engineering*, 2, 1-29. <https://link.springer.com/article/10.1186/s42825-020-00033-0>
- Zhang, Y., Zhang, Y., Liu, X., Huang, L., Chen, Z., & Cheng, J. (2017). Influence of Hydrolysis Behaviour and Microfluidisation on the Functionality and Structural Properties of Collagen Hydrolysates. *Food Chemistry*, 227, 211–218. 75. <https://doi.org/10.1016/j.foodchem.2017.01.049>
- Zhu, Z., Guan, Q., Guo, Y., He, J., Liu, G., Li, S., Barba, F.J., Jaffrin, M.Y. 2016. Green ultrasound-assisted extraction of anthocyanin and phenolic compounds from purple sweet potato using response surface methodology. *Int. Agrophys.*, 30, 113-122. <https://doi.org/10.1515/intag-2015-0066>