

7. REFERENCES

- Adams, J. W., Lindstrom, J., Eslin, L., Lux, S. M., Holcomb, F. H., & Cassarino, C. (2006). *Canola oil fuel cell demonstration: Volume III Technical, commercialization, and application issues associated with harvested biomass*.
- Ali, T., & Ali, J. (2020). Factors affecting the consumers' willingness to pay for health and wellness food products. *Journal of Agriculture and Food Research*, 2, 100076. <https://doi.org/10.1016/j.jafr.2020.100076>
- Aluyor, E. O., & Oboh, I. O. (2014). Preservatives: traditional preservatives-vegetable oils. *Encyclopedia of Food Microbiology*, 3, 137-40. <http://dx.doi.org/10.1016/B978-0-12-384730-0.00263-9>
- Alves, E., do Rosário Domingues, M., & Domingues, P. (2023). Olive oil. In *Functional Foods and Their Implications for Health Promotion* (pp. 97-129). Academic Press. <https://doi.org/10.1016/B978-0-12-823811-0.00012-2>
- Andrade, T. A., Freitas, T. S., Araújo, F. O., Menezes, P. P., Dória, G. A. A., Rabelo, A. S., ... & Coutinho, H. D. (2017). Physico-chemical characterization and antibacterial activity of inclusion complexes of Hyptis martiusii Benth essential oil in β -cyclodextrin. *Biomedicine & Pharmacotherapy*, 89, 201-207. <https://doi.org/10.1016/j.biopha.2017.01.158>
- Ariani, S. R. D., Purniasari, L., Basyiroh, U., & Evangelista, E. (2022). Chemical composition, antibacterial and antioxidant activities of essential oils from peels of four citrus species growing in Indonesia. *Journal of Essential Oil Bearing Plants*, 25(4), 741-757. <https://doi.org/10.1080/0972060X.2022.2119890>
- Baliyan, S., Mukherjee, R., Priyadarshini, A., Vibhuti, A., Gupta, A., Pandey, R. P., & Chang, C. M. (2022). Determination of Antioxidants by DPPH Radical Scavenging Activity and Quantitative Phytochemical Analysis of Ficus religiosa. *Molecules* (Basel, Switzerland), 27(4), 1326. <https://doi.org/10.3390/molecules27041326>
- Barthet, V. J. (2016). Comparison between Canadian canola harvest and export surveys. *Plants*, 5(3), 30. <https://doi.org/10.3390/plants5030030>
- Barton, A., Hayward, L., Richardson, C. D., & McSweeney, M. B. (2020). Use of different panelists (experienced, trained, consumers, and experts) and the projective mapping task to evaluate white wine. *Food Quality and Preference*, 83, 103900. <https://doi.org/10.1016/j.foodqual.2020.103900>

- Bhattacharya, S. (2023). *Snack Foods: Processing and Technology*. Academic Press. <https://doi.org/10.1016/B978-0-12-819759-2.00014-8>
- Blasi, F., Rocchetti, G., Montesano, D., Lucini, L., Chiodelli, G., Ghisoni, S., Baccolo, G., Simonetti, M.S. and Cossignani, L. (2018). Changes in extra-virgin olive oil added with *Lycium barbarum* L. carotenoids during frying: Chemical analyses and metabolomic approach. *Food Research International*, 105, 507-516. <https://doi.org/10.1016/j.foodres.2017.11.061>
- Brako, M., Hagan, E., & Vander Bosscher, E. (2024). Factors influencing caterers' selection of cooking oils in Sekondi-Takoradi, Ghana. *International Journal of Science and Research Archive*, 11(2), 442-449. <https://doi.org/10.30574/ijrsra.2024.11.2.0468>
- Briggs, M. A., Petersen, K. S., & Kris-Etherton, P. M. (2017). Saturated Fatty Acids and Cardiovascular Disease: Replacements for Saturated Fat to Reduce Cardiovascular Risk. *Healthcare* (Basel, Switzerland), 5(2), 29. <https://doi.org/10.3390/healthcare5020029>
- Çakaloğlu, B., Ozyurt, V. H., & Otles, S. (2018). Cold press in oil extraction. A review. *Ukrainian Food Journal*, (7, Issue 4), 640-654. <https://doi.org/0.24263/2304-974X-2018-7-4-9>
- Caponio, F., Durante, V., Varva, G., Silletti, R., Previtali, M.A., Viggiani, I., Squeo, G., Summo, C., Pasqualone, A., Gomes, T. and Baiano, A., (2016). Effect of infusion of spices into the oil vs. combined malaxation of olive paste and spices on quality of naturally flavored virgin olive oils. *Food Chemistry*, 202, pp.221-228. <https://doi.org/10.1016/j.foodchem.2016.02.005>
- Chen, X., Zhang, Y., Zu, Y., Yang, L., Lu, Q., & Wang, W. (2014). Antioxidant effects of rosemary extract on sunflower oil compared with synthetic antioxidants. *International Journal of Food Science & Technology*, 49(2), 385-391. <https://doi.org/10.1111/ijfs.12311>
- Cherstva, A., Lastovetska, A., & Nosenko, T. (2016). Using of enzymes to extract of rapeseed oil by pressing. *Ukrainian Journal of Food Science*, 4(1), 85-92. <https://dspace.nuft.edu.ua/bitstreams/8705669d-6216-4224-995f-018910ef4041/download#page=85>
- Chouaibi, M., Rezig, L., Hamdi, S., & Ferrari, G. (2019). Chemical characteristics and compositions of red pepper seed oils extracted by different methods. *Industrial Crops and Products*, 128, 363-370. <https://doi.org/10.1016/j.indcrop.2018.11.030>

- Custureri, I. M. G., Giuffrè, A. M., Loizzo, M. R., Tundis, R., Soria, A. C., & Sicari, V. (2024). Bergamot flavoured olive oil: Comparison between enrichment processes, evaluation of shelf-life and health properties. *Applied Food Research*, 4(1), 100400. <https://doi.org/10.1016/j.afres.2024.100400>
- Damude, H. G., & Kinney, A. J. (2008). Enhancing plant seed oils for human nutrition. *Plant physiology*, 147(3), 962–968. <https://doi.org/10.1104/pp.108.121681>
- De Sousa Silva, R., Gomes Fernandes, F., Macedo Dantas, A., Moreira de Carvalho, L., Karoline Almeida da Costa, W., Dos Santos Lima, M., Magnani, M., & Da Silva Campelo Borges, G. (2022). Juá (*Ziziphus joazeiro* Mart.) mucilage and juá by-product phenolic extract improve quality parameters and retain bioactive compounds in fresh-cut pineapple during storage. *Food Research International*, 161, 111826. <https://doi.org/10.1016/j.foodres.2022.111826>
- Díaz-Montaña, E. J., Aparicio-Ruiz, R., & Morales, M. T. (2023). Effect of flavorization on virgin olive oil oxidation and volatile profile. *Antioxidants*, 12(2), 242. <https://doi.org/10.3390/antiox12020242>
- Dunford, N. (2016). *Oil and oilseed processing II*. Oklahoma Cooperative Extension Service. <https://extension.okstate.edu/fact-sheets/oil-and-oilseed-processing-ii.html>
- Dunford, N. T. (2022). Enzyme-aided oil and oilseed processing: opportunities and challenges. *Current Opinion in Food Science*, 48, 100943. <https://doi.org/10.1016/j.cofs.2022.100943>
- Elhachem, M., Cayot, P., Abboud, M., Louka, N., Maroun, R. G., & Bou-Maroun, E. (2021). The importance of developing electrochemical sensors based on molecularly imprinted polymers for a rapid detection of antioxidants. *Antioxidants*, 10(3), 382. <https://doi.org/10.3390/antiox10030382>
- Farahmandfar, R., Asnaashari, M., Pourshayegan, M., Maghsoudi, S., & Moniri, H. (2018). Evaluation of antioxidant properties of lemon verbena (*Lippia citriodora*) essential oil and its capacity in sunflower oil stabilization during storage time. *Food science & nutrition*, 6(4), 983-990. <https://doi.org/10.1002/fsn3.637>
- Flores, M., Meyer, L., Jorquera, P., Castro, P., Saravia, C., Galdames, C., & Orellana, S. (2021). Consumption of deep-fried food and its association with cardiovascular risk factors among first-year students in a Chilean university. *Journal of Nutrition and Metabolism*, 2021, 1-9. <https://doi.org/10.1155/2021/5591662>

- Fregapane, G., Guisantes-Batan, E., Ojeda-Amador, R. M., & Salvador, M. D. (2020). Development of functional edible oils enriched with pistachio and walnut phenolic extracts. *Food Chemistry*, 310, 125917. <https://doi.org/10.1016/j.foodchem.2019.125917>
- Ghazani, S. M., & Marangoni, A. G. (2016). Healthy Fats and Oils. *Reference Module in Food Science*. <https://doi.org/10.1016/B978-0-08-100596-5.00100-1>
- Goh, C. S., & Potter, L. (2022). Bio-economy for sustainable growth in developing countries: The case of oil palm in Malaysia and Indonesia. *Biofuels, Bioproducts and Biorefining*, 16(6), 1808-1819. <https://doi.org/10.1002/bbb.2381>
- Gómez-Alonso, S., Fregapane, G., Salvador, M. D., & Gordon, M. H. (2003). Changes in phenolic composition and antioxidant activity of virgin olive oil during frying. *Journal of Agricultural and Food Chemistry*, 51(3), 667-672. <https://doi.org/10.1021/jf025932w>
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH radical scavenging assay. *Processes*, 11(8), 2248. <https://doi.org/10.3390/pr11082248>
- Herrera-Calderon, O., Chacaltana-Ramos, L. J., Huayanca-Gutiérrez, I. C., Algarni, M. A., Alqarni, M., & Batiha, G. E. (2021). Chemical Constituents, In Vitro Antioxidant Activity and In Silico Study on NADPH Oxidase of *Allium sativum* L. (Garlic) Essential Oil. *Antioxidants* (Basel, Switzerland), 10(11), 1844. <https://doi.org/10.3390/antiox10111844>
- Husin, S., Wijaya, C., Ghafur, H. S., Machmud, T. Z., & Mardanugraha, E. (2023). Trade policies support for palm oil downstream in Indonesia. *JEJAK: Jurnal Ekonomi dan Kebijakan*, 16(2). <https://doi.org/10.15294/jejak.v16i2.47199>
- Inturrisi, L. (2015). Asia and Australia perspectives on sunflower production and processing. In *Sunflower* (pp. 639-653). AOCS Press. <https://doi.org/10.1016/B978-1-893997-94-3.50026-X>
- Kabutey, A., Herák, D., & Mizera, Č. (2023). Assessment of Quality and Efficiency of Cold-Pressed Oil from Selected Oilseeds. *Foods*, 12(19), 3636. <https://doi.org/10.3390/foods12193636>
- Kalogeropoulos, N. (2010). Recovery and distribution of macro-and selected microconstituents after pan-frying of vegetables in virgin olive oil. In *Olives and olive oil in health and disease prevention* (pp. 767-776). Academic Press. <https://doi.org/10.1016/B978-0-12-374420-3.00080-2>

- Kementerian Pertanian. (2017). *Outlook 2017 Kelapa Sawit*. Jakarta: Kementerian Pertanian.
- Keys, A., Mienotti, A., Karvonen, M.J., Aravanis, C., Bbadooburn, H., Buzina, R., Djordjevic, B.S., Dontas, A.S., Fidanza, F., Keys, M.H. and Kromhout, D. (1986). The diet and 15-year death rate in the seven countries study. *American journal of epidemiology*, 124(6), 903-915. <https://doi.org/10.1093/oxfordjournals.aje.a114480>
- Khatri, P., Rani, A., Hameed, S., Chandra, S., Chang, C. M., & Pandey, R. P. (2023). Current understanding of the molecular basis of spices for the development of potential antimicrobial medicine. *Antibiotics*, 12(2), 270. <https://doi.org/10.3390/antibiotics12020270>
- Khezerlou, A., Akhlaghi, A. P., Alizadeh, A. M., Dehghan, P., & Maleki, P. (2022). Alarming impact of the excessive use of tert-butylhydroquinone in food products: A narrative review. *Toxicology reports*, 9, 1066–1075. <https://doi.org/10.1016/j.toxrep.2022.04.027>
- Konuşkan, D. B. (2020). Minor bioactive lipids in cold-pressed oils. In Cold pressed oils (pp. 7-14). *Academic Press*. <https://doi.org/10.1016/B978-0-12-818188-1.00002-5>
- Kumar, S. P. J., Prasad, S. R., Banerjee, R., Agarwal, D. K., Kulkarni, K. S., & Ramesh, K. V. (2017). Green solvents and technologies for oil extraction from oilseeds. *Chemistry Central Journal*, 11, 9. <https://doi.org/10.1186/s13065-017-0238-8>
- Li, Y., Fine, F., Fabiano-Tixier, A. S., Abert-Vian, M., Carre, P., Pages, X., & Chemat, F. (2014). Evaluation of alternative solvents for improvement of oil extraction from rapeseeds. *Comptes Rendus. Chimie*, 17(3), 242-251. <https://doi.org/10.1016/j.crci.2013.09.002>
- Lin, L. Y., Chen, C. W., Chen, H. C., Chen, T. L., & Yang, K. M. (2024). Developing the procedure-enhanced model of ginger-infused sesame oil based on its flavor and functional properties. *Food Chemistry: X*, 101227. <https://doi.org/10.1016/j.fochx.2024.101227>
- Lin, L., Allemekinders, H., Dansby, A., Campbell, L., Durance-Tod, S., Berger, A., & Jones, P. J. (2013). Evidence of health benefits of canola oil. *Nutrition reviews*, 71(6), 370-385. <https://doi.org/10.1111/nure.12033>
- List, G. R. (2016). Oilseed composition and modification for health and nutrition. In *Functional dietary lipids* (pp. 23-46). Woodhead Publishing. <https://doi.org/10.1016/B978-1-78242-247-1.00002-8>

- Logan, A., & Fagan, P. (2013). Strategies to Prevent Oxidative Deterioration in Oil-in-Water Emulsion Systems: Canola-Based Phenolic Applications. In *Lipid Oxidation* (pp. 457-483). AOCS Press. <https://doi.org/10.1016/B978-0-9830791-6-3.50018-7>
- Marmesat, S., Morales, A., Velasco, J., Ruiz Méndez, M., & Dobarganes, M. C. (2009). Relationship between changes in peroxide value and conjugated dienes during oxidation of sunflower oils with different degree of unsaturation. *Grasas y Aceites*. <https://doi.org/10.3989/gya.096908>
- Meixner, O., Hackl, S., & Haas, R. (2023). Assessing the Sustainability of Palm Oil by Expert Interviews—An Application of the Analytic Hierarchy Process. *Sustainability*, 15(24), 16954. <https://doi.org/10.3390/su152416954>
- Micić, D., Đurović, S., Riabov, P., Tomić, A., Šovljanski, O., Filip, S., ... & Blagojević, S. (2021). Rosemary essential oils as a promising source of bioactive compounds: Chemical composition, thermal properties, biological activity, and gastronomical perspectives. *Foods*, 10(11), 2734. <https://doi.org/10.3390/foods10112734>
- Moustakime, Y., Hazzoumi, Z., & Joutei, K. A. (2021). Aromatization of virgin olive oil by seeds of Pimpinella anisum using three different methods: Physico-chemical change and thermal stability of flavored oils. *Grain & Oil Science and Technology*, 4(3), 108-124. <https://doi.org/10.1016/j.gaost.2021.07.001>
- Nandasiri, R., Eskin, N. M., Eck, P., & Thiyam-Höllander, U. (2020). Application of green technology on extraction of phenolic compounds in oilseeds (Canola). *Cold pressed oils*, 81-96. <https://doi.org/10.1016/B978-0-12-818188-1.00008-6>
- Nosenko, T., Vovk, G., & Korolyuk, T. (2019). *Effect of hydrolytic enzyme pretreatment on the oil extraction from pumpkin seeds*. <https://dspace.nuft.edu.ua/handle/123456789/29603>
- Opara, E. I., & Chohan, M. (2014). Culinary herbs and spices: their bioactive properties, the contribution of polyphenols, and the challenges in deducing their true health benefits. *International journal of molecular sciences*, 15(10), 19183-19202. <https://doi.org/10.3390/ijms151019183>
- Patil, R. S., Waghmare, J., & Annapure, U. (2023). Comparative assessment of the frying performance of palm olein and sunflower oil during deep-fat frying of Indian battered food products. *Journal of Agriculture and Food Research*, 14, 100778. <https://doi.org/10.1016/j.jafr.2023.100778>

- Perestrelo, R., Silva, C., Silva, P., & Câmara, J. S. (2017). Global volatile profile of virgin olive oils flavored by aromatic/medicinal plants. *Food Chemistry*, 227, 111-121. <https://doi.org/10.1016/j.foodchem.2017.01.090>
- Raspo, M. A., Vignola, M. B., Andreatta, A. E., & Juliani, H. R. (2020). Antioxidant and antimicrobial activities of citrus essential oils from Argentina and the United States. *Food Bioscience*, 36, 100651. <https://doi.org/10.1016/j.fbio.2020.100651>
- Rey, F., Alves, E., Gaspar, L., Conceição, M., & Domingues, M. R. (2023). Oils as a source of bioactive lipids (olive oil, palm oil, fish oil). In *Bioactive Lipids* (pp. 231-268). Academic Press. <https://doi.org/10.1016/B978-0-12-824043-4.00013-0>
- Roman, O., Heyd, B., Broyart, B., Castillo, R., & Maillard, M. N. (2013). Oxidative reactivity of unsaturated fatty acids from sunflower, high oleic sunflower and rapeseed oils subjected to heat treatment, under controlled conditions. *LWT-Food Science and Technology*, 52(1), 49-59. <https://doi.org/10.1016/j.lwt.2012.12.011>
- Roohinejad, S., Koubaa, M., Barba, F. J., Leong, S. Y., Khelifa, A., Greiner, R., & Chemat, F. (2017). Extraction methods of essential oils from herbs and spices. *Essential oils in food processing: Chemistry, safety and applications*, 21-55. <https://doi.org/10.1002/9781119149392.ch2>
- Saboo, B., Singh, R. B., Bhardwaj, K., Maheshwari, A., Verma, N., Vargova, V., & Pella, D. (2019). Fats and oils for health promotion and disease prevention. In *The Role of Functional Food Security in Global Health* (pp. 273-285). Academic Press. <https://doi.org/10.1016/B978-0-12-813148-0.00016-5>
- Salas, J. J., Bootello, M. A., & Garcés, R. (2015). Food uses of sunflower oils. In *Sunflower* (pp. 441-464). AOCS press. <https://doi.org/10.1016/B978-1-893997-94-3.50020-9>
- Sánchez-Muniz, F. J., Bastida, S., & Benedí, J. (2016). *Sunflower oil*. <https://doi.org/10.1016/B978-0-12-384947-2.00674-7>
- Satpathy, L., Dash, D., Sahoo, P., Anwar, T. S., & Parida, S. P. (2020). Quantitation of total protein content in some common edible food sources by lowry protein assay. *Letters in Applied NanoBioScience*, 9(3), 1275-1283. <https://doi.org/10.33263/LIANBS93.12751283>
- Savva, S. C., & Kafatos, A. (2016). *Vegetable oils: dietary importance*. <https://doi.org/10.1016/B978-0-12-384947-2.00709-1>

- Serna-Saldivar, S. O., & Chuck-Hernandez, C. (2019). Food uses of lime-cooked corn with an emphasis in tortillas and snacks. In *Corn* (pp. 469-500). AACC International Press. <https://doi.org/10.1016/B978-0-12-811971-6.00017-6>
- Statista. (2024). *Edible Oils - Indonesia*. Accessed 23 March 2024. <https://www.statista.com/outlook/cmo/food/oils-fats/edible-oils/indonesia#volume>
- Tao, L. (2015). Oxidation of polyunsaturated fatty acids and its impact on food quality and human health. *Adv. Food Technol. Nutr. Sci*, 1(6), 135-142. <http://dx.doi.org/10.17140/AFTNSOJ-1-123>
- Tirgarian, B., Farmani, J., & Milani, J. M. (2019). Enzyme-assisted aqueous extraction of oil and protein hydrolysate from sesame seed. *Journal of Food Measurement and Characterization*, 13, 2118-2129. <https://doi.org/10.1007/s11694-019-00132-5>
- Tuntipopipat, S., Muangnoi, C., Chingsuwanrote, P., Parengam, M., Chantravisut, P., Charoenkiatkul, S., & Svasti, S. (2011). Anti-inflammatory activities of red curry paste extract on lipopolysaccharide-activated murine macrophage cell line. *Nutrition*, 27(4), 479-487. <https://doi.org/10.1016/j.nut.2010.04.009>
- Urugo, M. M., Teka, T. A., Teshome, P. G., & Tringo, T. T. (2021). Palm Oil Processing and Controversies over Its Health Effect: Overview of Positive and Negative Consequences. *Journal of oleo science*, 70(12), 1693–1706. <https://doi.org/10.5650/jos.ess21160>
- Verma, T., Aggarwal, A., Dey, P., Chauhan, A. K., Rashid, S., Chen, K. T., & Sharma, R. (2023). Medicinal and therapeutic properties of garlic, garlic essential oil, and garlic-based snack food: An updated review. *Frontiers in nutrition*, 10, 1120377. <https://doi.org/10.3389/fnut.2023.1120377>
- Vovk, H., Karnpakdee, K., Ludwig, R., & Nosenko, T. (2023). Enzymatic Pretreatment of Plant Cells for Oil Extraction. *Food technology and biotechnology*, 61(2), 160–178. <https://doi.org/10.17113/ftb.61.02.23.7896>
- Wang, D., Fan, W., Guan, Y., Huang, H., Yi, T., & Ji, J. (2018). Oxidative stability of sunflower oil flavored by essential oil from *Coriandrum sativum* L. during accelerated storage. *Lwt*, 98, 268-275. <https://doi.org/10.1016/j.foodres.2017.11.061>
- Wang, D., Meng, Y., Zhao, X., Fan, W., Yi, T., & Wang, X. (2019). Sunflower oil flavored by essential oil from *Punica granatum* cv. Heyinshiliu peels improved its oxidative stability and sensory properties. *Lwt*, 111, 55-61. <https://doi.org/10.1016/j.lwt.2019.05.005>

- Wen, C., Shen, M., Liu, G., Liu, X., Liang, L., Li, Y., Zhang, J. and Xu, X. (2023). Edible vegetable oils from oil crops: Preparation, refining, authenticity identification and application. *Process Biochemistry*, 124, 68-179. <https://doi.org/10.1016/j.procbio.2022.11.017>
- Wen, Y., Xu, L., Xue, C., Jiang, X., & Wei, Z. (2020). Assessing the Impact of Oil Types and Grades on Tocopherol and Tocotrienol Contents in Vegetable Oils with Chemometric Methods. *Molecules* (Basel, Switzerland), 25(21), 5076. <https://doi.org/10.3390/molecules25215076>
- White, W. S., Zhou, Y., Crane, A., Dixon, P., Quadt, F., & Flendrig, L. M. (2017). Modeling the dose effects of soybean oil in salad dressing on carotenoid and fat-soluble vitamin bioavailability in salad vegetables. *The American journal of clinical nutrition*, 106(4), 1041–1051. <https://doi.org/10.3945/ajcn.117.153635>
- Zuhdi, D. A. F., Abdullah, M. F., Suliswanto, M. S. W., & Wahyudi, S. T. (2021). The competitiveness of Indonesian crude palm oil in international market. *Jurnal Ekonomi Pembangunan*, 19(1), 111-124. <https://doi.org/10.29259/jep.v19i1.13193>

