

**PERBANDINGAN ANGKA KEJADIAN GASTRITIS SEBELUM
DAN AWAL PANDEMI COVID-19**

SKRIPSI



**PROGRAM STUDI PENDIDIKAN DOKTER FAKULTAS KEDOKTERAN
UNIVERSITAS KATOLIK SOEGIJAPRANATA
SEMARANG**

2025

**PERBANDINGAN ANGKA KEJADIAN GASTRITIS SEBELUM
DAN AWAL PANDEMI COVID-19**

SKRIPSI

Diajukan guna memenuhi salah satu syarat untuk memperoleh gelar Sarjana pada
Program Studi Pendidikan Dokter



Diajukan oleh:

{STEFANUS BIMA HARYA UTAMA}

{20.P1.0031}

**STUDI PENDIDIKAN DOKTER FAKULTAS KEDOKTERAN
UNIVERSITAS KATOLIK SOEGIJAPRANATA
SEMARANG**

2025

ABSTRAK

Latar Belakang : COVID-19 yang disebabkan oleh virus SARS-CoV-2 pandemi di seluruh dunia yang menyebabkan berbagai masalah secara yang berdampak besar terhadap kesehatan masyarakat baik mortalitas dan morbiditas yang berimbas terhadap krisis ekonomi dan sosial. Dampak pandemi menimbulkan stres dari berbagai kalangan usia yang berpengaruh terhadap kesehatan masyarakat salah satunya adalah timbul rasa tidak enak pada perut yaitu gastritis.

Tujuan : Mengetahui perbandingan signifikan rata-rata kasus gastritis pada masa awal pandemi COVID-19 dengan masa sebelum pandemi COVID-19.

Metode : Penelitian ini menggunakan metode observasi analitik dengan pendekatan studi *cross-sectional* dimana penelitian melakukan observasi rekam medis kejadian gastritis dengan membandingkan masa sebelum pandemi COVID-19 dan awal pandemi COVID-19 kemudian dianalisis tanpa melakukan intervensi terhadap subjek penelitian.

Hasil : Rata-rata kasus gastritis sebelum pandemi COVID-19 sebesar 49,83 kasus sedangkan rata-rata kasus gastritis pada awal pandemi COVID-19 sebesar 34 kasus. Uji statistik dalam penelitian ini menggunakan *T-test independent* didapatkan nilai $p = 0,128$ yang menandakan perbedaan rata-rata kasus gastritis sebelum pandemi dan awal pandemi COVID-19 tidak signifikan.

Kesimpulan : Tidak terdapat perbedaan signifikan kasus gastritis sebelum pandemi COVID-19 dan awal pandemi COVID-19.

Kata Kunci : Pandemi COVID-19, Gastritis

ABSTRACT

Background : *COVID-19 caused by the SARS-CoV-2 virus is a worldwide pandemic that causes various problems that have a major impact on public health, both mortality and morbidity which have an impact on economic and social crises. The impact of the pandemic causes stress from various age groups that affect public health, one of which is the emergence of an unpleasant feeling in the stomach, namely gastritis.*

Objective : *To find out the significant comparison of the average cases of gastritis in the early days of the COVID-19 pandemic compared to the period before the COVID-19 pandemic.*

Method : *This study uses an analytical observation method with a cross-sectional study approach where the study conducted medical record observations of gastritis incidents by comparing the period before the COVID-19 pandemic and the beginning of the COVID-19 pandemic and then analyzed without intervening on the research subjects.*

Results : *The average case of gastritis before the COVID-19 pandemic was 49.83 cases while the average case of gastritis at the beginning of the COVID-19 pandemic was 34 cases. The statistical test in this study using the independent T-test obtained p value = 0.128 which indicates that the difference in the average case of gastritis before the pandemic and the beginning of the COVID-19 pandemic was not significant.*

Conclusion : *There was no significant difference in gastritis cases before the COVID-19 pandemic and at the start of the COVID-19 pandemic.*

Keyword : *COVID-19 Pandemic, Gastritis*