

REFERENCES

- [1] A. A. Ahmed, W. Ali, T. A. A. Abdullah, and S. J. Malebary, "Classifying Cardiac Arrhythmia from ECG Signal Using 1D CNN Deep Learning Model," *Mathematics*, vol. 11, no. 3, Feb. 2023, doi: 10.3390/math11030562.
- [2] A. Sau *et al.*, "Artificial Intelligence (Machine Learning , Deep Learning) Prediction of mortality , future arrhythmia and cardiovascular disease : an artificial intelligence-enhanced electrocardiography platform," vol. 45, pp. 1–2, 2024.
- [3] S. Morokuma, T. Saitoh, M. Kanegae, N. Motomura, S. Ikeda, and K. Niizeki, "Prediction of ECG signals from ballistocardiography using deep learning for the unconstrained measurement of heartbeat intervals," *Sci. Rep.*, vol. 15, no. 1, pp. 1–18, 2025, doi: 10.1038/s41598-024-84049-0.
- [4] V. Sangha *et al.*, "Automated multilabel diagnosis on electrocardiographic images and signals," *Nat. Commun.*, vol. 13, no. 1, 2022, doi: 10.1038/s41467-022-29153-3.
- [5] L. Montenegro, M. Abreu, A. Fred, and J. M. Machado, "Human-Assisted vs. Deep Learning Feature Extraction: An Evaluation of ECG Features Extraction Methods for Arrhythmia Classification Using Machine Learning," *Appl. Sci.*, vol. 12, no. 15, Aug. 2022, doi: 10.3390/app12157404.
- [6] M. Martínez-Sellés and M. Marina-Breysse, "Current and Future Use of Artificial Intelligence in Electrocardiography," *J. Cardiovasc. Dev. Dis.*, vol. 10, no. 4, 2023, doi: 10.3390/jcdd10040175.
- [7] M. Iqbal, W. Kamarullah, C. Achmad, G. Karwiky, and M. R. Akbar, "The pivotal role of compelling high-risk electrocardiographic markers in prediction of ventricular arrhythmic risk in arrhythmogenic right ventricular cardiomyopathy: A systematic review and meta-analysis," *Curr. Probl. Cardiol.*, vol. 49, no. 2, p. 102241, 2024, doi: 10.1016/j.cpcardiol.2023.102241.
- [8] S. Din, M. Qaraqe, O. Mourad, K. Qaraqe, and E. Serpedin, "ECG-based cardiac arrhythmias detection through ensemble learning and fusion of deep spatial–temporal and long-range dependency features," *Artif. Intell. Med.*, vol. 150, no. April 2023, p. 102818, 2024, doi: 10.1016/j.artmed.2024.102818.

- [9] N. Katal, S. Gupta, P. Verma, and B. Sharma, "Deep-Learning-Based Arrhythmia Detection Using ECG Signals: A Comparative Study and Performance Evaluation," *Diagnostics*, vol. 13, no. 24, 2023, doi: 10.3390/diagnostics13243605.
- [10] S. U. Hassan, M. S. Mohd Zahid, T. A. A. Abdullah, and K. Husain, "Classification of cardiac arrhythmia using a convolutional neural network and bi-directional long short-term memory," *Digit. Heal.*, vol. 8, 2022, doi: 10.1177/20552076221102766.
- [11] J. Lai *et al.*, "Practical intelligent diagnostic algorithm for wearable 12-lead ECG via self-supervised learning on large-scale dataset," *Nat. Commun.*, vol. 14, no. 1, 2023, doi: 10.1038/s41467-023-39472-8.
- [12] M. Opoku Agyeman, A. F. Guerrero, and Q. T. Vien, "Classification Techniques for Arrhythmia Patterns Using Convolutional Neural Networks and Internet of Things (IoT) Devices," *IEEE Access*, vol. 10, no. June, pp. 87387–87403, 2022, doi: 10.1109/ACCESS.2022.3192390.
- [13] R. Rohmantri and N. Surantha, "Arrhythmia classification using 2D convolutional neural network," *Int. J. Adv. Comput. Sci. Appl.*, vol. 11, no. 4, pp. 201–208, 2020, doi: 10.14569/IJACSA.2020.0110427.
- [14] W. Caesarendra *et al.*, "An Embedded System Using Convolutional Neural Network Model for Online and Real-Time ECG Signal Classification and Prediction," *Diagnostics*, vol. 12, no. 4, pp. 1–19, 2022, doi: 10.3390/diagnostics12040795.
- [15] H. Tesfai *et al.*, "Lightweight Shufflenet Based CNN for Arrhythmia Classification," *IEEE Access*, vol. 10, no. August, pp. 111842–111854, 2022, doi: 10.1109/ACCESS.2022.3215665.
- [16] S. Mandala, W. Jatmiko, S. Nurmaini, A. Rizal, and Adiwijaya, "OCADN: Improving Accuracy in Multi-class Arrhythmia Detection from ECG Signals with a Hyperparameter-Optimized CNN," *IEEE Access*, vol. 13, no. December 2024, pp. 34687–34705, 2025, doi: 10.1109/ACCESS.2025.3544273.
- [17] S. L. Oh, E. Y. K. Ng, R. S. Tan, and U. R. Acharya, "Automated diagnosis of arrhythmia using combination of CNN and LSTM techniques with variable length heart beats," *Comput. Biol. Med.*, vol. 102, pp. 278–287, Nov. 2018, doi: 10.1016/j.compbiomed.2018.06.002.
- [18] A. H. Khan, M. Hussain, and M. K. Malik, "Cardiac disorder classification by

- electrocardiogram sensing using deep neural network,” *Complexity*, vol. 2021, 2021, doi: 10.1155/2021/5512243.
- [19] Y. Ansari, O. Mourad, K. Qaraqe, and E. Serpedin, “Deep learning for ECG Arrhythmia detection and classification: an overview of progress for period 2017–2023,” *Front. Physiol.*, vol. 14, no. September, 2023, doi: 10.3389/fphys.2023.1246746.
- [20] J. Huang, B. Chen, B. Yao, and W. He, “ECG Arrhythmia Classification Using STFT-Based Spectrogram and Convolutional Neural Network,” *IEEE Access*, vol. 7, pp. 92871–92880, 2019, doi: 10.1109/ACCESS.2019.2928017.
- [21] A. Ullah, S. M. Anwar, M. Bilal, and R. M. Mehmood, “Classification of arrhythmia by using deep learning with 2-D ECG spectral image representation,” *Remote Sens.*, vol. 12, no. 10, pp. 1–14, 2020, doi: 10.3390/rs12101685.
- [22] D. Kim *et al.*, “A novel hybrid CNN-transformer model for arrhythmia detection without R-peak identification using stockwell transform,” *Sci. Rep.*, vol. 15, no. 1, pp. 1–11, 2025, doi: 10.1038/s41598-025-92582-9.
- [23] M. Kolhar and A. M. Al Rajeh, “Deep learning hybrid model ECG classification using AlexNet and parallel dual branch fusion network model,” *Sci. Rep.*, vol. 14, no. 1, p. 26919, 2024, doi: 10.1038/s41598-024-78028-8.
- [24] K. Weimann and T. O. F. Conrad, “Transfer learning for ECG classification,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–12, 2021, doi: 10.1038/s41598-021-84374-8.
- [25] C. Ding, T. Yao, C. Wu, and J. Ni, “Deep Learning for Personalized Electrocardiogram Diagnosis: A Review,” 2024, [Online]. Available: <http://arxiv.org/abs/2409.07975>
- [26] S. Khurshid *et al.*, “ECG-Based Deep Learning and Clinical Risk Factors to Predict Atrial Fibrillation,” *Circulation*, vol. 145, no. 2, pp. 122–133, 2022, doi: 10.1161/CIRCULATIONAHA.121.057480.
- [27] M. Ezz, “Deep Learning-Driven Single-Lead ECG Classification: A Rapid Approach for Comprehensive Cardiac Diagnostics,” *Diagnostics*, vol. 15, no. 3, 2025, doi: 10.3390/diagnostics15030384.
- [28] J. Given Hamonangan, A. S. Rahmi, S. J. Lase, N. Suhendi Syafei, and A. Turnip, “JIIF (Jurnal Ilmu dan Inovasi Fisika) DETEKSI DINI ARITMIA MENGGUNAKAN K-NEAREST NEIGHBOUR,” vol. 08, no. 01, pp. 86–95, 2024, [Online]. Available: <https://doi.org/10.24198/jiif.v8i1>

- [29] Z. Ebrahimi, M. Loni, M. Daneshtalab, and A. Gharehbaghi, "A review on deep learning methods for ECG arrhythmia classification," 2020, doi: 10.1016/j.eswax.2020.10.
- [30] S. Aziz, S. Ahmed, and M. S. Alouini, "ECG-based machine-learning algorithms for heartbeat classification," *Sci. Rep.*, vol. 11, no. 1, Dec. 2021, doi: 10.1038/s41598-021-97118-5.
- [31] P. Madona, R. I. Basti, and M. M. Zain, "PQRST wave detection on ECG signals," *Gac. Sanit.*, vol. 35, pp. S364–S369, 2021, doi: 10.1016/j.gaceta.2021.10.052.
- [32] Y. Ji, S. Zhang, and W. Xiao, "Electrocardiogram classification based on faster regions with convolutional neural network," *Sensors (Switzerland)*, vol. 19, no. 11, 2019, doi: 10.3390/s19112558.
- [33] M. Wu, Y. Lu, W. Yang, and S. Y. Wong, "A Study on Arrhythmia via ECG Signal Classification Using the Convolutional Neural Network," *Front. Comput. Neurosci.*, vol. 14, no. January, pp. 1–10, 2021, doi: 10.3389/fncom.2020.564015.
- [34] P. Madan, V. Singh, D. P. Singh, M. Diwakar, B. Pant, and A. Kishor, "A Hybrid Deep Learning Approach for ECG-Based Arrhythmia Classification," *Bioengineering*, vol. 9, no. 4, pp. 1–26, 2022, doi: 10.3390/bioengineering9040152.
- [35] M. Abu-Alhaija and N. M. Turab, "Automated learning of ecg streaming data through machine learning internet of things," *Intell. Autom. Soft Comput.*, vol. 32, no. 1, pp. 45–53, 2022, doi: 10.32604/IASC.2022.021426.
- [36] M. Sraitih, Y. Jabrane, and A. H. El Hassani, "An automated system for ECG arrhythmia detection using machine learning techniques," *J. Clin. Med.*, vol. 10, no. 22, Nov. 2021, doi: 10.3390/jcm10225450.