

DAFTAR PUSTAKA

1. American Heart Association. Stroke [Internet]. Dallas; 2023. Available from: <https://www.stroke.org/>
2. Feigin VL, Abate MD, Abate YH, Abd ElHafeez S, Abd-Allah F, Abdelalim A, et al. Global, regional, and national burden of stroke and its risk factors, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021. *Lancet Neurol.* 2024;23(10):973–1003. doi:[https://doi.org/10.1016/S1474-4422\(24\)00369-7](https://doi.org/10.1016/S1474-4422(24)00369-7)
3. Kementerian Kesehatan Republik Indonesia. Survei Kesehatan Indonesia (SKI) 2023 Dalam Angka [Internet]. 2023. Available from: <https://www.badankebijakan.kemkes.go.id/ski-2023-dalam-angka/>
4. Darmawati A, Prasetyo S, Najah M. Stroke pada lansia di Indonesia: Gambaran faktor risiko berdasarkan gender (SKI 2023). *Jurnal Biostatistik, Kependudukan dan Informatika TASA Kesehatan.* 2024;5(1):33–44. doi:<https://doi.org/10.7454/bikfokes.v5i1.1092>
5. Itami Y, Tanaka K, Suzuki M, others. Clinical characteristics of ischemic stroke in young adults: a population-based study. *Journal of Stroke and Cerebrovascular Diseases.* 2020;29(5):104765. doi:<https://doi.org/10.1016/j.jstrokecerebrovasdis.2020.104914>
6. Calvo CP, José G, Pacheco T, Nicolás C, Vélez T, Cesar J, et al. Stroke in Young Patients: Epidemiology, Manifestations, Diagnosis and Treatment. 2021;90–103. doi:<https://doi.org/10.34297/AJBSR.2021.15.002076>
7. Alchuriyah S, Wahjuni CU. The Factors that Affect Stroke at Young Age in Brawijaya Hospital Surabaya. *Jurnal Berkala Epidemiologi.* 2016;4(1):62–73. doi:<https://doi.org/10.20473/jbe.v4i1.2016.62-73>
8. Budianto P, Prabaningtyas H, Putra SE, Mirawati DK, Muhammad F, Hafizan M. Stroke Iskemik Akut: Dasar dan Klinis [Internet]. 1st ed. Jakarta; 2021 [cited 2026 Jul 8]. Available from: https://www.researchgate.net/publication/348190410_STROKE_ISKEMIK_AKUT_DASAR_DAN_KLINIS
9. Whitehead S, Baalbergen E. Post-stroke rehabilitation. *South African Medical Journal.* 2019;109(2):81–3. doi:<https://doi.org/10.7196/SAMJ.2019.v109i2.00011>
10. Shahid J, Kashif A, Shahid MK. A comprehensive review of physical therapy interventions for stroke rehabilitation: impairment-based approaches and functional goals. *Brain Sci.* 2023;13(5):717. doi:<https://doi.org/10.3390/brainsci13050717>
11. Ho LYW, Lai CKY, Ng SSM. Effects of non-pharmacological interventions on fatigue in people with stroke: a systematic review and meta-analysis. *Top Stroke Rehabil.* 2024 Jul 3;31(5):474–92. doi:<https://doi.org/10.1080/10749357.2024.2304966>
12. Kartika AB. Faktor-faktor yang mempengaruhi keberhasilan rehabilitasi pasien pasca stroke. *Jurnal Medika Utama* [Internet]. 2022;3(2):681–92. Available from: <http://www.jurnalmedikahutama.com/index.php/JMH/article/view/454>
13. Morreale M, Marchione P, Pili A, Lauta A, Castiglia SF, Spallone A, et al. Early versus delayed rehabilitation treatment in hemiplegic patients with ischemic stroke: proprioceptive or cognitive approach? *Eur J Phys Rehabil Med.* 2016;52(1):81–9. doi:<https://doi.org/10.23736/S1973-9087.15.03120-0>
14. Wang J, Zhang Y, Zhang Z, Liu H. A systematic review and meta-analysis of clinical efficacy of early and late rehabilitation interventions for ischemic stroke. *BMC Neurol.* 2024;24(1):122. doi:<https://doi.org/10.1186/s12883-018-1122-4>

15. Bernhardt J, English C, Johnson L, Cumming TB. Early mobilization after stroke: Early adoption but limited evidence. *Stroke*. 2021;52(3):e30–e32. doi:<https://doi.org/10.1161/STROKEAHA.114.00743>
16. Wei X, Sun S, Zhang M, Zhao Z. A systematic review and meta-analysis of clinical efficacy of early and late rehabilitation interventions for ischemic stroke. *BMC Neurol*. 2024;24(1):91. doi:<https://doi.org/10.1186/s12883-02403565-8>
17. Gaswi U, Kurniawati N, Achwan A. Pengaruh mobilisasi dini dengan Motor Relearning Program terhadap fungsional ekstremitas atas pasien stroke iskemik. *Jurnal Fisioterapi dan Kesehatan Indonesia*. 2023;3(1):106–11. doi:<https://doi.org/10.59946/jfki.2023.181>
18. Roesner K, Scheffler B, Kaehler M, Schmidt-Maciejewski B, Boettger T, Saal S. Effects of physical therapy modalities for motor function, functional recovery, and post-stroke complications in patients with severe stroke: a systematic review update. *Syst Rev*. 2024;13(1):270. doi:<https://doi.org/10.1186/s13643-024-02676-0>
19. Yen HC, Jeng JS, Chen WS, Pan GS, Chuang WY, Lee YY, et al. Early mobilization of mild–moderate intracerebral hemorrhage patients in a stroke center: a randomized controlled trial. *Neurorehabil Neural Repair*. 2020;34(1):72–81. doi:<https://doi.org/10.1177/1545968319893294>
20. Ferina DA, Rahmawati NA. Penatalaksanaan fisioterapi pada kasus stroke iskemik di Rumah Sakit Muhammadiyah Lamongan: studi kasus. *Jurnal Kesehatan Unggul Gemilang* [Internet]. 2024;8(10). Available from: <https://oaj.jurnalhst.com/index.php/jkug/article/view/4933/5173>
21. Adnyana IMO. Stroke Iskemik: dari Patofisiologi Sampai Kematian Sel (Nekrosis dan Apoptosis) dan Astrosit sebagai Target Neuroprotektor [Internet]. Denpasar: PT Intisari Sains Medis; 2020. Available from: https://ijelajahilmu.id/wp-content/uploads/2025/02/007_-_monograf_dr._oka_-_layout.pdf
22. Tsao CW, Aday AW, Almarzooq ZI, Alonso A, Beaton AZ, Bittencourt MS, et al. Heart Disease and Stroke Statistics—2022 Update: A Report From the American Heart Association. *Circulation*. 2022 Feb 22;145(8):e153–e639. doi:10.1161/CIR.0000000000001052
23. Pandian JD, Padma Srivastava M V, Aaron S, Ranawaka UK, Venketasubramanian N, Sebastian IA, et al. The burden, risk factors and unique etiologies of stroke in South-East Asia Region (SEAR). *The Lancet Regional Health – Southeast Asia*. 2023;17:100290. doi:<https://doi.org/10.1016/j.lansea.2023.100290>
24. Birawa ABP, Amalia L. Stroke pada Usia Muda. *Cermin Dunia Kedokteran* [Internet]. 2015;42(10). Available from: <https://www.neliti.com/publications/398441/stroke-pada-usia-muda>
25. Menteri Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia [Internet]. 2016. Available from: <https://peraturan.bpk.go.id/Details/113087/permenkes-no-39-tahun-2016>
26. GBD 2021 Stroke Collaborators. Global, regional, and national burden of ischemic stroke, 1990–2021: a systematic analysis for the Global Burden of Disease Study 2021. *Lancet Neurol*. 2024;23(4):312–28. doi:10.1016/S1474-4422(24)00234-5
27. Budianto P, Mirawati DK, Prabaningtyas HR, Putra SE, Hafizhan M, Muhammad F. Stroke Iskemik Akut: Dasar dan Klinis [Internet]. Subandi, Hamidi BL, editors. Surakarta: UNS Press; 2021. Available from: <https://unspress.uns.ac.id/books/stroke-iskemik-akut-dasar-dan-klinis/>

28. Ermine CM, Bivard A, Parsons MW, Baron JC. The ischemic penumbra: From concept to reality. *International Journal of Stroke*. 2020;16(5):497–509. doi:<https://doi.org/10.1177/1747493020975229>
29. Majumder D. Ischemic Stroke: Pathophysiology and Evolving Treatment Approaches. *Neurosci Insights*. 2024;19:26331055241292600. doi:<https://doi.org/10.1177/26331055241292600>
30. Kanekar SG, Zacharia T, Roller R. Imaging of stroke: part 2, pathophysiology at the molecular and cellular levels and corresponding imaging changes. *American Journal of Roentgenology*. 2012;198(1):63–74. doi:<https://doi.org/10.2214/AJR.10.7312>
31. Grefkes C, Fink GR. Recovery from stroke: current concepts and future perspectives. *Neurol Res Pract*. 2020;2(1):17. doi:<https://doi.org/10.1186/s42466-020-00060-6>
32. Jiang Y, Zhang Y, Tan H, Li J, Yu Y, Zhang Y, et al. Mesenchymal stem cells in ischemic stroke: progress and challenges. *Cell Transplant*. 2021;30:963689721991183. doi:<https://doi.org/10.1177/0963689721991183>
33. Martínez-Coria H, Arrieta-Cruz I, Cruz ME, López-Valdés HE. Physiopathology of ischemic stroke and its modulation using memantine: evidence from preclinical stroke. *Neural Regen Res*. 2021;16(3):433–9. doi:<https://doi.org/10.4103/1673-5374.293129>
34. Aderinto N, Olatunji G, Kokori E, Babalola AE, Yusuf IA, Apampa OO, et al. Stem cell therapies in stroke rehabilitation: a narrative review of current strategies and future prospects. *Egypt J Neurol Psychiatr Neurosurg*. 2024 Jun 28;60(1):79. doi:[10.1186/s41983-024-00851-7](https://doi.org/10.1186/s41983-024-00851-7)
35. Muir KW, Bulters D, Willmot M, Sprigg N, Dixit A, Ward N, et al. Intracerebral implantation of human neural stem cells and motor recovery after stroke: multicentre prospective single-arm study (PISCES-2). *J Neurol Neurosurg Psychiatry*. 2020 Apr;91(4):396–401. doi:[10.1136/jnnp-2019-322515](https://doi.org/10.1136/jnnp-2019-322515)
36. Hassa T, Schmidt J, Maetzler W, others. The locations of stroke lesions next to the posterior internal capsule may predict the recovery of the related proprioceptive deficits. *Front Neurosci*. 2023;17:1248975. doi:<https://doi.org/10.3389/fnins.2023.1248975>
37. De Las Heras S, Taylor M, Stagg C, others. Lesion location changes the association between brain excitability and motor skill acquisition post-stroke. *medRxiv*. 2024. doi:<https://doi.org/10.1101/2024.07.30.24311146>
38. Kancheva I, van der Salm SMA, Ramsey NF, Vansteensel MJ. Association between lesion location and sensorimotor rhythms in stroke – a systematic review with narrative synthesis. *Neurological Sciences*. 2023 Dec 22;44(12):4263–89. doi:[10.1007/s10072-023-06982-8](https://doi.org/10.1007/s10072-023-06982-8)
39. Hope TMH, Seghier ML, Prejawa S, Leff AP, Price CJ. Distinguishing the effect of lesion load from tract disconnection in the arcuate and uncinate fasciculi. *Neuroimage*. 2016 Jan 22;125(5):1169–73. doi:[10.1016/j.neuroimage.2015.09.025](https://doi.org/10.1016/j.neuroimage.2015.09.025)
40. Koch PJ, Park CH, Girard G, Beanato E, Egger P, Evangelista GG, et al. The structural connectome and motor recovery after stroke: predicting natural recovery. *Brain*. 2021 Aug 17;144(7):2107–19. doi:[10.1093/brain/awab082](https://doi.org/10.1093/brain/awab082)
41. Saver JL, Goyal M, van der Lugt A, others. Time to treatment with endovascular thrombectomy and outcomes from ischemic stroke: A meta-analysis. *JAMA*. 2021;325(10):933–42. doi:<https://doi.org/10.1001/jama.2020.22388>

42. Meretoja A, Keshtkaran M, Saver JL, Tatlisumak T, Parsons MW, Kaste M, et al. Stroke Thrombolysis. *Stroke*. 2014 Apr;45(4):1053–8. doi:10.1161/STROKEAHA.113.002910
43. Piasecki M, Ireland A, Jones DA, McPhee JS. Ageing and skeletal muscle: Endocrine, neuromuscular and molecular factors. *J Physiol*. 2021;599(13):4493–512. doi:https://doi.org/10.1007/s10522-015-9627-3
44. Rowe JB, Siebner H, Filipović SR, others. Aging is associated with reduced plasticity of motor cortex and poorer outcomes after rehabilitation. *Neurorehabil Neural Repair*. 2020;34(9):795–803. doi:https://doi.org/10.1177/1545968320940985
45. Wicaksana IEP, Wati AP, Muhartomo H. Perbedaan Jenis Kelamin Sebagai Faktor Risiko Terhadap Keluaran Klinis Pasien Stroke Iskemik. *Jurnal Kedokteran Diponegoro*. 2017;6(2):655–62. doi:https://doi.org/10.14710/dmj.v6i2.18583
46. Klick SM, Magnuson JR, Penko L, Rubino C, Rajendran A, Denyer R, et al. Females versus males exhibit greater brain activation in sensorimotor regions during motor imagery after stroke. *Neuroscience*. 2025;582:104–13. doi:https://doi.org/10.1016/j.neuroscience.2025.07.031
47. Langhorne P, Bernhardt J, Kwakkel G. Stroke rehabilitation. *The Lancet*. 2020;396(10263):1927–38. doi:https://doi.org/10.1016/S0140-6736(11)60325-5
48. Chen W, others. Early physical rehabilitation therapy between 24 and 48 h following acute ischemic stroke onset: a randomized controlled trial. *Journal of Stroke and Cerebrovascular Diseases*. 2021;30(5):104649. doi:https://doi.org/10.1080/09638288.2021.1897168
49. Rossi R, others. How Do the Timing of Early Rehabilitation Together with Cognitive and Functional Variables Influence Stroke Recovery? Results from the CogniReMo Italian Multicentric Study. *Healthcare*. 2023;13(3):316. doi:https://doi.org/10.3390/healthcare13030316
50. Otokita S, Uematsu H, Kunisawa S, Sasaki N, Fushimi K, Imanaka Y. Impact of rehabilitation start time on functional outcomes after stroke. *J Rehabil Med*. 2021;53(1). doi:https://doi.org/10.2340/16501977-2775
51. Kwakkel G, Winters C, van Wegen EEH, Nijland RHM, van Kuijk AAA, Visser-Meily A, et al. Effects of Unilateral Upper Limb Training in Two Distinct Prognostic Groups Early After Stroke. *Neurorehabil Neural Repair*. 2016 Oct 10;30(9):804–16. doi:10.1177/1545968315624784
52. Veerbeek JM, van Wegen EE, van Peppen RP, others. What is the evidence for physical therapy post-stroke? A systematic review and meta-analysis. *PLoS One*. 2014;9(2):e87987. doi:https://doi.org/10.1371/journal.pone.0087987
53. Salvalaggio S, Valè N, Bowman T, Cattaneo D, Allera Longo C, others. Association of physiotherapy dose with motor recovery in early subacute phase after stroke: results from a multicenter Italian study. *Arch Physiother*. 2025;15(1):110–7. doi:https://doi.org/10.33393/aop.2025.3457
54. Noé E, Gómez A, Bernabeu M, Quemada I, Rodríguez R, Pérez T, et al. Guidelines: Basic principles of neurorehabilitation for patients with acquired brain injury. Recommendations of the Spanish Society of Neurorehabilitation. *Neurología*. 2024;39(3):261–81. doi:https://doi.org/10.1016/j.nrl.2021.06.009
55. Cucurullo SJ. Physical Medicine and Rehabilitation Board Review [Internet]. 5th ed. Philadelphia: Wolters Kluwer; 2021. Available from: <https://www.springerpub.com/physical-medicine-and-rehabilitation-board-review-9780826137081>.

56. Qian J, Fan L, Zhang W, Wang J, Qiu J, Wang Y. A meta-analysis of collateral status and outcomes of mechanical thrombectomy. *Acta Neurol Scand.* 2020;142(3):191–9. doi:<https://doi.org/10.1111/ane.13255>
57. Sablić S, Dolić K, Budimir Mršić D, Čičmir-Vestić M, Matana A, Lovrić Kojundžić S, et al. Communicating Arteries and Leptomeningeal Collaterals: A Synergistic but Independent Effect on Patient Outcomes after Stroke. *Neurol Int.* 2024;16(3):620–30. doi:<https://doi.org/10.3390/neurolint16030046>
58. Troeung L, Manna G, Wagland J, Martini A. Effects of comorbidity on post-acute outcomes in acquired brain injury: ABI-REStART 1991–2020. *Ann Phys Rehabil Med.* 2023;66:101669. doi:<https://doi.org/10.1016/j.rehab.2022.101669>
59. Li X, Yang Z, Wang S, Xu P, Wei T, Zhao X, et al. Impact of shoulder subluxation on peripheral nerve conduction and function of hemiplegic upper extremity in stroke patients: a retrospective, matched-pair study. *Neurol Res.* 2021;43(6):511–9. doi:<https://doi.org/10.1080/01616412.2020.1870360>
60. Gunnes M, Indredavik B, Langhammer B, Lydersen S, Ihle-Hansen H, Dahl AE, et al. Associations between adherence to the physical activity and exercise program applied in the LAST study and functional recovery after stroke. *Arch Phys Med Rehabil.* 2019;100(12):2251–9. doi:<https://doi.org/10.1016/j.apmr.2019.04.023>
61. Teasell R, Hussein N, Foley N, others. Evidence-Based Review of Stroke Rehabilitation [Internet]. 19th ed. Canadian Partnership for Stroke Recovery; 2024. Available from: <https://www.ebrsr.com>
62. Kementerian Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia Nomor 80 Tahun 2013 tentang Penyelenggaraan Pekerjaan dan Praktik Fisioterapi [Internet]. Jakarta: Kemenkes RI; 2013. Available from: <https://peraturan.go.id/id/permenkes-no-80-tahun-2013>
63. Suprpto AM, Ridwan R, Priyanto S. Optimalisasi manajemen fisioterapi untuk pemulihan motorik upper extremity pasien post-stroke: tinjauan literatur. *Jurnal Fisioterapi dan Rehabilitasi.* 2025;7(2):143–8. doi:<https://doi.org/10.24127/fisioterapi.v4i1.7935>
64. Manapure SA. Effectiveness of Proprioceptive Neuromuscular Facilitation Technique on Balance and Mobility in Chronic Stroke Patient. *Journal of Prevention, Diagnosis and Management of Human Diseases.* 2024 Feb 23;6(42):9–20. doi:10.55529/jpdmhd.42.9.20
65. Permana A, Yuliana S. Efektivitas terapi infra merah terhadap penurunan nyeri pada pasien pasca stroke. *Jurnal Ilmiah Kesehatan.* 2022;15(1):25–30. doi:<https://doi.org/10.30651/jkm.v7i2.11394>
66. Gharib NM, Aboumoussa AM, Elowishy AA, Rezk-Allah SS, Yousef FS. Efficacy of electrical stimulation as an adjunct to repetitive task practice therapy on skilled hand performance in hemiparetic stroke patients: a randomized controlled trial. *Clin Rehabil.* 2015 Apr 14;29(4):355–64. doi:10.1177/0269215514544131
67. Bae SH, Kim GD. Effects of neurodevelopmental treatment on postural control and activities of daily living in patients with stroke: A systematic review and meta-analysis. *Healthcare.* 2020;8(4):458. doi:<https://doi.org/10.3390/healthcare11152225>
68. Fang SH, Lin CC, Liao WL, Hsu HC, Kuo JR. Motor recovery status and cognitive level among patients with stroke at different poststroke durations. *International Journal of Occupational Therapy.* 2024;31(1):13–21. doi:https://doi.org/10.4103/ijoth.ijoth_21_24
69. Marquez-Chin C, Popovic MR. Functional electrical stimulation therapy for restoration of motor function after spinal cord injury and stroke: a review. *Biomed*

- Eng Online. 2020 Dec 24;19(1):34. doi:<https://doi.org/10.1186/s12938-020-00773-4>
70. Rao S, Huang M, Chung SG, Zhang LQ. Effect of Stretching of Spastic Elbow Under Intelligent Control in Chronic Stroke Survivors—A Pilot Study. *Front Neurol*. 2021 Dec 14;12(5):393–400. doi:[10.3389/fneur.2021.742260](https://doi.org/10.3389/fneur.2021.742260)
 71. Mong Y, Teo TW, Ng SS. 5-Repetition Sit-to-Stand Test in Subjects With Chronic Stroke: Reliability and Validity. *Arch Phys Med Rehabil*. 2010 Mar;91(3):407–13. doi:[10.1016/j.apmr.2009.10.030](https://doi.org/10.1016/j.apmr.2009.10.030)
 72. Mentiplay BF, Tan D, Williams G, Adair B, Pua YH, Bower KJ, et al. Assessment of isometric muscle strength and rate of torque development with hand-held dynamometry: Test-retest reliability and relationship with gait velocity after stroke. *J Biomech*. 2018 Jun;75(3):171–5. doi:[10.1016/j.jbiomech.2018.04.032](https://doi.org/10.1016/j.jbiomech.2018.04.032)
 73. Florence JM, Pandya S, King WM, Robison JD, Baty J, Miller JP, et al. Intrarater Reliability of Manual Muscle Test (Medical Research Council Scale) Grades in Duchenne's Muscular Dystrophy. *Phys Ther*. 1992 Feb 1;72(2):115–22. doi:[10.1093/ptj/72.2.115](https://doi.org/10.1093/ptj/72.2.115)
 74. Armijo-Olivo S, de Castro-Carletti EM, Calixtre LB, de Oliveira-Souza AIS, Mohamad N, Fuentes J. Understanding Clinical Significance in Rehabilitation. *Am J Phys Med Rehabil*. 2022 Jan;101(1):64–77. doi:[10.1097/PHM.0000000000001799](https://doi.org/10.1097/PHM.0000000000001799)
 75. Xie H, Gao Z, Fan Y, Shi J, Tang Y, Cha B, et al. Clinical observation of acupuncture combined with modern rehabilitation in the treatment of limb motor dysfunction after ischemic stroke: A randomized controlled trial. *Medicine*. 2022 Nov 11;101(45):e31703. doi:[10.1097/MD.00000000000031703](https://doi.org/10.1097/MD.00000000000031703)
 76. Li J, Zhang B, Dai X, Qi M, Liu B. Knowledge Ecology and Policy Governance of Green Finance in China—Evidence from 2469 Studies. *Int J Environ Res Public Health*. 2022 Dec 23;20(1):202. doi:[10.3390/ijerph20010202](https://doi.org/10.3390/ijerph20010202)
 77. Wirawan RP. Rehabilitasi stroke pada pelayanan kesehatan primer. *Majalah Kedokt Indones* [Internet]. 2009;59(2):61–71. Available from: <https://d1wqtxts1xzle7.cloudfront.net/36799949/626-673-1-PB-libre.pdf>
 78. Kementerian Kesehatan Republik Indonesia. Petunjuk Penanganan Stroke [Internet]. Jakarta; 2021. Available from: <http://www.kemendes.go.id>
 79. Schneider TR, Dittrich TD, Kahles T, Katan M, Luft AR, Mono ML, et al. First ischemic stroke in young adults: Sex and age-related differences in stroke rates, risk factors, and etiologies. *Eur Stroke J*. 2025;10(3):882–91. doi:<https://doi.org/10.1177/23969873251317347>
 80. Khan M, Wasay M, O'Donnell MJ, Iqbal R, Langhorne P, Rosengren A, et al. Risk Factors for Stroke in the Young (18-45 Years): A Case-Control Analysis of INTERSTROKE Data from 32 Countries. *Neuroepidemiology*. 2023;57(5):275–83. doi:<https://doi.org/10.1159/000530675>
 81. Ibzea S, Fatrous T, Hussain S, Abdurrahman M, Duodu Y. Sex differences in stroke outcomes: a retrospective analysis. *Discover Public Health*. 2025;22(1):901. doi:<https://doi.org/10.1186/s12982-025-01324-9>
 82. Leppert MH, Burke JF, Lisabeth LD, Madsen TE, Kleindorfer DO, Sillau S, et al. Systematic Review of Sex Differences in Ischemic Strokes Among Young Adults—Are Young Women Disproportionately at Risk? *Stroke*. 2022;53(2):319–27. doi:<https://doi.org/10.1161/STROKEAHA.121.037117>
 83. Aked J, Delavaran H, Wennerström F, Lindgren AG. Recovery, Functional Status, and Health-Related Quality of Life Status up to 4 Years after First-Ever Stroke

- Onset: A Population-Based Study. *Neuroepidemiology*. 2024;58(2):481–91. doi:<https://doi.org/10.1159/000538222>
84. Skajaa N, Adelborg K, Horváth-Puhó E, Rothman KJ, Henderson VW, Thygesen LC, et al. Risks of Stroke Recurrence and Mortality After First and Recurrent Strokes in Denmark: A Nationwide Registry Study. *Neurology*. 2022;98(4):e329–e342. doi:<https://doi.org/10.1212/WNL.00000000000013118>
 85. de Havenon A, Viscoli C, Kleindorfer D, Sucharew H, Delic A, Becker C, et al. Disability and Recurrent Stroke Among Participants in Stroke Prevention Trials. *JAMA Netw Open*. 2024;7(7):e2423677. doi:<https://doi.org/10.1001/jamanetworkopen.2024.23677>
 86. Ruan H, Ran X, Li SS, Zhang Q. Dyslipidemia versus obesity as predictors of ischemic stroke prognosis: a multi-center study in China. *Lipids Health Dis*. 2024;23(1):72. doi:<https://doi.org/10.1186/s12944-024-02061-9>
 87. Kusuma Y, Venketasubramanian N, Kiemas LS, Misbach J. Profile of stroke events, risk factors, acute management and outputs from the ASEAN Neurological Association (ASNA) Stroke Registry in Indonesia. *International Journal of Stroke*. 2016;11(1):23–9. doi:<https://doi.org/10.1177/1747493015607514>
 88. Kementerian Kesehatan Republik Indonesia. Laporan Nasional Survei Kesehatan Indonesia (SKI) 2023 [Internet]. Jakarta; 2024. Available from: <https://www.kemkes.go.id/id/survei-kesehatan-indonesia-ski-2023>
 89. Setiawan A, Yuliano A, Putra M, Sari LM. Dislipidemia sebagai Faktor Risiko Dominan Stroke pada Penderita Hipertensi. *Jurnal Kesehatan Perintis*. 2025;12(2):210–6. doi:<https://doi.org/10.33653/gdfeps98>
 90. Mohammad A, Yadav I, Lashari UG, Sabra S, Sabra A, Sabra M, et al. Hypertension and Risk of Stroke: A Systematic Review and Meta-Analysis. *Cureus*. 2025;17(12):e99863. doi:<https://doi.org/10.7759/cureus.99863>
 91. Mosenzon O, Cheng A, Rabinstein A, Sacco S. Diabetes and Stroke: What Are the Connections? *J Stroke*. 2023;25:26–38. doi:<https://doi.org/10.5853/jos.2022.02306>
 92. Amanzonwe ER, Kossi O, Noukpo SI, Adoukonou T, Hansen D, Triccas LT, et al. Physiotherapy practices in acute and sub-acute stroke in a low resource country: A prospective observational study in Benin. *Journal of Stroke and Cerebrovascular Diseases*. 2023;32(11):107353. doi:<https://doi.org/10.1016/j.jstrokecerebrovasdis.2023.107353>
 93. Kementerian Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia Nomor 26 Tahun 2021 tentang Standar Tarif Pelayanan Kesehatan dalam Penyelenggaraan Program Jaminan Kesehatan [Internet]. Jakarta: Kementerian Kesehatan RI; 2021. Available from: <https://peraturan.go.id/id/permenkes-no-26-tahun-2021>
 94. Winstein CJ, Stein J, Arena R, Bates B, Cherney LR, Cramer SC, et al. Guidelines for adult stroke rehabilitation and recovery: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2016;47(6):e98–e169. doi:<https://doi.org/10.1161/STR.0000000000000098>
 95. Filipaska-Blejder K, Jaracz K, Ślusarz R. Efficacy and Safety of Early Mobilization and Factors Associated with Rehabilitation After Stroke-Review. *J Clin Med*. 2025;14(5). doi:<https://doi.org/10.3390/jcm14051585>
 96. Du M, Chen L, Li Y, Xia L, Liu Y, Guo M, et al. Effect of exercise-based interventions on stroke rehabilitation: an umbrella review of systematic reviews and meta-analyses. *J Neuroeng Rehabil*. 2025 Nov 17;22(1):240. doi:10.1186/s12984-025-01781-y

97. Sikuka HM, Lupenga J, Nkhata L. Predictors of upper limb motor recovery in stroke survivors: A pre-post test study design. *BMJ Open*. 2024 Nov 28;14(11). doi:10.1136/bmjopen-2023-081936 PubMed PMID: 39613425.
98. Chen W, others. Early physical rehabilitation therapy between 24 and 48 h following acute ischemic stroke onset: a randomized controlled trial. *Journal of Stroke and Cerebrovascular Diseases*. 2021;30(5):104649. doi:10.1016/j.jstrokecerebrovasdis.2020.104649 PubMed PMID: 33736542.
99. Wu Q, Ge Y, Ma D, Pang X, Cao Y, Zhang X, et al. Analysis of Prognostic Risk Factors Determining Poor Functional Recovery After Comprehensive Rehabilitation Including Motor-Imagery Brain-Computer Interface Training in Stroke Patients: A Prospective Study. *Front Neurol*. 2021 Jun 10;12. doi:10.3389/fneur.2021.661816
100. Abdullahi A, Wong TWL, Ng SSM. Variation in the rate of recovery in motor function between the upper and lower limbs in patients with stroke: some proposed hypotheses and their implications for research and practice. *Front Neurol*. 2023;14. doi:10.3389/fneur.2023.1225924
101. Wei X, Sun S, Zhang M, Zhao Z. A systematic review and meta-analysis of clinical efficacy of early and late rehabilitation interventions for ischemic stroke. *BMC Neurol*. 2024;24(1):91. doi:10.1186/s12883-024-03565-8
102. Edwards D, Kumar S, Brinkman L, Ferreira IC, Esquenazi A, Nguyen T, et al. Telerehabilitation Initiated Early in Post-Stroke Recovery: A Feasibility Study. *Neurorehabil Neural Repair*. 2023 Feb 6;37(2-3):131-41. doi:10.1177/15459683231159660

