DAFTAR PUSTAKA

Abidin, Z., Sangadji, S., dan Supriyadi, A. (2018): Analisis dinamik riwayat waktu nonlinier Skew Bridge, *Matriks Teknik Sipil*, 6**(2)**, 378-385. P-ISSN: 2354-8630, E-ISSN: 2723-4223

Al Atik, L. dan Abrahamson, N. A. (2010): An improved method for nonstationary spectral matching, *Earthquake Spectra*, P-ISSN: 8755-2930, E-ISSN: 1944-8201, 26**(3)**, 601-617.

AASHTO (2012): AASHTO LRFD Bridge Design Specifications, 6th Edition, Washington, D.C.: American Association of State Highway and Transportation Officials.

AASHTO (2014): Guide Specifications for Seismic Isolation Design, 4th Edition, with 2023 Interim Revisions, Washington, D.C.: American Association of State Highway and Transportation Officials.

AASHTO (2022): Standard Specification for Plain and Laminated Elastomeric Bridge Bearings, AASHTO M 251M/M 251-22, Washington, D.C.: American Association of State Highway and Transportation Officials.

AASHTO (2024): AASHTO LRFD Bridge Design Specifications, 10th Edition, Washington, D.C.: American Association of State Highway and Transportation Officials.

ASTM International (2026): Standard Specification for Low-Relaxation, Seven-Wire Steel Strand for Prestressed Concrete, ASTM A416/A416M-26, West Conshohocken, PA: ASTM International.

Badan Standardisasi Nasional (2008): *SNI 2833:2008 standar perencanaan ketahanan gempa untuk jembatan*, Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional (2013): *SNI 3967:2013 spesifikasi dan metode uji bantalan karet (elastomer) untuk perletakan jembatan*, Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional (2016a): *SNI 1725:2016 pembebanan untuk jembatan*, Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional (2016b): *SNI 2833:2016 perencanaan jembatan terhadap beban gempa*, Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional (2020a): *SNI 1729:2020 spesifikasi untuk bangunan gedung baja struktural*, Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional (2020b): *SNI 8899:2020 tata cara pemilihan dan modifikasi gerak tanah permukaan untuk perencanaan gedung tahan gempa*, Jakarta: Badan Standardisasi Nasional.

Beyer, K. dan Bommer, J. J. (2007): Selection and scaling of real accelerograms for bi-directional loading: A review of current practice and code provisions, *Journal of Earthquake Engineering*, P-ISSN: 1363-2469, E-ISSN: 1559-808X, 11**(S1)**, 13-45.

Borekci, M. (2025): Influence of friction models on the seismic respone of box-girder RC bridges with double concave friction pendulum bearings under varying deck aspect and mass ratios, *Buildings*, E-ISSN: 2075-5309, 15**(4)**, 556.

Buckle, I. G., Constantinou, M. C., Dicleli, M., dan Ghasemi, H. (2006): *Seismic isolation of highway bridges*, MCEER-06-SP07, Buffalo, NY: Multidisciplinary Center for Earthquake Engineering Research, University at Buffalo.

Bozorgnia, Y., dan Stewart, J. P. (2020): Data resources for NGA-Subduction Project. PEER Report 2020/02. Berkeley, CA: *Pacific Earthquake Engineering Research Center*, University of California, Berkeley.

California Department of Transportation (2025): *Bridge design memo 20.33: Seismic design of bridges with isolation bearings*, Sacramento, CA: California Department of Transportation.

Chandrupatla, T. R. dan Belegundu, A. D. (2012): *Introduction to finite elements in engineering, 4th Edition*, Upper Saddle River, NJ: Pearson Education.

Chopra, A. K. (2012): *Dynamics of structures: Theory and applications to earthquake engineering, 4th Edition*, Upper Saddle River, NJ: Prentice Hall.

Cilia, M. G., Mooney, W. D., dan Nugroho, C. (2021): Field insights and analysis of the 2018 Mw 7.5 Palu, Indonesia earthquake, tsunami and landslides, *Pure and Applied Geophysics*, P-ISSN: 0033-4553, E-ISSN: 1420-9136, 178**(12)**, 4891-4920.

Cook, R. D., Malkus, D. S., Plesha, M. E., dan Witt, R. J. (2002): *Concepts and applications of finite element analysis, 4th Edition*, New York: John Wiley & Sons.

Diotallevi, P. P., Landi, L., dan Lucchi, S. (2014): A procedure for the direct determination of the required supplemental damping for the seismic retrofit with viscous dampers, *Engineering Structures*, P-ISSN: 0141-0296, E-ISSN: 1873-7323, **71**, 137-149.

European Committee for Standardization (2018): EN 15129:2018 Anti-seismic Devices, Brussels: European Committee for Standardization.

Fauzan, A. D. dan Sukamdo, P. (2023): Perbandingan pengaruh LRB (Lead Rubber Bearing) dan FPB (Friction Pendulum Bearing) pada perilaku struktur jembatan (studi kasus jembatan tol layang dalam kota Jakarta), *Konstruksia*, P-ISSN: 2086-7352, E-ISSN: 2443-308X, 15**(1)**, 97-111.

Federal Emergency Management Agency (2000): *Prestandard and commentary for the seismic rehabilitation of buildings (FEMA 356)*, Washington, D.C.: Federal Emergency Management Agency.

Federal Emergency Management Agency (2012): *NEHRP recommended seismic provisions: Design examples (FEMA P-751)*, Washington, D.C.: Federal Emergency Management Agency.

Federal Emergency Management Agency (2018): *Seismic performance assessment of buildings, Volume 1 - Methodology (FEMA P-58-1)*, Washington, D.C.: Federal Emergency Management Agency.

Hancock, J., Watson-Lamprey, J., Abrahamson, N. A., Bommer, J. J., Markatis, A., McCoy, E., dan Mendis, R. (2006): An improved method of matching respone spectra of recorded earthquake ground motion using wavelets, *Journal of Earthquake Engineering*, P-ISSN: 1363-2469, E-ISSN: 1559-808X, **10(S1)**, 67-89.

Hammada, M. A. S., dan Sampean, S. (2024): Modal kultural masyarakat di daerah rawan bencana di Indonesia: Kajian berdasarkan karakteristik wilayah, *Humanika*, **contre**, P-ISSN: 1412-9418, E-ISSN: 2502-5783. 158–171.

Hariyanti, A. D. dan Suswanto, B. (2023): Validasi pemodelan kurva histeristis dan kapasitas disipasi energi portal vertical eccentrically braced frames (V-EBF) menggunakan profil WF shear link dengan metode elemen hingga, *Jurnal Aplikasi Teknik Sipil*, P-ISSN: 1907-753X, E-ISSN: 2579-891X, 21**(3)**, 301-308.

Indra, A. V., Suryanita, R., dan Ismeddiyanto (2016): Analisis respon dinamik jembatan rangka baja menggunakan sistem seismic isolation Lead rubber Bearing (LRB), *Jurnal Online Mahasiswa Fakultas Teknik Universitas Riau*, E-ISSN: 2355-6870, 3**(1)**, 1-12.

Kementerian Pekerjaan Umum dan Perumahan Rakyat (2015): *Pedoman perancangan bantalan elastomer untuk perletakan jembatan, Surat Edaran Menteri PUPR Nomor 10/SE/M/2015*, Jakarta: Kementerian Pekerjaan Umum dan Perumahan Rakyat.

Kementerian Pekerjaan Umum dan Perumahan Rakyat, PuSGeN, DBTPP, dan Ditjen Cipta Karya (2021): Desain Spektra Indonesia RSA 2021 diperoleh dari situs internet: https://rsa.ciptakarya.pu.go.id/2021/. Diunduh pada tanggal 1 mei 2026, pukul 13.18 WIB.

Kementerian Pekerjaan Umum dan Perumahan Rakyat Republik Indonesia dan Pusat Studi Gempa Nasional (2022): Buku Peta Deagregasi Bahaya Gempa Indonesia untuk Perencanaan dan Evaluasi Infrastruktur Tahan Gempa, Jakarta: Kementerian Pekerjaan Umum dan Perumahan Rakyat.

Kosa, K., Setiawan, H., Miyajima, M., Ono, Y., dan Yoshida, M. (2020): Damage to Teluk Palu Bridge in the 2018 Sulawesi earthquake, Indonesia, *MATEC Web of Conferences*, E-ISSN: 2261-236X, **331**, 02003.

Kumar, M., Whittaker, A. S., dan Constantinou, M. C. (2015): Characterizing friction in sliding isolation bearings, *Earthquake Engineering & Structural Dynamics*, P-ISSN: 0098-8847, E-ISSN: 1096-9845, 44**(9)**, 1409-1425.

Kusbiantoro, A., Kusumawardani, R., Nugroho, U., Hanif, N., dan Azizah, K. P. (2023): Performa penggunaan rubber isolator pada jembatan girder beton, *Jurnal Inovasi Konstruksi*, P-ISSN: 3048-3190, E-ISSN: 2961-7804, 2**(1)**, 40-47.

Maghsoudi-Barmi, A., Khansefid, A., Khaloo, A., dan Ehteshami Moeini, M. (2021): Probabilistic seismic performance assessment of optimally designed highway bridge isolated by ordinary unbonded elastomeric bearings, *Engineering Structures*, P-ISSN: 0141-0296, E-ISSN: 1873-7323, 247, 113058.

Mazzoni, S. (2022): NGA-Subduction portal: Ground-motion record selection and download diperoleh dari situs internet: https://www.risksciences.ucla.edu/nhr3/nga-subduction/gmportal. Diunduh pada tanggal 3 feb 2026, pukul 17.33 WIB.

Meng, D., Hu, S., Yang, M., Hu, R., dan He, X. (2023): Experimental evaluation of the seismic isolation effectiveness of friction pendulum bearings in bridges

considering transverse poundings, *Soil Dynamics and Earthquake Engineering*, P-ISSN: 0267-7261, E-ISSN: 1879-341X, **170**, 107926.

MIDAS IT (2023): General Link Properties diperoleh dari situs internet: https://support.midasuser.com/hc/en-us/articles/17918229715097-General-Link-Properties. Diunduh pada tanggal 17 April 2026, pukul 04.18 WIB.

Moestopo, M., Imran, I., Siringoringo, D. M., Michael, J., Lim, E., dan Yamazaki, S. (2022): Seismic design and performance evaluation of typical lightweight and heavyweight RC girder bridges with friction pendulum bearing in Indonesia, *Structures*, E-ISSN: 2352-0124, **46**, 1154-1170.

Mudia, T. R., Bayzoni, Husni, H. R., dan Isneini, M. (2023): Evaluasi kinerja struktur gedung bertingkat dengan metode analisis riwayat waktu (studi kasus: Gedung 6 Rumah Sakit Pendidikan Perguruan Tinggi Negeri (RSPTN) Universitas Lampung), *JRSDD (Jurnal Rekayasa Sipil dan Desain)*, P-ISSN: 2303-0011, E-ISSN: 2715-0690, 11**(2)**, 265-274.

Musyaffa, I. (25 Oktober 2018): Indonesia kembali bangun Jembatan Kuning ikon Kota Palu, Anadolu Agency, diperoleh dari situs internet: https://www.aa.com.tr/id/headline-hari/indonesia-kembali-bangun-jembatan-kuning-ikon-kota-palu/1292573. Diunduh pada tanggal 22 Januari 2026, pukul 10.12 WIB.

Naeim, F. dan Kelly, J. M. (1999): *Design of seismic isolated structures: From theory to practice*, New York: John Wiley & Sons.

Natural Hazards Risk and Resiliency Research Center (2022): NGA-Subduction ground-motion selection and download web portal diperoleh dari situs internet: https://www.risksciences.ucla.edu/nhr3/nga-subduction/gmportal. Diunduh pada tanggal 17 Januari 2026, pukul 19.44 WIB.

National Institute of Standards and Technology (2011): *Selecting and scaling earthquake ground motions for performing respone-history analyses (NIST GCR 11-917-15)*, Gaithersburg, MD: National Institute of Standards and Technology.

Nuraini, S. (2018): *Studi perbandingan penggunaan Friction Pendulum Bearing dan lead rubber bearing pada struktur light rail transit*, Tesis, Institut Teknologi Sepuluh Nopember.

Priestley, M. J. N., Seible, F., dan Calvi, G. M. (1996): *Seismic design and retrofit of bridges*, New York: John Wiley & Sons.

Pusat Studi Gempa Nasional (2024): Peta Sumber dan Bahaya Gempa Indonesia Tahun 2024, Jakarta: Kementerian Pekerjaan Umum dan Perumahan Rakyat.

Rao, B. K., Kumar, K. S., dan Sreenivasulu, B. (2022): Analysis and design of pre-stressed concrete bridge using MIDAS Civil, *International Journal for Research in Applied Science and Engineering Technology*, E-ISSN: 2321-9653, 10**(6)**, 1435-1440.

Robertson, I. N. (2010): Current technologies and future research trends for seismic hazard mitigation of critical and important building construction, *China/USA Symposium for the Advancement of Earthquake Sciences and Hazard Mitigation Practices*, Honolulu, 1-8.

Seismosoft (2026): SeismoMatch 2026 help system: Spectral matching diperoleh dari situs internet: https://help.seismosoft.com/seismomatch/2026/
Diunduh pada tanggal 13 Feb 2026, pukul 15.02 WIB.

Smirnova, I. (2025): Dynamic analysis of cable-stayed bridges using MIDAS Civil software, *International Journal of Surveying and Structural Engineering*, P-ISSN: 2707-840X, E-ISSN: 2707-8418, 6**(1)**, 37-42.

Sofyan, M. (2013): *Studi perbandingan perilaku struktur baja tahan gempa sistem EBF (eccentrically braced frame) dan sistem isolasi*, Tesis Magister, Universitas Hasanuddin, Makassar.

United States Geological Survey (2018): M 7.5 - 70 km N of Palu, Indonesia diperoleh dari situs internet: https://earthquake.usgs.gov/earthquakes/eventpage/us1000h3p4/executive
Diunduh pada tanggal 13 Feb 2026, pukul 13.38 WIB.

Wang, L. (2020): Analysis of seismic isolation effects on a reverted L-shaped pier bridge in high seismic intensity region with finite element simulation, *Journal of Physics: Conference Series*, P-ISSN: 1742-6588, E-ISSN: 1742-6596, 1624**(2)**, 022070.

Well-Link Seismic Isolation Co., Ltd.: Infrastructure friction pendulum bearing diperoleh dari situs internet: https://www.welllink.com.tw/en/infrastructure-friction-pendulum-bearing/
Diunduh pada tanggal 4 Juni 2026, pukul 13.18 WIB.

Zayas, V. A., Low, S. S., dan Mahin, S. A. (1990): A simple pendulum technique for achieving seismic isolation, *Earthquake Spectra*, P-ISSN: 8755-2930, E-ISSN: 1944-8201, 6**(2)**, 317-333.