

7. DAFTAR PUSTAKA

- Andareas, P. (2019). Biodegradasi Minyak Solar Menggunakan Isolat Bakteri Indigenous Mangrove Tritih Kulon, Cilacap. *Jurnal Kridatama Sains Dan Teknologi*, 1(01). <https://jurnal.umnu.ac.id/index.php/KST/article/view/5>
- Baig, A., Zubair, M., Sumrra, S. H., Nazar, M. F., Zafar, M. N., Jabeen, K., ... & Rashid, U. (2022). Heating effect on quality characteristics of mixed canola cooking oils. *BMC chemistry*, 16(1), 3. <https://link.springer.com/article/10.1186/s13065-022-00796-z>
- Dimakopoulou-Papazoglou, D., Giannakaki, F., & Katsanidis, E. (2023). Structural and physical characteristics of mixed-component oleogels: Natural wax and monoglyceride interactions in different edible oils. *Gels*, 9(8), 627. <https://doi.org/10.3390/gels9080627>
- Elsayed, M., Kamel, R., Shawir, S. M., Shafiq, A., Saeed, A. A., & Salama, M. A. (2025). Physicochemical Evaluation Of Moringa Oil-Based Oleogel, Emulgel, And Bigel As Fat Substitutes In Beef Burgers. *International Journal Of Food Science And Technology*, 60(2), Vvaf268. <https://doi.org/10.1093/ijfood/vvaf268>
- Ferdaus, M. J., Barman, B., Mahmud, N., & Da Silva, R. C. (2024). Oleogels As A Promising Alternative To Animal Fat In Saturated Fat-Reduced Meat Products: A Review. *Gels*, 10(2), 92. <https://doi.org/10.3390/gels10020092>
- Flöter, E., Wettlaufer, T., Conty, V., & Scharfe, M. (2021). Oleogels—Their Applicability And Methods Of Characterization. *Molecules*, 26(6), 1673. <https://doi.org/10.3390/molecules26061673>
- Frolova, Y., Sarkisyan, V., Sobolev, R., Makarenko, M., Semin, M., & Kochetkova, A. (2022). The influence of edible oils' composition on the properties of beeswax-based oleogels. *Gels*, 8(1), 48. <https://doi.org/10.3390/gels8010048>
- Khandouzi, N., Zahedmehr, A., & Nasrollahzadeh, J. (2020). Effects of canola or olive oil on plasma lipids, lipoprotein-associated phospholipase A2 and inflammatory cytokines in patients referred for coronary angiography. *Lipids in health and disease*, 19(1), 183. <https://link.springer.com/article/10.1186/s12944-020-01362-z>
- Kurniaditya, V., Bumi, S. A. P., & Prasetya, B. G. I. (2025). Aplikasi Oleogel Virgin Coconut Oil (VCO) Dengan Kombinasi Gelator Cocoa Butter Dan Beeswax Dalam Pembuatan White Chocolate Spread. *Agroteknika*, 8(4), 852-865. <https://doi.org/10.55043/agroteknika.v8i4.616>
- Kusumaningrum, A., Parnanto, N. H. R., & Atmaka, W. (2016). Kajian pengaruh

variasi konsentrasi karaginan-konjak sebagai gelling agent terhadap karakteristik fisik, kimia dan sensoris permen jelly buah labu kuning (*Cucurbita maxima*). *Jurnal Teknosains Pangan*, 5(1), 144984. <https://www.neliti.com/publications/144984/kajian-pengaruh-variasi-konsentrasi-karaginan-konjak-sebagai-gelling-agent-terha>

Kwon, C. W., Park, K. M., Park, J. W., Lee, J., Choi, S. J., & Chang, P. S. (2016). Rapid and sensitive determination of lipid oxidation using the reagent kit based on spectrophotometry (FOODLABfat System). *Journal of Chemistry*, 2016(1), 1468743. <https://doi.org/10.1155/2016/1468743>

Lioe, H. N., Andarwulan, N., & Rahmawati, D. (2018). Karakteristik Fisikokimia Dan Sensori Mayonnaise Pada Berbagai Komposisi Asam Lemak Dari Penggunaan Minyak Nabati Berbeda. *Jurnal Mutu Pangan: Indonesian Journal Of Food Quality*, 5(1), 1-9. [https://dlwqtxts1xzle7.cloudfront.net/77081446/16963-libre.pdf?1640191256=&response-content-disposition=inline%3B+filename%3DPhysicochemical and Sensory Mayo nnaise C.pdf&Expires=1788887520&Signature=TrODQ6Uu33MwzOKWoRRJngZrw5eOYUhrWv3sO5H3Belsj2u-GRuJ-PGEtLjzNVAjC8GlpU03QaloyCtqgleqMspZ4zAlthGs-A7I-zGC5XYz4PtAk~I~aFbyJOasK8E5ryrpIP2Qou66QVnCKI8zSTctJ34KWPvILDDLIR0EO0Ba6vuJtj~7Ga8t4VgflKXuLjx3CIzOO0IpKTV2A~9gf-S1RrBdGHi7NlxK10vZCWYOUKIG3rWVDIP4t21s4ywa8X65kAToqKK9HzxNH1dZC3Txn8bydjp1SFQ4N9XFM9m591DGIu0O3WSHsk3UA-zpIVQ~LDGxrlk7xeenUyzT9g_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA](https://dlwqtxts1xzle7.cloudfront.net/77081446/16963-libre.pdf?1640191256=&response-content-disposition=inline%3B+filename%3DPhysicochemical+and+Sensory+Mayonnaise+C.pdf&Expires=1788887520&Signature=TrODQ6Uu33MwzOKWoRRJngZrw5eOYUhrWv3sO5H3Belsj2u-GRuJ-PGEtLjzNVAjC8GlpU03QaloyCtqgleqMspZ4zAlthGs-A7I-zGC5XYz4PtAk~I~aFbyJOasK8E5ryrpIP2Qou66QVnCKI8zSTctJ34KWPvILDDLIR0EO0Ba6vuJtj~7Ga8t4VgflKXuLjx3CIzOO0IpKTV2A~9gf-S1RrBdGHi7NlxK10vZCWYOUKIG3rWVDIP4t21s4ywa8X65kAToqKK9HzxNH1dZC3Txn8bydjp1SFQ4N9XFM9m591DGIu0O3WSHsk3UA-zpIVQ~LDGxrlk7xeenUyzT9g_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA)

Lozano-Castellón, J., López-Yerena, A., Domínguez-López, I., Siscart-Serra, A., Fraga, N., Sámano, S., ... & Pérez, M. (2022). Extra virgin olive oil: A comprehensive review of efforts to ensure its authenticity, traceability, and safety. *Comprehensive Reviews in Food Science and Food Safety*, 21(3), 2639-2664. <https://doi.org/10.1111/1541-4337.12949>

Lukić, I., Da Ros, A., Guella, G., Camin, F., Masuero, D., Mulinacci, N., ... & Mattivi, F. (2019). Lipid profiling and stable isotopic data analysis for differentiation of extra virgin olive oils based on their origin. *Molecules*, 25(1), 4. <https://doi.org/10.3390/molecules25010004>

Mahmud, N., Islam, J., Oyom, W., Adrah, K., Adegoke, S. C., & Tahergorabi, R. (2023). A review of different frying oils and oleogels as alternative frying media for fat-uptake reduction in deep-fat fried foods. *Heliyon*, 9(11). <https://doi.org/10.3390/molecules25010004>

Malvano, F., Albanese, D., Cinquanta, L., Liparoti, S., & Marra, F. (2024). A Comparative Study Between Beeswax And Glycerol Monostearate For Food-Grade Oleogels. *Gels*, 10(4), 214. <https://doi.org/10.3390/gels10040214>

- Malvis, A., Šimon, P., Dubaj, T., Sládková, A., Ház, A., Jablonsky, M., ... & Šurina, I. (2019). Determination of the thermal oxidation stability and the kinetic parameters of commercial extra virgin olive oils from different varieties. *Journal of Chemistry*, 2019(1), 4567973. <https://doi.org/10.1155/2019/4567973>
- Milena, E., & Maurizio, M. (2025). Exploring The Cardiovascular Benefits Of Extra Virgin Olive Oil: Insights Into Mechanisms And Therapeutic Potential. *Biomolecules*, 15(2), 284. <https://doi.org/10.3390/biom15020284>
- Moon, K., Choi, K. O., Jeong, S., Kim, Y. W., & Lee, S. (2021). Solid Fat Replacement With Canola Oil-Carnauba Wax Oleogels For Dairy-Free Imitation Cheese Low In Saturated Fat. *Foods*, 10(6), 1351. <https://doi.org/10.3390/foods10061351>
- Nainggolan, Y., Divia, D., Hutapea, D. L., Sirait, W. F., Sirait, M., & Sianturi, R. (2025). Anava Satu Jalur (One Way-Anova). *Innovative: Journal Of Social Science Research*, 5(1), 5670-5682.
- Orsavova, J., Misurcova, L., Vavra Ambrozova, J., Vicha, R., & Mlcek, J. (2015). Fatty Acids Composition Of Vegetable Oils And Its Contribution To Dietary Energy Intake And Dependence Of Cardiovascular Mortality On Dietary Intake Of Fatty Acids. *International Journal Of Molecular Sciences*, 16(6), 12871-12890. <https://doi.org/10.3390/ijms160612871>
- Perța-Crișan, S., Ursachi, C. Ș., Chereji, B. D., & Munteanu, F. D. (2022). Oleogels—Innovative Technological Solution For The Nutritional Improvement Of Meat Products. *Foods*, 12(1), 131. <https://doi.org/10.3390/foods12010131>
- Perța-Crișan, S., Ursachi, C. Ș., Chereji, B. D., Tolan, I., & Munteanu, F. D. (2023). Food-grade oleogels: Trends in analysis, characterization, and applicability. *Gels*, 9(5), 386. <https://doi.org/10.3390/gels9050386>
- Ristanti, E. Y., Ramlah, S., Lullung, A., & Amalia, A. (2019). Karakteristik Oleogel Dari Minyak Nabati Menggunakan Lilin Lebah Dan Lemak Kakao Sebagai Oleogelator. *Indonesian Journal Of Industrial Research*, 14(2), 33-43. DOI: [10.33104/jihp.v14i2.5552](https://doi.org/10.33104/jihp.v14i2.5552)
- Rohimah, Y. T., & Astuti, S. L. D. (2017). Efektifitas Pemberian Ekstra Virgin Minyak Zaitun Dan Ekstrak Kulit Manggis (Mastin) Terhadap Kadar Kolesterol Tikus Putih Starin Wistar Jantan Yang Diinduksi Hiperlipedemia. *Interest: Jurnal Ilmu Kesehatan*, 6(2), 230-234. <https://doi.org/10.37341/interest.v6i2.107>
- Ropciuc, S., Dranca, F., Oroian, M. A., Leahu, A., Codină, G. G., & Prisacaru, A. E. (2023). Structuring of cold pressed oils: Evaluation of the physicochemical

- characteristics and microstructure of white beeswax oleogels. *Gels*, 9(3), 216. <https://doi.org/10.3390/gels9030216>
- Saleem, M., & Ahmad, N. (2018). Characterization of canola oil extracted by different methods using fluorescence spectroscopy. *PLoS One*, 13(12), e0208640. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0208640>
- Schwingshackl, L., Bogensberger, B., Benčić, A., Knüppel, S., Boeing, H., & Hoffmann, G. (2018). Effects of oils and solid fats on blood lipids: a systematic review and network meta-analysis. *Journal of lipid research*, 59(9), 1771-1782. [https://www.jlr.org/article/S0022-2275\(20\)33546-X/fulltext](https://www.jlr.org/article/S0022-2275(20)33546-X/fulltext)
- Shang, W., Dong, H., Strappe, P., Zhou, Z., & Blanchard, C. (2018). Characterization of endogenous antioxidant attributes and its influence on thermal stability of canola oil. *RSC advances*, 8(63), 36096-36103. <https://doi.org/10.1039/c8ra02275e>
- Silva, P. M., Martins, A. J., Fasolin, L. H., & Vicente, A. A. (2021). Modulation and characterization of wax-based olive oil organogels in view of their application in the food industry. *Gels*, 7(1), 12. <https://doi.org/10.3390/gels7010012>
- Sivakanthan, S., Fawzia, S., Madhujith, T., & Karim, A. (2022). Synergistic effects of oleogelators in tailoring the properties of oleogels: A review. *Comprehensive Reviews in Food Science and Food Safety*, 21(4), 3507-3539. <https://doi.org/10.1111/1541-4337.12966>
- Tan, T. H., Chan, E. S., Manja, M., Tang, T. K., Phuah, E. T., & Lee, Y. Y. (2023). Production, health implications and applications of oleogels as fat replacer in food system: A review. *Journal of the American Oil Chemists' Society*, 100(9), 681-697. <https://doi.org/10.1002/aocs.12720>
- Trirahayu, D. A., & Santoso, B. (2019). Pengaruh Gelling Agent Terhadap Pembentukan Oleogel Berbasis Canola Oil. *Fluida*, 12(2), 78-83. <https://pdfs.semanticscholar.org/c648/6d340b72b9b4de49a47027f7dcc62e97f8be.pdf>
- Ulfa, A. M., Retnaningsih, A., & Aufa, R. (2017). Penetapan kadar asam lemak bebas pada minyak kelapa, minyak kelapa sawit dan minyak zaitun kemasan secara alkalimetri. *Jurnal Analis Farmasi*, 2(4), 242-250. <https://doi.org/10.33024/jaf.v2i4.2142>
- Warner, D. J., & Lewis, K. A. (2019). Evaluation of the risks of contaminating low erucic acid rapeseed with high erucic rapeseed and identification of mitigation strategies. *Agriculture*, 9(9), 190. <https://doi.org/10.33024/jaf.v2i4.2142>

World Health Organization. (2023). Saturated Fatty Acid And Trans-Fatty Acid Intake For Adults And Children: WHO Guideline. World Health Organization.

[https://books.google.co.id/books?hl=id&lr=&id=6IOEQAAQBAJ&oi=fnd&pg=PA42&dq=World+Health+Organization.+\(2023\).+Saturated+Fatty+Acid+And+Trans-Fatty+Acid+Intake+For+Adults+And+Children:+WHO+Guideline.+World+Health+Organization.&ots=U92e7W9blZ&sig=4jr2OQBnykmDUqSdKx6htS9j5YM&redir_esc=y#v=onepage&q=World%20Health%20Organization.%20\(2023\).%20Saturated%20Fatty%20Acid%20And%20Trans-Fatty%20Acid%20Intake%20For%20Adults%20And%20Children%3A%20WHO%20Guideline.%20World%20Health%20Organization.&f=false](https://books.google.co.id/books?hl=id&lr=&id=6IOEQAAQBAJ&oi=fnd&pg=PA42&dq=World+Health+Organization.+(2023).+Saturated+Fatty+Acid+And+Trans-Fatty+Acid+Intake+For+Adults+And+Children:+WHO+Guideline.+World+Health+Organization.&ots=U92e7W9blZ&sig=4jr2OQBnykmDUqSdKx6htS9j5YM&redir_esc=y#v=onepage&q=World%20Health%20Organization.%20(2023).%20Saturated%20Fatty%20Acid%20And%20Trans-Fatty%20Acid%20Intake%20For%20Adults%20And%20Children%3A%20WHO%20Guideline.%20World%20Health%20Organization.&f=false)

Yassoralipour, A., Ng, L. R. Y., Li, G., Rambli, M. M., Chan, S. W., Chew, L. Y., ... & Phuah, E. T. (2026). Development and Physicochemical Characterization of Rice Bran Oil Oleogels Structured with Beeswax, Carnuba Wax, and Their Blends. *Gels*, 12(6), 532.

<https://doi.org/10.3390/gels12060532>

Zbikowska, A., Onacik-Gür, S., Kowalska, M., Sowiński, M., Szymańska, I., Żbikowska, K., ... & Werpachowski, W. (2022). Analysis of stability, rheological and structural properties of oleogels obtained from peanut oil structured with yellow beeswax. *Gels*, 8(7), 448.

<https://doi.org/10.3390/gels8070448>