

Stres Kerja Reliability


Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

- a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.817	24



Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
y1	59.83	58.456	.373	.810
y2	59.93	56.430	.462	.806
y3	59.98	58.128	.353	.811
y4	60.05	58.203	.396	.809
y5	60.30	56.472	.476	.805
y6	60.05	57.792	.321	.812
y7	60.13	57.651	.353	.811
y8	60.23	56.999	.340	.812
y9	60.10	58.656	.329	.812
y10	60.35	57.823	.329	.812
y11	60.48	56.666	.358	.811
y12	60.30	58.113	.345	.811
y13	60.73	59.640	.174	.819
y14	60.35	57.208	.330	.812
y15	60.33	58.122	.343	.811
y16	60.65	56.746	.354	.811
y17	60.20	58.472	.349	.811
y18	60.35	58.490	.328	.812
y19	60.75	57.833	.378	.810
y20	60.10	57.426	.428	.808
y21	60.55	55.895	.364	.811
y22	60.15	58.285	.330	.812
y23	60.18	58.199	.454	.808
y24	60.68	57.507	.440	.807

Reliability

Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.819	23

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
y1	57.65	55.669	.391	.811
y2	57.75	53.526	.492	.806
y3	57.80	55.138	.390	.811
y4	57.88	55.343	.422	.810
y5	58.13	54.010	.464	.808
y6	57.88	55.087	.328	.814
y7	57.95	54.972	.358	.812
y8	58.05	54.254	.351	.813
y9	57.93	56.020	.330	.814
y10	58.18	55.276	.322	.814
y11	58.30	54.267	.343	.814
y12	58.13	55.804	.315	.814
y14	58.18	54.815	.313	.815
y15	58.15	55.874	.306	.815
y16	58.48	54.256	.346	.814
y17	58.03	55.820	.351	.813
y18	58.18	55.635	.351	.813
y19	58.58	55.635	.337	.813
y20	57.93	54.584	.452	.809
y21	58.38	53.574	.345	.814
y22	57.98	55.512	.344	.813
y23	58.00	55.487	.466	.809
y24	58.50	54.821	.449	.809

Persepsi Waktu kerja Reliability

Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.835	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
x1.1	41.83	34.507	.380	.829
x1.2	41.73	33.230	.568	.821
x1.3	41.70	33.087	.603	.820
x1.4	42.50	33.077	.471	.824
x1.5	41.78	33.102	.314	.835
x1.6	41.60	33.528	.521	.823
x1.7	41.70	34.523	.358	.830
x1.8	41.95	33.997	.325	.832
x1.9	42.33	32.533	.433	.827
x1.10	42.23	32.384	.556	.820
x1.11	41.73	33.076	.540	.822
x1.12	41.88	32.881	.351	.832
x1.13	41.95	35.023	.149	.843
x1.14	42.05	32.767	.508	.822
x1.15	41.83	33.020	.580	.820
x1.16	41.83	32.507	.666	.816
x1.17	42.18	33.020	.350	.832
x1.18	41.63	33.728	.394	.828

Reliability

Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.843	17

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
x1.1	39.40	32.503	.395	.838
x1.2	39.30	31.138	.605	.829
x1.3	39.28	31.076	.626	.828
x1.4	40.08	31.251	.463	.834
x1.5	39.35	31.259	.308	.846
x1.6	39.18	31.635	.521	.832
x1.7	39.28	32.563	.364	.839
x1.8	39.53	32.051	.329	.841
x1.9	39.90	30.554	.446	.836
x1.10	39.80	30.574	.548	.830
x1.11	39.30	31.087	.557	.830
x1.12	39.45	30.972	.353	.842
x1.14	39.63	30.958	.498	.832
x1.15	39.40	30.964	.611	.828
x1.16	39.40	30.503	.691	.825
x1.17	39.75	31.321	.329	.844
x1.18	39.20	32.164	.344	.840

**Target Penjualan
Reliability**

Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.792	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
x2.1	40.40	24.913	.437	.778
x2.2	40.80	26.421	.452	.779
x2.3	40.60	26.503	.332	.785
x2.4	40.70	26.626	.311	.786
x2.5	40.65	25.310	.458	.776
x2.6	40.93	25.969	.403	.780
x2.7	40.60	25.990	.355	.784
x2.8	40.75	25.885	.490	.776
x2.9	40.88	25.651	.353	.784
x2.10	40.80	25.703	.411	.780
x2.11	40.80	26.164	.339	.785
x2.12	41.03	25.358	.478	.775
x2.13	40.43	27.020	.184	.796
x2.14	40.88	26.215	.469	.778
x2.15	40.80	26.113	.321	.786
x2.16	40.75	27.782	.124	.797
x2.17	40.63	26.343	.358	.783
x2.18	41.15	25.721	.510	.774

Reliability

Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.797	18

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
x2.1	40.45	25.895	.438	.784
x2.2	40.85	27.413	.457	.785
x2.3	40.65	27.464	.342	.790
x2.4	40.75	27.679	.306	.792
x2.5	40.70	26.318	.456	.782
x2.6	40.98	26.948	.408	.786
x2.7	40.65	27.003	.355	.789
x2.8	40.80	26.882	.491	.782
x2.9	40.93	26.687	.349	.790
x2.10	40.85	26.746	.405	.786
x2.11	40.85	27.156	.343	.790
x2.12	41.08	26.328	.483	.781
x2.13	40.48	27.948	.198	.801
x2.14	40.93	27.251	.464	.784
x2.15	40.80	26.113	.408	.786
x2.16	40.80	28.831	.123	.803
x2.17	40.68	27.353	.359	.789
x2.18	41.20	26.728	.510	.781

Reliability

Case Processing Summary

		N	%
Cases	Valid	40	100.0
	Excluded ^a	0	.0
	Total	40	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.809	16

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
x2.1	35.33	23.046	.456	.795
x2.2	35.73	24.666	.447	.798
x2.3	35.53	24.461	.377	.801
x2.4	35.63	24.702	.335	.803
x2.5	35.58	23.379	.488	.793
x2.6	35.85	24.079	.425	.798
x2.7	35.53	24.051	.382	.801
x2.8	35.68	24.071	.500	.794
x2.9	35.80	23.959	.343	.804
x2.10	35.73	23.999	.402	.799
x2.11	35.73	24.563	.311	.805
x2.12	35.95	23.844	.440	.797
x2.14	35.80	24.574	.442	.798
x2.15	35.68	23.763	.353	.804
x2.17	35.55	24.254	.413	.798
x2.18	36.08	23.763	.550	.791

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Persepsi waktu kerja	Target Penjualan	Stres kerja
N		40	40	40
Normal Parameters ^{a,b}	Mean	41.95	38.98	60.73
	Std. Deviation	5.918	5.664	7.723
Most Extreme Differences	Absolute	.173	.147	.166
	Positive	.173	.147	.133
	Negative	-.110	-.059	-.166
Kolmogorov-Smirnov Z		1.093	.927	1.049
Asymp. Sig. (2-tailed)		.184	.356	.221

a. Test distribution is Normal.

b. Calculated from data.


Frequencies

Statistics


		Persepsi waktu kerja	Target Penjualan	Stres kerja
N	Valid	40	40	40
	Missing	0	0	0
Mean		41.95	38.98	60.73
Median		42.00	39.00	63.00
Std. Deviation		5.918	5.664	7.723
Minimum		33	30	49
Maximum		55	55	73

Histogram


Persepsi waktu kerja



Target Penjualan



Stres kerja



Correlations

Correlations

		Persepsi waktu kerja	Stres kerja
Persepsi waktu kerja	Pearson Correlation	1	-.356*
	Sig. (1-tailed)		.012
	N	40	40
Stres kerja	Pearson Correlation	-.356*	1
	Sig. (1-tailed)	.012	
	N	40	40

*. Correlation is significant at the 0.05 level (1-tailed).

Correlations

Correlations

		Target Penjualan	Stres kerja
Target Penjualan	Pearson Correlation	1	-.359*
	Sig. (1-tailed)		.011
	N	40	40
Stres kerja	Pearson Correlation	-.359*	1
	Sig. (1-tailed)	.011	
	N	40	40

*. Correlation is significant at the 0.05 level (1-tailed).

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Target Penjualan, Persepsi waktu kerja		Enter

- All requested variables entered.
- Dependent Variable: Stres kerja

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.515 ^a	.265	.225	6.798

a. Predictors: (Constant), Target Penjualan, Persepsi waktu kerja

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	616.167	2	308.083	6.667	.003 ^a
	Residual	1709.808	37	46.211		
	Total	2325.975	39			

a. Predictors: (Constant), Target Penjualan, Persepsi waktu kerja

b. Dependent Variable: Stres kerja

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	100.698	11.001		9.153	.000
	Persepsi waktu kerja	-.482	.184	-.369	-2.617	.013
	Target Penjualan	-.507	.192	-.372	-2.637	.012

a. Dependent Variable: Stres kerja

Curve Fit

Model Description

Model Name		MOD_1
Dependent Variable	1	Stres kerja
Equation	1	Linear
	2	Quadratic
	3	Cubic
Independent Variable		Persepsi waktu kerja
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified
Tolerance for Entering Terms in Equations		.0001

Case Processing Summary

	N
Total Cases	40
Excluded Cases ^a	0
Forecasted Cases	0
Newly Created Cases	0

a. Cases with a missing value in any variable are excluded from the analysis.


Model Summary and Parameter Estimates

Dependent Variable: Stres kerja

Equation	Model Summary					Parameter Estimates			
	R Square	F	df1	df2	Sig.	Constant	b1	b2	b3
Linear	.127	5.515	1	38	.024	80.214	-.465		
Quadratic	.136	2.904	2	37	.067	39.919	1.454	-.022	
Cubic	.137	2.946	2	37	.065	59.275	.000	.013	.000

The independent variable is Persepsi waktu kerja.

Stres kerja



Curve Fit

Model Description

Model Name		MOD_2
Dependent Variable	1	Stres kerja
Equation	1	Linear
	2	Quadratic
	3	Cubic
Independent Variable		Target Penjualan
Constant		Included
Variable Whose Values Label Observations in Plots		Unspecified
Tolerance for Entering Terms in Equations		.0001

Case Processing Summary

	N
Total Cases	40
Excluded Cases ^a	0
Forecasted Cases	0
Newly Created Cases	0

a. Cases with a missing value in any variable are excluded from the analysis.

Model Summary and Parameter Estimates

Dependent Variable: Stres kerja

Equation	Model Summary					Parameter Estimates			
	R Square	F	df1	df2	Sig.	Constant	b1	b2	b3
Linear	.129	5.620	1	38	.023	79.801	-.489		
Quadratic	.132	2.808	2	37	.073	96.041	-1.293	.010	
Cubic	.132	2.808	2	37	.073	96.041	-1.293	.010	.000

The independent variable is Target Penjualan.

Stres kerja

