Behavioral Checklist

Nama Observer :

Tanggal Observasi :

Data hari ke :

Petunjuk

Bila perilaku muncul, gunakan turus untuk menghitung jumlah frekuensinya dan tuliskan jumlahnya.

No	Keterangan/aitem	Ya	Jumlah
1.	Mendekati dan berusaha untuk memegang lawan jenis yang disukai		
2.	Mengejar lawan jenis yang disukai		
3.	Berusaha (memaksa) memegang lawan jenis yang disukai		
4.	Berusaha mencari/masuk ke ruangan dimana lawan jenis yang disukai berada		
5.	Memegang alat kelamin sendiri		
6.	Mengintip lawan jenis yang disukai		
7.	Tertawa tidak berhenti saat melihat lawan jenis yang disukai		
8.	Berbicara sendiri dan menyebut nama lawan jenis yang disukai		

Hasil Reliabilitas

Case Processing Summary

		N	%
Cases	Valid	20	100.0
	Excluded[a]	0	.0
	Total	20	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.996	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Rater 1	85.75	319.039	.987	.998
Rater 2	85.55	294.787	.991	.994
Rater 3	85.50	295.000	.997	.989

Correlations

		Rater 1	Rater 2	Rater 3
Rater 1	Pearson Correlation	1	.981**	.990**
	Sig. (1-tailed)		.000	.000
	N	20	20	20
Rater 2	Pearson Correlation	.981**	1	.995**
	Sig. (1-tailed)	.000		.000
	N	20	20	20
Rater 3	Pearson Correlation	.990**	.995**	1
	Sig. (1-tailed)	.000	.000	
	N	20	20	20

**. Correlation is significant at the 0.01 level (1-tailed).

Nonparametric Correlations

Correlations

			Rater 1	Rater 2	Rater 3
Kendall's tau_b	Rater 1	Correlation Coefficient	1.000	.896**	.937**
		Sig. (1-tailed)	.	.000	.000
		N	20	20	20
	Rater 2	Correlation Coefficient	.896**	1.000	.959**
		Sig. (1-tailed)	.000	.	.000
		N	20	20	20
	Rater 3	Correlation Coefficient	.937**	.959**	1.000
		Sig. (1-tailed)	.000	.000	.
		N	20	20	20

**. Correlation is significant at the 0.01 level (1-tailed).

Hasil Perhitungan

Within-Subjects Factors

Measure: MEASURE_1

pss	Dependent Variable
1	B_1
2	T_1
3	B_2
4	T_2

Multivariate Tests[b]

Effect		Value	F	Hypothesis df	Error df	Sig.
pss	Pillai's Trace	.812	2.875[a]	3.000	2.000	.269
	Wilks' Lambda	.188	2.875[a]	3.000	2.000	.269
	Hotelling's Trace	4.312	2.875[a]	3.000	2.000	.269
	Roy's Largest Root	4.312	2.875[a]	3.000	2.000	.269

a. Exact statistic

b.
Design: Intercept
Within Subjects Design: pss

Mauchly's Test of Sphericity[b]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[a]		
					Greenhouse-Geisser	Huynh-Feldt	Lower-bound
pss	.222	4.092	5	.559	.526	.811	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

b.
Design: Intercept
Within Subjects Design: pss

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F	Sig.
pss	Sphericity Assumed	887.400	3	295.800	8.806	.002
	Greenhouse-Geisser	887.400	1.579	562.150	8.806	.017
	Huynh-Feldt	887.400	2.434	364.635	8.806	.005
	Lower-bound	887.400	1.000	887.400	8.806	.041
Error(pss)	Sphericity Assumed	403.100	12	33.592		
	Greenhouse-Geisser	403.100	6.314	63.839		
	Huynh-Feldt	403.100	9.735	41.409		
	Lower-bound	403.100	4.000	100.775		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	pss	Type III Sum of Squares	df	Mean Square	F	Sig.
pss	Linear	309.760	1	309.760	16.667	.015
	Quadratic	57.800	1	57.800	4.747	.095
	Cubic	519.840	1	519.840	7.425	.053
Error(pss)	Linear	74.340	4	18.585		
	Quadratic	48.700	4	12.175		
	Cubic	280.060	4	70.015		

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	36808.200	1	36808.200	12.553	.024
Error	11729.300	4	2932.325		

Wilcoxon Signed Ranks Test

Ranks

		N	Mean Rank	Sum of Ranks
Baseline 2 - Baseline 1	Negative Ranks	5[a]	3.00	15.00
	Positive Ranks	0[b]	.00	.00
	Ties	0[c]		
	Total	5		

a. Baseline 2 < Baseline 1

b. Baseline 2 > Baseline 1

c. Baseline 2 = Baseline 1

Test Statistics[b]

	Baseline 2 - Baseline 1
Z	-2.023[a]
Asymp. Sig. (2-tailed)	.043

a. Based on positive ranks.

b. Wilcoxon Signed Ranks Test

Wilcoxon Signed Ranks Test

Ranks

		N	Mean Rank	Sum of Ranks
Treatment 2 - Treatment 1	Negative Ranks	5[a]	3.00	15.00
	Positive Ranks	0[b]	.00	.00
	Ties	0[c]		
	Total	5		

a. Treatment 2 < Treatment 1

b. Treatment 2 > Treatment 1

c. Treatment 2 = Treatment 1

Test Statistics[b]

	Treatment 2 - Treatment 1
Z	-2.023[a]
Asymp. Sig. (2-tailed)	.043

a. Based on positive ranks.

b. Wilcoxon Signed Ranks Test