

Lampiran

Deskriptif

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
EPS	95	-710,0000	1012,0000	58,197478	210,1872403
PER	95	-364,4700	2207,5100	47,547789	267,8632000
PBV	95	-19,8400	29,2500	2,175158	5,0090150
DER	95	-26,6400	20,1500	,789579	4,4531612
ROA	95	-,6890	,4071	,018903	,1518799
Ri	95	-,166660000	,315569136	,01014274966	,055567716973
Valid N (listwise)	95				

Normalitas

Regression

Notes	
Output Created	11-Agu-2015 14:46:51
Comments	
Input	Active Dataset DataSet0 Filter <none> Weight <none> Split File <none> N of Rows in Working Data File 98
Missing Value Handling	Definition of Missing User-defined missing values are treated as missing. Cases Used Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Ri /METHOD=ENTER eps per pbv der roa /SAVE RESID.
Resources	Processor Time 00 00:00:00,062 Elapsed Time 00 00:00:00,063 Memory Required 2684 bytes

Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified RES_1	Unstandardized Residual

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	roa, per, der, eps, pbv	.	Enter

a. All requested variables entered.

b. Dependent Variable: Ri

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,081 ^a	,007	-,047	,23604

a. Predictors: (Constant), roa, per, der, eps, pbv

b. Dependent Variable: Ri

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,034	5	,007	,122	,987 ^a
	Residual	5,126	92	,056		
	Total	5,160	97			

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,034	5	,007	,122	,987 ^a
	Residual	5,126	92	,056		
	Total	5,160	97			

a. Predictors: (Constant), roa, per, der, eps, pbv

b. Dependent Variable: Ri

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,041	,027		1,511	,134
	Eps	7,014E-5	,000	,065	,503	,616
	Per	-8,119E-6	,000	-,009	-,089	,929
	Pbv	-,002	,006	-,043	-,309	,758
	der	-,001	,007	-,029	-,208	,835
	roa	-,052	,196	-,034	-,264	,793


a. Dependent Variable: Ri

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,0378	,1215	,0386	,01873	98
Residual	-,20062	2,09792	,00000	,22988	98
Std. Predicted Value	-4,078	4,422	,000	1,000	98
Std. Residual	-,850	8,888	,000	,974	98

a. Dependent Variable: Ri

Regression



Notes

Output Created		11-Agu-2015 14:48:14
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	96
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Ri /METHOD=ENTER eps per pbv der roa /SAVE RESID. </pre>

Resources	Processor Time	00 00:00:00,078
	Elapsed Time	00 00:00:00,125
	Memory Required	2708 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_2	Unstandardized Residual

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	roa, per, der, eps, pbv	.	Enter

- a. All requested variables entered.
b. Dependent Variable: Ri

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,399 ^a	,159	,112	,05208

- a. Predictors: (Constant), roa, per, der, eps, pbv
b. Dependent Variable: Ri

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,046	5	,009	3,405	,007 ^a
	Residual	,244	90	,003		
	Total	,290	95			

- a. Predictors: (Constant), roa, per, der, eps, pbv
b. Dependent Variable: Ri

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,008	,006		1,376	,172
	Eps	3,221E-5	,000	,122	1,032	,305
	Per	7,044E-6	,000	,034	,350	,727
	Pbv	,001	,001	,125	,974	,333
	Der	-,005	,002	-,418	-3,270	,002
	roa	,041	,043	,113	,956	,342

a. Dependent Variable: Ri

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,0647	,1266	,0102	,02205	96
Residual	-,16917	,18894	,00000	,05069	96
Std. Predicted Value	-3,398	5,279	,000	1,000	96
Std. Residual	-3,248	3,628	,000	,973	96

a. Dependent Variable: Ri

Regression

Notes

Output Created		11-Agu-2015 14:48:54
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	95
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Ri /METHOD=ENTER eps per pbv der roa /SAVE RESID.
Resources	Processor Time	00 00:00:00,094
	Elapsed Time	00 00:00:00,125
	Memory Required	2724 bytes
	Additional Memory Required for Residual Plots	0 bytes
Variables Created or Modified	RES_3	Unstandardized Residual

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	roa, per, der, eps, pbv	.	Enter

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	roa, per, der, eps, pbv	.	Enter

a. All requested variables entered.

b. Dependent Variable: Ri

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,397 ^a	,158	,111	,05199

a. Predictors: (Constant), roa, per, der, eps, pbv

b. Dependent Variable: Ri

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,045	5	,009	3,339	,008 ^a
	Residual	,241	89	,003		
	Total	,286	94			

a. Predictors: (Constant), roa, per, der, eps, pbv

b. Dependent Variable: Ri

Coefficients^a

Model	Unstandardized Coefficients	Standardized Coefficients	t	Sig.
-------	-----------------------------	---------------------------	---	------

		B	Std. Error	Beta		
1	(Constant)	,008	,006		1,289	,201
	eps	3,071E-5	,000	,117	,985	,327
	per	7,281E-6	,000	,035	,363	,718
	pbv	,001	,001	,125	,965	,337
	der	-,005	,002	-,419	-3,259	,002
	roa	,041	,043	,112	,941	,349

a. Dependent Variable: Ri

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,0650	,1255	,0095	,02191	95
Residual	-,16865	,19003	,00000	,05059	95
Std. Predicted Value	-3,401	5,295	,000	1,000	95
Std. Residual	-3,244	3,655	,000	,973	95

a. Dependent Variable: Ri

NPar Tests

Notes

Output Created

11-Agu-2015 14:49:07

Comments			
Input	Active Dataset	DataSet0	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data		95
	File		
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.	
Syntax		NPART TESTS /K-S(NORMAL)=RES_3 /MISSING ANALYSIS.	
Resources	Processor Time		00 00:00:00,000
	Elapsed Time		00 00:00:00,015
	Number of Cases Allowed ^a		196608

a. Based on availability of workspace memory.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		95
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	,05059065
Most Extreme Differences	Absolute	,136
	Positive	,136
	Negative	-,126
Kolmogorov-Smirnov Z		1,325
Asymp. Sig. (2-tailed)		,060

a. Test distribution is Normal.

b. Calculated from data.

Regression, Multikolinearitas

Notes

Output Created		04-Agu-2015 13:54:39
Comments		
Input	Data	C:\Users\ACER\Desktop\spss19res3.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	95
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax	<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Ri /METHOD=ENTER EPS PER PBV DER ROA /SCATTERPLOT=(*SRESID ,*ZPRED) /SAVE RESID. </pre>	
Resources	Processor Time	00 00:00:01,436
	Elapsed Time	00 00:00:01,280
	Memory Required	2788 bytes
	Additional Memory Required for Residual Plots	208 bytes
Variables Created or Modified	RES_6	Unstandardized Residual

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	ROA, PER, DER, EPS, PBV	.	Enter

- a. All requested variables entered.
- b. Dependent Variable: Ri

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,399 ^a	,159	,112	,052361382802

- a. Predictors: (Constant), ROA, PER, DER, EPS, PBV
- b. Dependent Variable: Ri

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,046	5	,009	3,373	,008 ^a
	Residual	,244	89	,003		
	Total	,290	94			

a. Predictors: (Constant), ROA, PER, DER, EPS, PBV

b. Dependent Variable: Ri

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
(Constant)	,008	,006		1,346	,182		
EPS	3,179E-5	,000	,120	1,011	,315	,668	1,498
PER	7,040E-6	,000	,034	,348	,729	,994	1,006
PBV	,001	,001	,126	,976	,332	,563	1,777
DER	-,005	,002	-,419	-3,258	,002	,572	1,748
ROA	,042	,044	,114	,958	,340	,663	1,508

Dependent Variable: Ri

Model		ROA	PER	DER	EPS	PBV
1 Correlations	ROA	1,000	-,029	-,106	-,574	,150
	PER	-,029	1,000	,024	,041	-,066
	DER	-,106	,024	1,000	,057	-,653
	EPS	-,574	,041	,057	1,000	-,120
	PBV	,150	-,066	-,653	-,120	1,000
Covariances	ROA	,002	-2,542E-8	-7,456E-6	-7,883E-7	9,390E-6

	PER	-2,542E-8	4,090E-10	7,901E-10	2,600E-11	-1,926E-9
	DER	-7,456E-6	7,901E-10	2,572E-6	2,880E-9	-1,506E-6
	EPS	-7,883E-7	2,600E-11	2,880E-9	9,889E-10	-5,427E-9
	PBV	9,390E-6	-1,926E-9	-1,506E-6	-5,427E-9	2,066E-6

a. Dependent Variable: Ri

Collinearity Diagnostics^a

Dimension	Eigenvalue	Condition Index	Variance Proportions					
			(Constant)	EPS	PER	PBV	DER	ROA
1	2,057	1,000	,08	,05	,01	,07	,06	,03
2	1,468	1,184	,00	,13	,01	,05	,05	,17
3	1,015	1,423	,07	,00	,72	,01	,06	,00
4	,762	1,643	,59	,00	,25	,00	,10	,07
5	,412	2,235	,15	,73	,01	,04	,04	,59
6	,285	2,687	,12	,09	,00	,84	,68	,14

Collinearity Diagnostics^a

Dimension	Eigenvalue	Condition Index	Variance Proportions					
			(Constant)	EPS	PER	PBV	DER	ROA
1	2,057	1,000	,08	,05	,01	,07	,06	,03
2	1,468	1,184	,00	,13	,01	,05	,05	,17
3	1,015	1,423	,07	,00	,72	,01	,06	,00
4	,762	1,643	,59	,00	,25	,00	,10	,07
5	,412	2,235	,15	,73	,01	,04	,04	,59
6	,285	2,687	,12	,09	,00	,84	,68	,14

pendent Variable: Ri




Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,06481921673	,12666966021	,01014274966	,022178652652	95
Std. Predicted Value	-3,380	5,254	,000	1,000	95
Standard Error of Predicted Value	,006	,044	,011	,008	95
Adjusted Predicted Value	-,09022422135	,14292119443	,01009437313	,026022615867	95
Residual	-,169054806232	,188899472356	,000000000000	,050949764829	95
Std. Residual	-3,229	3,608	,000	,973	95
Stud. Residual	-3,249	4,747	,002	1,058	95
Deleted Residual	-,171203806996	,326995849609	,000048376537	,062403067463	95
Stud. Deleted Residual	-3,441	5,461	,010	1,119	95
Mahal. Distance	,091	65,969	4,947	10,249	95
Cook's Distance	,000	2,745	,049	,295	95
Centered Leverage Value	,001	,702	,053	,109	95

a. Dependent Variable: Ri

Charts



Regression, Autokolerasi

Notes

Output Created		04-Agu-2015 14:07:30
Comments		
Input	Data	C:\Users\ACER\Desktop\spss19res3.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	95
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.

Syntax	<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Ri /METHOD=ENTER EPS PER PBV DER ROA /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS DURBIN /CASEWISE PLOT(ZRESID) OUTLIERS(3) /SAVE RESID. </pre>	
Resources	Processor Time Elapsed Time Memory Required Additional Memory Required for Residual Plots	00 00:00:01,545 00 00:00:01,592 2804 bytes 208 bytes
Variables Created or Modified	RES_7	Unstandardized Residual

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	ROA, PER, DER, EPS, PBV	.	Enter

- a. All requested variables entered.
- b. Dependent Variable: Ri

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,399 ^a	,159	,112	,052361382802	1,855

- a. Predictors: (Constant), ROA, PER, DER, EPS, PBV
- b. Dependent Variable: Ri

ANOVA^b

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	,046	5	,009	3,373	,008 ^a
	Residual	,244	89	,003		
	Total	,290	94			

a. Predictors: (Constant), ROA, PER, DER, EPS, PBV

b. Dependent Variable: Ri

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
(Constant)	,008	,006		1,346	,182		
EPS	3,179E-5	,000	,120	1,011	,315	,668	1,498
PER	7,040E-6	,000	,034	,348	,729	,994	1,006
PBV	,001	,001	,126	,976	,332	,563	1,777
DER	-,005	,002	-,419	-3,258	,002	,572	1,748
ROA	,042	,044	,114	,958	,340	,663	1,508

Dependent Variable: Ri

Coefficient Correlations^a

		ROA	PER	DER	EPS	PBV
Correlations	ROA	1,000	-,029	-,106	-,574	,150
	PER	-,029	1,000	,024	,041	-,066
	DER	-,106	,024	1,000	,057	-,653
	EPS	-,574	,041	,057	1,000	-,120
	PBV	,150	-,066	-,653	-,120	1,000
Covariances	ROA	,002	-2,542E-8	-7,456E-6	-7,883E-7	9,390E-6

PER	-2,542E-8	4,090E-10	7,901E-10	2,600E-11	-1,926E-9
DER	-7,456E-6	7,901E-10	2,572E-6	2,880E-9	-1,506E-6
EPS	-7,883E-7	2,600E-11	2,880E-9	9,889E-10	-5,427E-9
PBV	9,390E-6	-1,926E-9	-1,506E-6	-5,427E-9	2,066E-6

Casewise Diagnostics^a

Case Number	Std. Residual	Ri	Predicted Value	Residual
38	-3,229	-,166660000	,00239480209	-,169054802094
56	3,509	,180620624	-,00313318780	,183753811798
60	3,608	,315569136	,12666966138	,188899474616


a. Dependent Variable: Ri

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-,06481921673	,12666966021	,01014274966	,022178652652	95
Std. Predicted Value	-3,380	5,254	,000	1,000	95
Standard Error of Predicted Value	,006	,044	,011	,008	95
Adjusted Predicted Value	-,09022422135	,14292119443	,01009437313	,026022615867	95
Residual	-,169054806232	,188899472356	,000000000000	,050949764829	95
Std. Residual	-3,229	3,608	,000	,973	95
Stud. Residual	-3,249	4,747	,002	1,058	95
Deleted Residual	-,171203806996	,326995849609	,000048376537	,062403067463	95
Stud. Deleted Residual	-3,441	5,461	,010	1,119	95
Mahal. Distance	,091	65,969	4,947	10,249	95
Cook's Distance	,000	2,745	,049	,295	95
Centered Leverage Value	,001	,702	,053	,109	95

a. Dependent Variable: Ri

Charts



Regression, Heterokedastisitas

Notes		
Output Created		05-Agu-2015 12:25:42
Comments		
Input	Data	C:\Users\ACER\Desktop\spss19res4.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	95
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT abs_res /METHOD=ENTER EPS PER PBV DER ROA.
Resources	Processor Time	00 00:00:00,047
	Elapsed Time	00 00:00:00,048
	Memory Required	2828 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	ROA, PER, DER, EPS, PBV	.	Enter

a. All requested variables entered.

b. Dependent Variable: abs_res

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,427 ^a	,182	,136	,03666

a. Predictors: (Constant), ROA, PER, DER, EPS, PBV

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,027	5	,005	3,958	,003 ^a
	Residual	,120	89	,001		
	Total	,146	94			

a. Predictors: (Constant), ROA, PER, DER, EPS, PBV

b. Dependent Variable: abs_res

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,034	,004		7,938	,000
	EPS	1,055E-5	,000	,056	,479	,633
	PER	6,383E-6	,000	,043	,451	,653
	PBV	,000	,001	,063	,493	,623
	DER	-,004	,001	-,401	-3,160	,002
	ROA	-,061	,031	-,233	-1,979	,051

a. Dependent Variable: abs_res



Regression, Hipotesis

Notes

Output Created		05-Agu-2015 12:28:16
Comments		
Input	Data	C:\Users\ACER\Desktop\spss19res4.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	95
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Ri /METHOD=ENTER EPS PER PBV DER ROA.
Resources	Processor Time	00 00:00:00,046
	Elapsed Time	00 00:00:00,048
	Memory Required	2828 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	ROA, PER, DER, EPS, PBV	.	Enter

a. All requested variables entered.

b. Dependent Variable: Ri

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,399 ^a	,159	,112	,052361382802

a. Predictors: (Constant), ROA, PER, DER, EPS, PBV

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,046	5	,009	3,373	,008 ^a
	Residual	,244	89	,003		
	Total	,290	94			

a. Predictors: (Constant), ROA, PER, DER, EPS, PBV

b. Dependent Variable: Ri

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,008	,006		1,346	,182
	EPS	3,179E-5	,000	,120	1,011	,315
	PER	7,040E-6	,000	,034	,348	,729
	PBV	,001	,001	,126	,976	,332
	DER	-,005	,002	-,419	-3,258	,002
	ROA	,042	,044	,114	,958	,340

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	,008	,006		1,346	,182
	EPS	3,179E-5	,000	,120	1,011	,315
	PER	7,040E-6	,000	,034	,348	,729
	PBV	,001	,001	,126	,976	,332
	DER	-,005	,002	-,419	-3,258	,002
	ROA	,042	,044	,114	,958	,340

a. Dependent Variable: Ri



TABLE A-5a DURBIN-WATSON d STATISTIC: SIGNIFICANCE POINTS OF d_L AND d_U AT 0.05 LEVEL OF SIGNIFICANCE.

n	k' = 1		k' = 2		k' = 3		k' = 4		k' = 5		k' = 6		k' = 7		k' = 8		k' = 9		k' = 10	
	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U
6	0.610	1.400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	0.700	1.358	0.467	1.896	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	0.763	1.332	0.559	1.777	0.368	2.287	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	0.824	1.320	0.629	1.699	0.455	2.128	0.296	2.588	—	—	—	—	—	—	—	—	—	—	—	—
10	0.879	1.320	0.697	1.641	0.525	2.016	0.376	2.414	0.243	2.822	—	—	—	—	—	—	—	—	—	—
11	0.927	1.324	0.658	1.604	0.595	1.928	0.444	2.283	0.316	2.645	0.203	3.005	—	—	—	—	—	—	—	—
12	0.971	1.331	0.812	1.579	0.658	1.864	0.512	2.177	0.379	2.506	0.268	2.832	0.171	3.149	—	—	—	—	—	—
13	1.010	1.340	0.861	1.562	0.715	1.816	0.574	2.094	0.445	2.390	0.328	2.692	0.230	2.985	0.147	3.266	—	—	—	—
14	1.045	1.350	0.905	1.551	0.767	1.779	0.632	2.030	0.505	2.296	0.389	2.572	0.286	2.848	0.200	3.111	0.127	3.360	—	—
15	1.077	1.361	0.946	1.543	0.814	1.750	0.685	1.977	0.562	2.220	0.447	2.472	0.343	2.727	0.251	2.979	0.175	3.216	0.111	3.438
16	1.106	1.371	0.982	1.539	0.857	1.728	0.734	1.935	0.615	2.157	0.502	2.388	0.398	2.624	0.304	2.860	0.222	3.090	0.155	3.304
17	1.133	1.381	1.015	1.536	0.897	1.710	0.779	1.900	0.664	2.104	0.554	2.318	0.451	2.537	0.356	2.757	0.272	2.975	0.198	3.184
18	1.158	1.391	1.046	1.535	0.933	1.696	0.820	1.872	0.710	2.060	0.603	2.257	0.502	2.461	0.407	2.667	0.321	2.873	0.244	3.073
19	1.180	1.401	1.074	1.536	0.967	1.685	0.859	1.848	0.752	2.023	0.649	2.206	0.549	2.396	0.456	2.589	0.369	2.783	0.290	2.974
20	1.201	1.411	1.100	1.537	0.998	1.676	0.894	1.828	0.792	1.991	0.692	2.162	0.595	2.339	0.502	2.521	0.416	2.704	0.336	2.885
21	1.221	1.420	1.125	1.538	1.026	1.669	0.927	1.812	0.829	1.964	0.732	2.124	0.637	2.290	0.547	2.460	0.461	2.633	0.380	2.806
22	1.239	1.429	1.147	1.541	1.053	1.664	0.958	1.797	0.863	1.940	0.769	2.090	0.677	2.246	0.588	2.407	0.504	2.571	0.424	2.734
23	1.257	1.437	1.168	1.543	1.078	1.660	0.986	1.785	0.895	1.920	0.804	2.061	0.715	2.208	0.628	2.360	0.545	2.514	0.465	2.670
24	1.273	1.446	1.188	1.546	1.101	1.656	1.013	1.775	0.925	1.902	0.837	2.035	0.751	2.174	0.666	2.318	0.584	2.464	0.506	2.613
25	1.288	1.454	1.206	1.550	1.123	1.654	1.038	1.767	0.953	1.886	0.868	2.012	0.784	2.144	0.702	2.280	0.621	2.419	0.544	2.560
26	1.302	1.461	1.224	1.553	1.143	1.652	1.062	1.759	0.979	1.873	0.897	1.992	0.816	2.117	0.735	2.246	0.657	2.379	0.581	2.513
27	1.316	1.469	1.240	1.556	1.162	1.651	1.084	1.753	1.004	1.861	0.925	1.974	0.845	2.093	0.767	2.216	0.691	2.342	0.616	2.470
28	1.328	1.476	1.255	1.560	1.181	1.650	1.104	1.747	1.028	1.850	0.951	1.958	0.874	2.071	0.798	2.188	0.723	2.309	0.650	2.431
29	1.341	1.483	1.270	1.563	1.198	1.650	1.124	1.743	1.050	1.841	0.975	1.944	0.900	2.052	0.826	2.164	0.753	2.278	0.682	2.396
30	1.352	1.489	1.284	1.567	1.214	1.650	1.143	1.739	1.071	1.833	0.998	1.931	0.926	2.034	0.854	2.141	0.782	2.251	0.712	2.363
31	1.363	1.496	1.297	1.570	1.229	1.650	1.160	1.735	1.090	1.825	1.020	1.920	0.950	2.018	0.879	2.120	0.810	2.226	0.741	2.333
32	1.373	1.502	1.309	1.574	1.244	1.650	1.177	1.732	1.109	1.819	1.041	1.909	0.972	2.004	0.904	2.102	0.836	2.203	0.769	2.306
33	1.383	1.508	1.321	1.577	1.258	1.651	1.193	1.730	1.127	1.813	1.061	1.900	0.994	1.991	0.927	2.085	0.861	2.181	0.795	2.281
34	1.393	1.514	1.335	1.580	1.271	1.652	1.208	1.728	1.144	1.808	1.080	1.891	1.015	1.979	0.950	2.069	0.885	2.162	0.821	2.257
35	1.402	1.519	1.343	1.584	1.283	1.653	1.222	1.726	1.160	1.803	1.097	1.884	1.034	1.967	0.971	2.054	0.908	2.144	0.845	2.236
36	1.411	1.525	1.354	1.587	1.295	1.654	1.236	1.724	1.175	1.799	1.114	1.877	1.053	1.957	0.991	2.041	0.930	2.127	0.868	2.216
37	1.419	1.530	1.364	1.590	1.307	1.655	1.249	1.723	1.190	1.795	1.131	1.870	1.071	1.948	1.011	2.029	0.951	2.112	0.891	2.198
38	1.427	1.535	1.373	1.594	1.318	1.656	1.261	1.722	1.204	1.792	1.146	1.864	1.088	1.939	1.029	2.017	0.970	2.098	0.912	2.180
39	1.435	1.540	1.382	1.597	1.328	1.658	1.273	1.722	1.218	1.789	1.161	1.859	1.104	1.932	1.047	2.007	0.990	2.085	0.932	2.164
40	1.442	1.544	1.391	1.600	1.338	1.659	1.285	1.721	1.230	1.786	1.175	1.854	1.120	1.924	1.064	1.997	1.008	2.072	0.952	2.149
45	1.475	1.566	1.430	1.615	1.383	1.666	1.336	1.720	1.287	1.776	1.238	1.835	1.189	1.895	1.139	1.958	1.089	2.022	1.038	2.088
50	1.503	1.585	1.462	1.628	1.421	1.674	1.378	1.721	1.335	1.771	1.291	1.822	1.246	1.875	1.201	1.930	1.156	1.986	1.110	2.044
55	1.528	1.601	1.490	1.641	1.452	1.681	1.414	1.724	1.374	1.768	1.334	1.814	1.294	1.861	1.253	1.909	1.212	1.959	1.170	2.010
60	1.549	1.616	1.514	1.652	1.480	1.689	1.444	1.727	1.408	1.767	1.372	1.808	1.335	1.850	1.298	1.894	1.260	1.939	1.222	1.984
65	1.567	1.629	1.536	1.662	1.503	1.696	1.471	1.731	1.438	1.767	1.404	1.805	1.370	1.843	1.336	1.882	1.301	1.923	1.266	1.964
70	1.583	1.641	1.554	1.672	1.525	1.703	1.494	1.735	1.464	1.768	1.433	1.802	1.401	1.837	1.369	1.873	1.337	1.910	1.305	1.948
75	1.598	1.652	1.571	1.680	1.543	1.709	1.515	1.739	1.487	1.770	1.458	1.801	1.428	1.834	1.399	1.867	1.369	1.901	1.339	1.935
80	1.611	1.662	1.586	1.688	1.560	1.715	1.534	1.743	1.507	1.772	1.480	1.801	1.453	1.831	1.425	1.861	1.397	1.893	1.369	1.925
85	1.624	1.671	1.600	1.696	1.575	1.721	1.550	1.747	1.525	1.774	1.500	1.801	1.474	1.829	1.448	1.857	1.422	1.886	1.396	1.916
90	1.635	1.679	1.612	1.703	1.589	1.726	1.566	1.751	1.542	1.776	1.518	1.801	1.494	1.827	1.469	1.854	1.445	1.881	1.420	1.909
95	1.645	1.687	1.623	1.709	1.602	1.732	1.579	1.755	1.557	1.778	1.535	1.802	1.512	1.827	1.489	1.852	1.465	1.877	1.442	1.903
100	1.654	1.694	1.634	1.715	1.613	1.736	1.592	1.758	1.571	1.780	1.550	1.803	1.528	1.826	1.506	1.850	1.484	1.874	1.462	1.898
150	1.720	1.746	1.706	1.760	1.693	1.774	1.679	1.788	1.665	1.802	1.651	1.817	1.637	1.832	1.622	1.847	1.608	1.862	1.594	1.877
200	1.758	1.778	1.748	1.789	1.738	1.799	1.728	1.810	1.718	1.820	1.707	1.831	1.697	1.841	1.686	1.852	1.675	1.863	1.665	1.874

