

## 6. DAFTAR PUSTAKA

- Adams, M. A., M. Bolger, C. D. Carrington, C. E. Coker, G.M Cramer, M. J. DiNovi and S. Dolan (1993<sup>a</sup>). Guidance Document for Cadmium in Shellfish. Guidance Documents for Trace Element in Seafood (Washington DC: National Academy Press).
- Adams, M. A., M. Bolger, C. D. Carrington, C. E. Coker, G.M Cramer, M. J. DiNovi and S. Dolan (1993<sup>b</sup>). Guidance Document for Lead in Shellfish. Guidance Documents for Trace Element in Seafood (Washington DC: National Academy Press).
- Ahmed, F. E (editor) (1991). Seafood Safety. National Academy Press. Washington D. C.
- Anonim (1992). International Programme an Chemical Safety. Environmental Health Criteria : Cadmium- Environmental Effect. WHO Macmillan. Geneva.
- Anonim (1996). Trace Element in Human Nutrition and Health. WHO. Macmillan. Geneva.
- Arifuddin,Rahmat(2002). BandengPresto. [http://www.Dkp.go.id/ie/tentang/Info\\_Budidaya/Ikan/Bandeng %20 presto.htm](http://www.Dkp.go.id/ie/tentang/Info_Budidaya/Ikan/Bandeng %20 presto.htm).
- Babukutty, Y and J. Chacko (1995). Chemical Partitioning and Bioavailability of Lead and Nickel in an Estuarine System. *Environmental Toxicology and Chemistry* 14 (3): 427-434.
- Bernard, M. and Andreae,M. O. (1984). Transport of Trace Metals in Marine Food Chains. In J. O. Mriagu, ed. Changing Metal Cycles and Human Health. Springverlag. New York.
- Browne,D.R.; A.Husni; M.J. Risk & J. Eyles (1999). Exposure Assessment : Heavy Metals in Marine Biota of Coastal Indonesia. Research from the UNDIP-McMaster Collaborating Project in coastal Zone Eco-Development CIDAUPCD agreement No. 098/s47074-(0-99). ISP.<http://www.mcmaster.ca/mieh/indo.htm>.
- Bu-Olayan, A.H. & S. Al-Yakoob (1998). Lead, Nickel and Vanadium in Seafood: an Exposure Assessment for Kuwaiti Consumers. *The Science of the Total Environment* 223: 81-86.
- Chan, H. M. and P.S. Rainbow (1993). The Accumulation of Dissolved Zinc by the Shore Crab *Carcinus maenas* (L.). *Ophelia* 38 (1): 13-30
- Cohen, T., S.S. Que Hee & R. F. Ambrose (2001). Trace Metals in Fish and Invertebrates of Three California Coastal Wetlands. *Marine Pollution Bulletin* 42: 224-232.
- Eisler, R (1993). Zinc Hazards to Fish, Wildlife, and Invertebrates : A synoptic review. US Departement of the Interior.

Fany (2002). Studi Tentang Pola Konsumsi *Seafood* Pada Warga Kompleks Perumahan Tanah Mas, Semarang Utara. Skripsi. UNIKA Soegijapranata. Semarang.

Farley, D. (1998). Dangers of Lead still Linger. FDA Consumer January- February. US. FDA.

Groten, J.P & P. J. van Bladeren (1994). Cadmium Bioavailability and Health Risk in Food. *Trends in Food Science and Technology February* Vol 5.

Hadiwiyoto, Suwedo & Sri Naruki (1999). Optimasi waktu pemasakan Bandeng Presto. Agritech 19:21-24.

Hadiwiyoto, Suwedo; Sri Naruki; Sri Satyanti; Hastini Rahayu & Diana Riptakasari (1998). Perubahan Kelarutan Protein, Kandungan Lisin (Available), Metionin, dan Histidin Bandeng Presto Selama Penyimpanan dan Pemasakan Ulang. Agritech 19(2): 78-82.

Han, B. C. & T.C Hung (1990). Green Oyster Caused by Copper Pollution in the Taiwan Coast. *Environmental Pollution* 65: 347-362

Han, B-C., W-L.Jeng; T-C. Hung; M-S. Jeng (1994). Copper Intake and Health Threat by Consuming Seafood from Copper-contaminated Coastal Environments in Taiwan. *Environment Toxicology and Chemistry* 13:775-780.

Han, B-C., W-L. Jeng, R-Y. Chen, G-T. Fang, T-C. Hung & R-J. Tseng (1998). Estimation of Target Hazard Quotients and Potential Health Risks for Metals by Consumption of Seafood in Taiwan. *Archives of Environment Contamination & Toxicology* 35:711-720

Hantoro, I. (2001). Metals Content, Microbial Composition and Biomass Reduction of Tissue of Comercially Important Cockle (*Anadara granosa*) from Coastal Areas in Semarang and Kendal. Skripsi. Unika Soegijapranata. Semarang.

Jaworski, J. F. (Rapporteur)(1984). Routes of Exposure to Humans and Bioavailability. In, J. O. Nriagu (ed.) Changing Metal Cycles and Human Health. New York. Springer-Verlag 375-388

Jewett, S.C. & A.S. Naidu (2000). Assessment of Heavy Metals in Red King Crabs Following Offshore Placer Gold Mining. *Marine Pollution Bulletin* 40: 478-490.

John, L. & T. V. Fernandez (1998). Incidence of Trace Metals in *Scylla serrata*, an Edible Crab from Ashtamadi Estuary, India. *Jurnal of Environment Biology* 19 : 99-106.

Jones, G. B., P. Mercurio & F. Oliver (2000). Zinc in Fish, Crabs, Oysters, and Mangrove Flora and Fauna from Cleveland Bay. *Marine Pollution Bulletin* 41 : 345-352.

Kraak, M.H.S.; Daphna Lavy; H. Schoon; M. Toussaint; H.M. Wilma and N.M. van straalen. (1993). Ecotoxicity of Mixtures of Metals to the Zebra Mussel *Dreissena Polymorpha*.

Krornhout, D.; Bosschieter E.B.; Lezene Coulander C. (1985). The Inverse Relation Between Fish Consumption and 20-years Mortality from Coronary Heart Disease. *N. Engl. J Med.* 312: 1205-1029

Lin, Saulwood & I. JY-Hsieh (1999). Occurrence of Green Oyster ang Heavy Metals Contaminant Levels in the Sien-San Area, Taiwan. *Marine Pollution Bulletin* 38 (11): 960-965

Lorita, F. X. (2002). Pengaruh Pencucian, Perendaman dan Perebusan terhadap Kandungan Logam Kerang sp.

Martosudarmo, B; E. Sudarmini; B. Salomoen & B.S. Ramoemihardjo (1985). Biologi Bandeng (*Chanos chanos* Forskal): Pedoman Budidaya Tambak. Direktorat Jenderal Perikanan Departemen Pertanian Jakarta.

Mat, I., M.J. Maah & A. Johari (1994). Trace metals in Sediments and Potential Availability to *Anadara granosa*. *Archives of Environment Contamination & Toxicology* 27 : 54-59.

Nelson, W. G.; B. J. Bergen D. J. Cobb (1995). Comparison of PCB and Trace Metal Bioaccumulation in the Blue Mussel, *Mytilus edilus*, and Ribbed Mussel, *Modiulus demissus*, in New Bedford Harbor, Massachusetts. *Environmental Toxicology and Chemistry* 14 (3) : 513-521

Paez-Osuna, F. & L. Tron-Mayen (1995). Distribution of Heavy Metals in Tissues of the Shrimp *Penaeus californiensis* from the Northwest Coast of Mexico. *Bulletin of Environment Contamination and Toxicology* 55: 209-215.

Potter, Norman & J. H. Hotchkiss (1996). Food Science. Chapman & Hall, Inc. New York.

Prasetyo, A. A. W (2002). Studi Pola Konsumsi Seafood Masyarakat Perkampungan Nelayan Tambak Lorok dan Desa Trimulyo Kota Semarang. Skripsi. UNIKA Soegijapranata. Semarang.

Rachmansyah ; Dalfiah; P.R. Pongmasak & Taufik Ahmad (1998). Uji Toksisitas Logam berat Terhadap Benur Udang windu (*Penaeus monodon*) dan Nener Bandeng (*Chanos chanos*). *Jurnal Penelitian Perikanan Indonesia* 4: 55-65.

Rainbow, P.S (1990). The Significance of Accumulated Heavy Metal Concentrations in Marine Organisms. *Marine Pollution Buletin* 21:321-324.

Roday, S (1994). Food Hygiene and Sanitation. Tata Mc-Graw Hill Publishing Company Limited. New Delhi.

Sarmani, S & A. A. Majid (1994). Dietary Intake of Toxic Trace Elements from Seafood Consumption in Malaysia. In Environmental Toxicology in South East Asia. VU University Press.

Shatenstein, B; T. Kosatsky; S. Nadon; S. Lussier-Cacan and J-P Weber (1999). Reliability and Relative Validity of Fish Consumption Data Obtained in An Exposure Assessment Study Among Montreal-area Sport Fishers. *Environmental Research Section A* 80: S71-S86

Shahidi, F. & J. R. Botta (1994). Seafood : Chemistry, Processing and Technology and Quality. Blackie, Academic, London.

Standar Nasional Indonesia (1992). Cara Uji Cemaran Logam. Departemen Perindustrian

Standar Nasional Indonesia (1996). Bandeng Presto. Departemen Perindustrian.

Steinhart, C. E.; M. E. Doyle & B. A. Cochrane (1996). Food Safety. Marcel Dekker, Inc. New York.

Sugianto, D. N. (1998). Bioaccumulated Level of Lead (pb) in Soft Tissues of "Kerang Bulu" (*Anadara Inflata reeve*) as Bioindicator of Pollutant under Laboratories. *Environmental Journal* 8-12. ISSN 1410-6884.

Svensson, B. G.; Schutz, A.; Nilsson A.; Akesson B.; Skerfving S. (1992). Fish as a Source of Exposure to Mercury and Selenium. *Sci Total Environ* 126: 61-74

Tahvonen, R. and J. Kumpulainen (1996). Content of Lead and Cadmium in Selected Fish Species Consumed in Finland in 1993-1994. *Food Additives and Contaminants* 13 (6):647-654

Tukimat, L.; D. Aminah; S. Salmijah & Y. H. Lee (1999). Assessment of Heavy Metals in a Malaysian diet. *Buletin Kesihatan Masyarakat* 5:37-46.

Tjahjono, Budi (2002). Evaluasi Logam Berat Pada Udang Windu (*Penaeus monodon*) dari Tiga Lokasi di Jawa Tengah. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Vogt, G; E.T. Quinito. (1994). Accumulation and Excretion of Metal Granules in Prawn, *Penaeus monodon*, Exposed to Water-borne Copper, Lead, Iron and Calcium. *Aquatic Toxicology* 28: 223-241.

Vasconcelos, M.T.S.D.; M.A.O. Azenha & J. P.S. Cabral (1997). Comparison of Availability of Copper (II) Complexes with Organics Ligands to Bacterial Cells and to Chitin. *Environmental Toxicology and Chemistry* 16 (10): 2029-2039.

Widianarko, B. (1997). Urban Ecoxicology: Spatial and Temporal Heterogeneity of Pollution. Faculty of Biology. Ph.D. Thesis. VU. Amsterdam.

Winarno, F. G. (1993). Pangan : Gizi, Teknologi dan Konsumen. PT. Gramedia Pustaka Utama. Jakarta.

Yoseph, F. H. (2002). Kandungan Logam, Bakteri Patogen dan Nutrisi Kerang dari Pantai Semarang dan Demak. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Zanders, I. P. and W. E. Rojas (1996) Salinity Effects on Cadmium Accumulation in Various Tissues of the Tropical Fiddler Crab *Uca rapax*. *Environmental Pollution* 94(3)293-299

