

6. DAFTAR PUSTAKA

- Al-Ameri, F. & N. S. Hettiarachchy. (2001). Edible Film As a Carrier of Antioxidant. Department of Food Science Univ. Arkansas. Fayetteville. http://ift.confex.com/ift/2001/techprogram/paper_6884.htm. (Retrieved 14 January 2002).
- Amarteifiol, J. O. & D. Moholo. (1998). The Chemical Composition of Four Legumes Consumed in Botswana. *J. Food Composition and Analysis.* 11 (4) : 329 – 332.
- Anonym. (2002^a). Sorbitol. <http://www.caloriecontrol.org/sorbitol.html>. (Retrieved 14 January 2002).
- Anonym. (2002^b). Carboxymethyl Cellulose (CMC) in Food. <http://www.noviantgroup.com/en/overview.html>. (Retrieved 22 January 2002).
- Anonym. (2002^c). Skim Milk Powder. <http://www.milkingredients.com>. (Retrieved 22 January 2002).
- Anonym. (2002^d). Prestige Proteins Sodium Caseinate Uses in Processed Foods. <http://www.casein.com/caseinates.html>. (Retrieved 22 January 2002).
- Anonym. (2002^e). Silicone Antifoam Emulsions. <http://www.trans/silicone/antifoam.com>. (Retrieved 30 January 2002).
- Anonym. (2002^f). Information About Defoam FG-10. <http://www.mackim.com/datasheets/rwt/data/antifoam9000.html>. (Retrieved 30 January 2002).
- AOAC. (1990). Official Methods of Analysis. 13th edition. Association of Official Analytical Chemists. Washington D.C.
- Aydinli, M. & M. Tutas. (1999). Water Sorption and Water Vapour Permeability Properties of Polysaccharide (Locust Bean Gum) Based Edible Films. Academic Press Limited. <http://www.idealibrary.com>. (Retrieved 6 January 2002).
- Ayrancı, E.; B. S. Buyuktas & E. E. Cetin. (1996). The Effect of Molecular Weight of Constituents on Properties of Cellulose-based Edible Films. Academic Press Limited. <http://www.idealibrary.com>. (Retrieved 6 January 2002).
- Bustillos, R. J. A. & J. M. Krochta. (1993). Water Vapor Permeability of Caseinates-Based Edible Films as Affected by pH, Calcium Crosslinking and Lipid Content. *J. Food Sci:* 58 (4): 904-907.
- Chang, Y. P.; P. B. Cheah & C. C. Seow. (2000). Plasticizing-Antiplasticizing Effects of Water on Physical Properties of Tapioca Starch Films in The Glassy State. *J. Food Sci:* 65 (3): 445-451.

- Damat ; Muljohardjo & Haryadi, (1996). Pembuatan Edible Film dari Campuran Protein Biji Karet dengan Kasein. BPPS UGM 9 (3B) : 415 – 425.
- Darmatjahjana. I. V. (2002). Titik Isoelektrik dan Sifat Kimia Isolat Protein Dari Beberapa Jenis *Exotic Legumes*. Unika Soegijapranata. Semarang.
- Druchta, J. M. & C. D. Johnston. (1997). An Update on Edible Films. J. Food Tech. 51 (2) : 62 – 63.
- Gago, M. B. P. & J. M. Krochta. (1999). Water Vapor Permeability of Whey Protein Emulsion Films as Affected by pH. J. Food Sci: 64 (4): 695-698.
- Gago, M. B. P. & J. M. Krochta .(2001). Denaturation Time and Temperature Effect on Solubility, Tensile Properties, and Oxygen Permeability of Whey Protein Edible Films. J. Food Sci: 66 (5): 705-710.
- Gnanasambandam, R.; N. S. Hettiarachchy & M. Coleman. (1997). Mechanical and Barrier Properties of Rice Bran Films. J. Food Sci: 62 (2): 395-398.
- Han, J. H. (2001). Edible and Biodegradable Films / Coatings Carrying Bioactive Agents. Department of Food Science. Canada. <http://www.dcn.davis.ca.us/~han/CyberFoodsci/volume2001.html>. (Retrieved 6 January 2002).
- Kamper, S. L. & O. Fennema. (1984). Water Vapor Permeability of an Edible, Fatty Acid, Bilayer Film. J. Food Sci: 49: 1482-1485.
- Klahorst, S. J. (1999). Credible Edible Films. <http://www.foodproductdesign.com/archive/1999/0999ap.html>. (Retrieved 6 January 2002).
- Ko, T., J. Day & A. McPherson. (2000). The Refined Structure of Canavalin from Jack Bean in Two Crystal forms at 2.1 and 2.0 a Resolution. <http://www.google.com/search?q=cache:SwdT0aglbcU:www.echonet.org/tropicalag/plantinfo/Canavaliaensiformis.pdf>. (Retrieved 19 November 2001).
- Kristanoko, H. (1996). Pengaruh Penambahan *Carboxymethyl Cellulose* dan Sorbitol Terhadap Karakteristik Fisik Edible Film Dari Ekstrak Protein Bungkil Kedelai. IPB. Bogor.
- Krochta, J.M.; E. A. Baldwin & M. O.N. Carriedo. (1994). Edible Coatings and Films to Improve Food Quality. Technomic Publishing Company, Inc. Lancaster.
- Krochta, J. M. (1998). Polymer Film Formation, Transport Characteristics, Modeling, and Application to Food Packaging and Biological Systems. <http://www.engr.ucdavis.edu/~bae/People/Krochta'98.html>. (Retrieved 6 January 2002).

- Krochta, J. M. & L. R. Franssen. (2002). Overview of Antimicrobials in Edible Films. http://ift.confex.com/ift/2002/techprogram/paper_9783.htm. (Retrieved 30 January 2002).
- Latief, R (2001). Teknologi Kemasan Plastik Biodegradable. IPB. Bogor. http://www.hayati-ipb.com/users/rudyct/indiv2001/rindam_latief.htm. (Retrieved 22 January 2002).
- Lent, L. E.; L. S. Vanasupa & P. S. Tong .(1998). Whey Protein Edible Film Structures Determined by Atomic Force Microscope. *J. Food Sci*: 63 (5): 824-827.
- Maynes, J. R. & J. M. Krochta. (1994). Properties of Edible Films from Total Milk Protein. *J. Food Sci*: 59 (4): 909-911.
- McHugh, T. (2001). New, Incredible Edible Packaging Films. <http://www.foodtechsource.com/emag/015/trend.htm>. (Retrieved 14 January 2002).
- Mourbas, I. (1977). Cara Menghilangkan Canavanin dalam Biji Koro Pedang. Akademi Gizi Dep Kes RI. Jakarta.
- Norusis, M. J. (1993). SPSS for Windows Base System User's Guide Release 6.0. SPSS Inc. USA.
- Poeloengasih, C. D. & D. W. Marseno. (2002). Physical Properties of Composite Edible Film from Winged Bean Seeds Flour and Tapioca. Prosiding Kolokium Nasional Teknologi Pangan. Unika Sorgijapranata. Semarang.
- Potter, N. N. & J. H. Hotchkiss. (1995). Food Science Fifth Edition. Chapman & Hall, Inc. New York.
- Qi, M.; N. S. Hettiarachchy & U. Kalapathy. (1997). Solubility and Emulsifying Properties of Soy Protein Isolates Modified by Pancreatin. *J. Food Sci*. 62 (6) : 1110 – 1115.
- Salunkhe, D. K. & S. S. Deshpande. (1991). Foods of Plant Origin : Production, Technology and Human Nutrition. Van Nostrand Reinhold. New York. USA.
- Salunkhe, D. K. & S. S. Kadam. (1989). Handbook of World Food Legumes : Nutritional Chemistry, Processing Technology, and Utilization. Volume I. CRC Press, Inc. Florida.
- Santoso, S. (2001). SPSS Versi 10: Mengolah Data Statistik Secara Profesional. PT. Elex Media Komputindo. Jakarta.
- Shellhammer, T. H. & J. M. Krochta. (1997). Whey Protein Emulsion Film Performance as Affected by Lipid Type and Amount. *J. Food Sci*: 62 (2): 390-394.
- Smith, J. (1991). Food Additive User's Handbook. Van Nostrand Reinhold. New York.

- Stuchell, Y. M. & J. M. Krochta. (1994). Enzymatic Treatments and Thermal Effects on Edible Soy Protein Films. *J. Food Sci.* 59 (6): 1332-1337.
- Sudarmadji, S. (1982). Bahan-bahan Pemanis. Agritech. Yogyakarta..
- Yildirim, M & N. S. Hettiarachchy. (1998). Properties of Films Produced by Cross-linking Whey Proteins and 11S Globulin Using Transglutaminase. *J. Food Sci.* 63 (2) : 248 – 252.

