

## 6. DAFTAR PUSTAKA

Afiati, N.A.; Sumarno; A. hadiyarto; Henna, R. S. & B. T. Basuki . (1987). Kandungan Logam Berat Kerang *Anadara granosa bisenensis* (Bivalvia) di Perairan Pantai Kotamadya Semarang. Laporan Penelitian Universitas Diponegoro. Semarang.

Ahmed, F. E. (ed) (1991). Seafood Safety: Institute of Medicine National. Academy Press. Washington.

Aitken, A.; I. M. Mackie; J. H. Merritt & M. L. Widsor (ed.) (1982). Fish: Handling and Processing 2<sup>nd</sup> edition. Bell and Bain Ltd. Scotland.

Almatsier, S. (2001). Prinsip Dasar Ilmu Gizi. PT Gramedia Pustaka Utama. Jakarta.

Anonim (1996). Trace Elements in Human Nutrition and Health. World Health Organization. Geneva.

\_\_\_\_\_. (1997). Human Nutrition in the Developing World. FAO. Roma.

\_\_\_\_\_. (2000). Mengapa Hutan Paya Bakau Penting. [http://www.frim.gov.my/Paya%20bakau/mengapa\\_penting.htm](http://www.frim.gov.my/Paya%20bakau/mengapa_penting.htm)

\_\_\_\_\_. (2001). Consumer Reports on Tuna and Mercury: Gauging the Risks. Consumer Reports Magazine. pp. 16 – 18.

Baudrimont, M.; J. Metivaud; R. M. Brachet; F. Ribeyre & A. Boudou . (1997). Bioaccumulation and Metallothionein Response in the Asiatic Clam (*Corbicula fluminea*) After Experimental Exposure to Cadmium and Inorganic Mercury. J. Environmental Toxicology and Chemistry. 16: 2096 – 2105.

Bennion, M. & O. Hughes . (1975). Introductory Foods 6<sup>th</sup> edition. Macmillan Publishing Co., Inc. New York.

Brodeur, J. C.; C. Girard & A. Hontela . (1997). Use of Perfusion to Assess in Vitro the Functional Integrity of Interrenal Tissue in Teleost Fish From Polluted Sites. J. Environmental Toxicology and Chemistry. 16: 2171 – 2178.

Brouns, F. & C. Vermeer . (2000). Functional Food Ingredients for Reducing the Risks of Osteoporosis. Trends in Food Science and Technology. 11: 22 – 33.

Browne, D. R.; A. Husni; M. J. Risk & J. Evles . (1999). Exposure Assessment: Heavy Metals in Marine Biota of Coastal Indonesia. UNDIP-McMASTER Collaborative Project in Coastal Zone Eco-Development. <http://www.informer2.cis.mcmaster.ca/mich/indo.htm>.

Bu-Olayan, A. H. & S. Al-Yakoob . (1998). Lead, Nickel and Vanadium in Seafood: An Exposure Assessment for Kuwaiti Consumers. J. The Science of the Total Environment. 223: 81 – 86.

Chan, H. M.; M. Trifonopoulos; A. Ing; O. Receveur & E. Johnson . (1999). Consumption of Freshwater Fish in Kahnawake: Risks and Benefits. J. Environmental Research. 80: 213 – 222.

Chen, M. H. & C. Y. Chen . (1999). Bioaccumulation of Sediment-Bound Heavy Metals in Grey Mullet, *Liza macrolepis*. Marine Pollution Bulletin. 19: 239 – 244.

Chen, M. H. & H. T. Wu . (1997). Concentrations of Copper in Sediments and Fishes from Kaohsiung River and its Harbor Area, Taiwan. Contaminated Soils: 3<sup>rd</sup> International Conference on the Biogeochemistry of Trace Elements.

Demirbas, A. (1999). Proximate and Heavy Metal Composition in Chicken Meat and Tissues. J. Food Chemistry. 67: 27 – 31.

Djuhanda, T. (1981). Dunia Ikan. Armico. Bandung.

Effendie, M. I. (1997). Biologi Perikanan. Yayasan pustaka Nusantara. Yogyakarta.

Fanny . (2002). Studi Tentang Pola Konsumsi Seafood Pada Warga Kompleks Perumahan Tanah Mas, Semarang Utara. Skripsi. Unika Soegijapranata. Semarang.

Fennema, O. R. (1985). Food Chemistry. Marcel Dekker. New York.

Giesy, P.J.; J. W. Bowling & H. J. Kania . (1980). Cadmium and Zinc Accumulation and Elimination by Freshwater Crayfish. J. Environmental, Contaminant and Toxicology. 9: 683 – 697.

Han, B. C.; W. L. Jeng; T. C. Hung & M. S. Jeng . (1999). Copper Intake and Health Threat by Consuming Seafood from Copper-Contaminated Coastal Environmets in Taiwan. J. Environmental Toxicology and Chemistry. 13: 775 – 780.

Hantoro, I. (2000). Metals Content, Microbial Composition and Biomass Reducrion of Tissue of Commercially Important Cockle (*Anadara granosa*) from Coastal Areas in Semarang and Kendal. Skripsi. Unika Soegijapranata. Semarang.

Huss, H. H.; A. Reilly & P. K. B. Embarek . (2000). Prevention and Control of Hazards in Seafood. J. Food Control. 11: 149 – 156.

Ibrahim, N. & I. Mat . (1995). Trace Element Content in Relation to The Body Weight of The Marine Bivalve, *Anadara granosa* with Special Reference to The Application of INAA and ICP-AES as Analytical Techniques. J. Radioanalytical and Nuclear Chemistry. 195: 203 – 208.

Ikeda, M.; Z. W. Zhang; S. Shimbo; T. Watanabe; H. Nakatsuka; C. S. Moon; N. M. Inoguchi & K. Higashikawa . (2000). Urban Population Exposure to Lead and Cadmium in East and South-East Asia. J. The Science of The Total Environment. 249: 373 – 384.

James, C. S. (1995). Analytical Chemistry of Foods. Blackie Academic and Proffessional. London.

Jones, G. B.; P. Mercurio & F. Olivier . (2000). Zinc in Fish, Crabs, Oysters, and Mangrove Flora and Fauna from Cleveland Bay. Marine Pollution Bulletin. 41: 345 – 352.

Kirby, J.; W. Maher & F. Krikowa . (2001). Selenium, Cadmium, Copper, and Zinc Concentrations in Sediments and Mullet (*Mugil cephalus*) from the Southern Basin of Lake Macquarie, NSW, Australia. J. Archives of Environmental Contamination and Toxicology. 40: 246 – 256.

Kirby, J.; W. Maher & D. Harasti . (2001). Changes in Selenium, Copper, Cadmium, and Zinc Concentrations in Mullet (*Mugil cephalus*) from the Southern Basin of Lake Macquarie, Australia, in Response to Alteration of Coal-Fired Power Station Fly Ash Handling Procedures. J. Archives of Environmental Contamination and Toxicology. 41: 171 – 181.

Latham, M. C. (1997). Human Nutrition in the Developing World. FAO of the United Nations, Geneva.

Martin, R. E.; R. L. Collette & J. M. Slavin (ed.) (1997). Fish Inspection, Quality Control and HACCP: A Global Focus 1996 Proceedings. Technomic Publishing Company, Inc., Pennsylvania.

Mat, I.; J. Maah & A. Johari . (1994). Trace Metals in Sediments and Potential Availability to *Anadara granosa*. J. Archives of Environmental Contamination and Toxicology. 27: 54 – 59.

Moelyo, M. (1999). Identifikasi Logam Berat Cd, Cu, Ni, Pb, Zn dalam Air Limbah Beberapa Jenis Industri. Indokimia. 5: 23 – 33.

Moffat, C. F. & K. J. Whittle . (1999). Environmental Contaminants in Food. Sheffield Academic Press, Canada.

Nielsen, S. S. (1998). Food Analysis 2<sup>nd</sup> edition. Aspen Publishers, Inc., Maryland.

Nontji, A. (1993). Laut Nusantara. Djambatan. Jakarta.

Nurhuda . (1992). Pencemaran Air Ciliwung dan Usaha Pengelolaannya. J. Lingkungan dan Pembangunan. 3: 136 – 144.

Olafsdottir, G.; E. Martinsdottir; J. Oehlenschlager; P. Dalgaard; B. Jensen; I. Undeland; I. M. Mackie; G. Henehan; J. Nielsen & H. Nilsen . (1997). Methods to Evaluate Fish Freshness in Research and Industry. Trends in Food Science and Technology. 8: 258 – 265.

Pelgrom, S. M. G. J.; L. P. M. Lamers; R. A. C. Lock; P. H. M. Balm & S. E. W. Bonga. (1995). Interactions Between Copper and Cadmium Modify Metal Organ Distribution in Mature Tilapia, *Oreochromis mossambicus*. J. Environmental Pollution. 90: 415 – 423.

Plessi, M.; D. Bertelli & A. Monzani . (2001). Mercury and Selenium Content in Selected Seafood. J. Food Composition and Analysis. 14: 461 – 467.

Potter, N. N. & J. H. Hotchkiss . (1995). Food Science 5<sup>th</sup> edition. CBS Publisher and Distributors, New Delhi.

Prasetyo, A. W. (2002). Studi Pola Konsumsi Seafood Masyarakat Perkampungan Nelayan Tambak Lorok dan Desa Trimulyo Kota Semarang. Skripsi. Unika Soegijapranata. Semarang.

Reilly, C. (1980). Metal Contamination of Food. Applied Science Publishers, Ltd. London.

Savari, A.; A. P. M. Lockwood & M. Sheader . (1991). Effects of Season and Size (Age) on Heavy Metal Concentrations of the Common Cockle (*Cerastoderma edule L*) from Southampton Water. J. Moll. Stud. 57: 45 – 57.

Shatenstein, B.; T. Kosatsky; S. Nadon; S. L. Cacan & J. P. Weber . (1999). Reliability and Relative Validity of Fish Consumption Data Obtained in an Exposure Assessment Study Among Montreal-Area Sprtfishers. J. Environmental Research Section. 80: 71 - 86.

Shahidi, F. & J. R. Botta . (1994). Seafoods: Chemistry, Processing, Technology and Quality. Blackie Academic and Professional. London.

Standar Nasional Indonesia (1998). Cara Uji Cemaran Logam Dalam Makanan. SNI.19-2898-1992/Rev.1998

Steinhart, C. E.; M. E. Doyle & B. A. Cochrane . (1996). Food Safety 1996. Marcel Dekker, Inc., New York.

Sudarmadji, S.; B. Haryono & Suhardi . (1996). Analisa untuk Bahan Makanan dan Pertanian. Liberty, Yogyakarta.

\_\_\_\_\_. (1997). Prosedur Analisa untuk Bahan Makanan dan Pertanian. Liberty, Yogyakarta.

Sudibyo . (1999). Perbedaan Kadar Timah Hitam Darah dan Gingiva Sebagai Tolak Ukur Keracunan Kronis Timah Hitam. Mediagama. 3: 45 – 49.

Taylor, D.; B. G. Maddock & G. Mance . (1985). The Acute Toxicity of Nine “Grey List” Metals (Arsenic, Boron, Chromium, Copper, Lead, Nickel, Tin, Vanadium and Zinc) to Two Marine Fish Species: Dab (*Limanda limanda*) and Grey Mullet (*Chelon labrosus*). J. Aquatic Toxicology. 7:135 – 144.

Tarigan, Z. & A. Sediadi . (2000). Pemantauan Kandungan Logam Berat di Kawasan Perairan Irian Jaya. J. Lingkungan dan Pembangunan. 3: 186 – 193.

Tahvonen, R. & J. Kumpulainen . (1996). Contents of Lead and Cadmium in Selected Fish Species Consumed in Finland in 1993 – 1994. J. Food Additives and Contaminants. 13: 647 – 654.

Tukimat, L.; A. D. Aminah; S. Salmijah & Y. H. Lee . (1999). Assessment of Heavy Metals in A Malaysian Diet. Buletin Kesihatan Masyarakat. 5: 37 – 46.

Van den Akker, J.; B. Widianarko & N. M. van Straalen. (1999). The Status of the Mangrove Forest in Semarang (Central Java).

Wardhana, W. A. (1995). Dampak Pencemaran Lingkungan. Andi Offset, Yogyakarta.

Warta Penelitian Perikanan Indonesia (2000). Prospek Budi Daya Ikan Belanak (*Mugil sp.*) di Indonesia. <http://www.tungkal.com/ikanbelanak.html>.

Widianarko, B. (2000). Bioindication of Urban Metal Pollution Using The Guppy, *Poecilia reticulata*. J. Lingkungan dan Pembangunan. 20: 202 – 217.

[ ] (2002). Sumber-sumber Pencemaran dan Dampaknya Terhadap Manusia. Pelatihan Dasar Teknologi Tepat Guna Pengolahan Limbah Cair. Yogyakarta, 15-26 Juli 2002

Widianarko, B.; I. Sulistyawati & N. M. van Straalen . (2001). Dietary Exposure to Heavy Metals in Cockle, *Anadara granosa* from Four Sites Along The North Coast of Central Java, Indonesia. (submitted).

Yoseph, F. H. (2002). Kandungan Logam, Bakteri Patogen dan Nutrisi Kerang dari Pantai Semarang dan Demak. Proseding Kolokium National Teknologi Pangan 2002.

Zitsev, V.: I. Kizevetter; L. Lagunov; T. Makarova; L. Minder & V. Podsevalov . (1969). Fish Curing and Processing. MIR Publishers. Moscow.