

6. DAFTAR PUSTAKA

Allen, S. (1989). Chemical Analysis of Ecological Materials. Blackwell Scientific. Boston.

Anonim (1994). Kumpulan peraturan Perundang-undangan di Bidang makanan: Tentang Batas Maksimum Cemaran Logam dalam makanan. Edisi III. Semarang.

Anonim (1996). Pengeluaran Untuk Konsumsi Kalori dan Protein Jawa Tengah. Hasil Survei Sosial Ekonomi Nasional. Balai Pusat Statistik. Semarang.

ATS DR Public Health Statement. Cadmium. (1989). <http://www.brantleytel.net-derrellh/science/Cd.htm>.

Balba, A.; G.E. Shibiny & E.S. Elkhatib. (1991). Effect Of Lead Increments On The Yield And Lead Content Of Tomato Plant. Water, Air, and Soil Pollution 57-58: 93-99.

Fardiaz, S. (1992). Polusi Air dan Udara. Kanisius. Yogyakarta.

Gomez, K & A.A Gomez (1984). Statistical Procedures for Agricultural Research. A. Wiley Interscience Publication. New York.

Groten, J.P.; E.J. Sinkeldam; J.B. Luten & P.J. Van Bladeren (1991). Cadmium Accumulation and Metallothionein Concentrations after 4 Week Dietary Exposure To Cadmium Chloride or Cadmium Metallothionein In Rats. Toxicology and Applied Pharmacology 111: 504-513.

Hopkin, S.P; C.H. Walker; R.M. Sibly & D.B. Peakall (1997). Principles of Toxicology. Taylor & Francis. London.

Luwihana, S. (1994). Lead Content of Vegetables Grown In Fields Adjacent To Highways In Java, Indonesia, in B.Widianarko, K. Vink & N.M. Van Straalen (eds). Environmental Toxicology In South East Asia. VU University Press. Amsterdam.

McKenna I.M; R.L. Chaney & F.M Williams (1993). The Effect of Cadmium and Zinc Interactions on the Accumulation and Tissue Distribution of Zinc and Cadmium in Lettuce and Spinach. Environmental Pollution 79: 113-120.

Moon, C.S; Z.W. Zhang; S.Shimbo; T.Watanabe; D.H. Moon; C.U. Lee; B. K. Lee; K.D. Ahn; S.H. Lee & M. Ikeda (1995). Dietary Intake Of Cadmium And Lead Among The General Population In Korea. Environmental Research 71: 46-54.

Norusis. (1993). SPSS For Windows Base System User's Guide Release 6.0. Chicago.

Palar, H. (1994). Pencemaran Dan Toksikologi Logam Berat. Rineka Cipta. Jakarta.

Pezzarozza, B; L. Lubrano; G. Petruzzelli & P.Tanutti (1991). The Effect on Cadmium Contents and Ethylene Biosynthesis in Tomato Plants of Adding Cd Suphate to Soil, Water, Air and Soil Pollution 57-58: 589-596.

Pomeranz, Y. (1987). Food Analysis: Theory and Practice. Avi Publisher. New York.

Pujilestari, S.A (1999). Evaluasi Keamanan Konsumsi kepiting (*Scylla serata*) Dari Pantai Semarang Berdasarkan kandungan Logam Berat. Skripsi. Unika soegijapranata. Semarang.

Rukmana, R. (1994). Bertanam Kangkung. Kanisius. Yogyakarta.

Tahvonen, R & J. Kumpulainen (1993). Lead and Cadmium in Some Cereal Products on The Finnish Market 1990-1991. Food additive and Contaminant 10 (2): 245-255.

Tahvonen, R. & J. Kumpulainen (1995). Lead and Cadmium in Berries and Vegetable on Finnish Market 1991-1993. Food Additive and Contaminant 12 (2): 263-279.

Tahvonen, R.& J., Kumpulainen. (1991). Lead And Cadmium in Berries and Vegetable on Finnish Market 1987-1989. Food additive and contaminant. 340: 242-244.

Takarina, N.D (1998). Heavy Metal Levels on Surficial River Sediment from Semarang, Central Java, Indonesia. Jurnal Lingkungan. 1(3): 35-40.

Van Leeuwen & J.L.M. Hermens (1995). Risk Assesment of Chemicals: An Introduction. Kluwer Academic Publishers. Boston.

Widianarko et al (1998). Agenda Lingkungan Semarang Menuju Kota Yang Berkelanjutan 1998-2003. Semarang.

Widianarko, B (1997). Urban Ecotoxicology: Spatial and Temporal Heterogeneity of Pollution. PhD Thesis. Vrije Universiteit Amsterdam.

Widianarko, B (1998). Kontribusi Toksikologi Longkungan Untuk Kajian Keamanan Pangan. Lingkungan Dan Pembangunan. 18 (1): 35-44.

Widianarko, B (1999). Pemantauan Pencemaran Lingkungan di Saat Krisis. Edisi IV. 3-7.