

6. REFERENCES

Ahmed, F.E. (Ed.). (1991). Seafood Safety. national Academy Press. Washington, D.C.

Anonymous. (1992). International Programme on Chemical Safety. Environmental Health Criteria 135: Cadmium-Environmental Effect. WHO. Macmillan. Geneva.

_____ (1996). Trace Elements in Human Nutrition. WHO. Macmillan. Geneva.

_____ (1997). Buku Tahunan 1996. Statistik Perikanan Tingkat Propinsi 1996. Pemerintah Daerah Tingkat I Jawa Tengah. Dinas Perikanan.

_____ (1998). International Programme on Chemical Safety. Environmental Health Criteria 200: Copper. WHO. Macmillan. Geneva.

_____ (1999). Buku Tahunan 1997. Statistik Perikanan Tingkat Propinsi 1997. Pemerintah Daerah Tingkat I Jawa Tengah. Dinas Perikanan.

Asikin, D. (1982). Kebiasaan Makan & Komposisi Jenis Makanan pada Kerang Darah (*Anadara granosa*) di Pantai Ketapang-Tangerang Jawa Barat. Program Studi Ilmu Kelautan UNDIP. Semarang.

Barnes, R.D. (1974). Invertebrate Zoology. Third edition. Toppan Company, Ltd. Tokyo.

Bernhard, M. (1978). Impact & Control of Heavy Metal & Chlorinated Hydrocarbons in The Marine Environment. WHO. Training Center on Coastal Pollution. Denmark.

Bor, C.H.; L.J. Woei; C.H. Tsu & S.J. Ming. (1994). Copper intake and health threat by consuming seafood from copper-contaminated coastal environments in Taiwan. *Environmental Toxicology and Chemistry*. 13 (5): 775-780.

Broom, M.J. (1985). The Biology and Culture of Marine Bivalve Molluscs of The Genus *Anadara*. ICLARM. Manila.

Browne, D.R.; Husni, A.; Risk, M.J. & J. Evles. (1999). Exposure Assessment: Heavy Metals in Marine Biota of Coastal Indonesia. UNDIP-McMaster Collaborative Project in Coastal Zone Eco-Development.

Che, R.G.O. (1999). Concentration of 7 heavy metals in sediments and mangrove root samples from Mai Po, Hong Kong. *Marine Pollution Bulletin*. 39 (1-12): 269-279.

Chiu, S.T.; Lam F.S.; Tze W.L.; Chau C.W. & Ye D.Y. (2000). Trace metals in mussels from mariculture zones, Hong Kong. *Chemosphere*. 41 (1-2): 101-108.

Depledge, M.H. & P.S. Rainbow. (1990). Models of regulation and accumulation of trace metals in marine invertebrates. *Comp. Biochem. Physiol.* 97C (1): 1-7.

Forbes, V.E. & T.L. Forbes. (1994). Ecotoxicology in Theory and Practice. Chapman and Hall. London, 277 pp.

Hantoro, I. (2000). Kandungan Logam, Komposisi Mikroba dan Dekomposisi Jaringan pada kerang *Anadara granosa* dari Perairan Semarang dan Kendal. Program Studi Teknologi Pertanian Universitas Katolik Soegijapranata. Semarang

Hicks, D. & D. Kramer. (1999). Seafood Safety: what consumers need to know. Using HACCP to keep seafood safety. University of Delaware Sea Grant College Program and the National Seafood HACCP Alliance. U.S.

<http://www.ocean.udel.edu/mas/seafood/HACCP>.

Ibrahim, N. (1994). Trace element content of Malaysian cockles (*Anadara granosa*). *Food Chem.* 54: 133-135.

Ibrahim, N & I. Mat. (1995). Trace element content in relation to the body weight of the marine bivalve *Anadara granosa* with special reference to application of INAA and ICP-AES analytical techniques. *Journal of Radio analytical and Nuclear Chemistry*. 195 (1): 203 – 208.

Kastoro, W. (1988). Budidaya Jenis Kerang-kerangan. Puslitbang LIPI. Workshop Budidaya Laut. LP3O. Jakarta.

Kepes, G. (Ed.) (1993). The Modular Principal and Biological Form: In Module, Proportion, Symmetry, Rhythm. Vision and Value series. New York.

Laevastu, T. (1993). Marine Climate, Weather & Fisheries. Fishing News Books. Great Britain.

Lee, S.Y. (1999). Tropical mangrove ecology: Physical and biotic factors influencing ecosystem structure and function. *Journal of Ecology*. 24 (4): 355-366.

LIPI. (1998). Widya Karya Nasional Pangan dan Gizi VI. (1998). Lembaga Ilmu Pengetahuan dan Gizi (LIPI). Jakarta.

Manjunatha, B.R. & R. Shankar. (2000). Behaviour and distribution patterns of particulate metals in estuarine and coastal surface waters near Mangalore, southwest coast of India. *Journal of The Geological Society of India*. 55 (2): 157-166.

Mannion, A.M. & S.R. Bowlby. (1992). Environmental Issues in the 1990s. John Wiley & Sons. Chichester.

Manzi, J.J. & M. Castagna. (1989). Clam Mariculture in North America. Developments in Aquaculture and Fisheries Science. Vol. 19. Elsevier. Amsterdam.

Nielsen, S.S. (1998). Food Analysis. Second Eds. An Aspen Publication. Maryland.

- Oemardjati, S. & W. Wardhana. (1990). *Taksonomi Avertebrata*. Penerbit UI. Jakarta.
- Potter, N.N. & J.H. Hotchkiss. (1995). *Food Science*. Fifth Edition. Chapman and Hall Inc. New York.
- Pigott, G.M. & B.W. Tucker. (1990). *Seafood: effects of technology on nutrition*. Marcel Dekker, Inc. New York.
- Rasmussen, A.D.; G.T. Banta & O. Andersen. (2000). Cadmium dynamics in estuarine sediments: Effects of salinity and lugworm bioturbation. *Environmental Toxicology and Chemistry*. 19 (2): 380-386.
- Rosmawati, P.; M. Suherman; S. Nasran & P. Sumpeno. (1987). Konstruksi & Efektifitas Depurasi terhadap Bakteri *E. coli*. *Jurnal Penelitian Pasca Panen Perikanan*. LON-LIPI. Jakarta.
- Savari, A.; A.P.M. Lockwood & M. Sheader. (1991). Effects of season and size (age) on heavy metal concentrations on common cockle (*Cerastoderma edule* (L.)) from Southampton water. *J. Moll. Stud.* 57: 45-57.
- Setiawan, S.A. (1994). Studi Hubungan antara Kadar Nitrat & Fosfat Terlarut dengan Kelimpahan Fitoplankton di Perairan Muara Sungai Morodemak. Program Studi Ilmu Kelautan UNDIP. Semarang.
- Shahidi, F. & J.R. Botta. (1994). *Seafoods: Chemistry, Processing Technology & Quality*. First Ed. Blackie Academic & Professional. Glasgow.
- Sugianto, D.N. (1998). Bioaccumulated level of lead (Pb) in soft tissue of "Kerang Bulu" (*Anadara inflata Reeve*) as bioindicator of pollutant under laboratories. *Environmental Journal*. 1: 8-12.

Whitten, T.; R.E. Soeriaatmadja & S. A. Afiff. (1996). : The Ecology of Java and Bali. The Ecology of Indonesia Series, Vol. II. Periplus Editions (HK) Ltd. Singapore.

Widianarko, B. (1997). Urban Ecotoxicology: Spatial and temporal Heterogeneity of Pollution. Faculty of Biology, Vrije Universiteit. Amsterdam. (PhD Thesis).

Widianarko, B & N.M. van Straalen. (1998). Scientific Research on Environmental Technology in South East Asia: A View of Its Position in The International Arena. *Australian Journal of Ecotoxicology* 3: 89-98.

Widianarko, B; S.I. Dewi & Ch. Retnaningsih. (1999). Distribution of lead and cadmium in kangkung (*Ipomoea aquatica*) from three locations in Semarang and assessment of its consumption safety. A paper to be presented at the National Conference on Food Science and Technology, Semarang, October, 7. (in Bahasa Indonesia) (to appear)

Widianarko, B & S.A. Pujilestari. (1999). Safety evaluation of consumption of crab (*Scylla serrata*) from coastal area of Semarang based on content. A paper to be presented at the National Conference on Food Science and Technology, Semarang, October, 7. (in Bahasa Indonesia) (to appear)

Widiastuti, R. (1997). Penelitian YLKI: Logam berat pada hasil perikanan. Kompas, 11 Desember.

Wong, C.K.C.; Cheung R.Y.H. & Wong M.H. (2000). Heavy metal concentrations in green-lipped mussels collected from Tolo Harbour and markets in Hong Kong and Shenzhen. *Environmental Pollution*. 109 (1): 169-171.

Yoloye, V. (1975). The habits and functional anatomy of the West African bloody cockle, *Anadara senilis* (L.). *Proc. malac. Sec. Lond.* 41: 277-299.