

7. LAMPIRAN

7.1. Analisa One Way ANOVA Fraksi Soluble

Soluble

Duncan

Konsentrasi	N	Subset		
		1	2	3
20%	15	33.02400		
10%	15		38.63733	
15%	15			51.13733
Sig.		1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

Based on Type III Sum of Squares

The error term is Mean Square(Error) = 13.095.

a Uses Harmonic Mean Sample Size = 15.000.

b Alpha = .05.

Soluble

Duncan

Ukuran_partikel	N	Subset	
		1	2
100 mesh	15	38.14467	
80 mesh	15	40.77267	
40 mesh	15		43.88133
Sig.		.054	1.000

Means for groups in homogeneous subsets are displayed.

Based on Type III Sum of Squares

The error term is Mean Square(Error) = 13.095.

a Uses Harmonic Mean Sample Size = 15.000.

b Alpha = .05.

7.2. Analisa One Way ANOVA Fraksi Insoluble

Insoluble

Duncan

Konsentrasi	N	Subset		
		1	2	3
10%	15	26.09933		
15%	15		40.92133	
20%	15			61.59733
Sig.		1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

Based on Type III Sum of Squares

The error term is Mean Square(Error) = 16.655.

a Uses Harmonic Mean Sample Size = 15.000.

b Alpha = .05.

Insoluble

Duncan

Ukuran_partikel	N	Subset	
		1	2
40 mesh	15	40.05600	
100 mesh	15		43.92267
80 mesh	15		44.63933
Sig.		1.000	.633

Means for groups in homogeneous subsets are displayed.

Based on Type III Sum of Squares

The error term is Mean Square(Error) = 16.655.

a Uses Harmonic Mean Sample Size = 15.000.

b Alpha = .05.