

6. DAFTAR PUSTAKA

Adams, M.A.; M. Bolger; C.D. Carrington; C.E. Coker; G.M. Cramer; M.J. DiNovi & S. Dolan (1993^a). *Guidance Document for Cadmium in Shellfish*. Guidance Documents for Trace Element in Seafood (Washington DC; National Academy Press).

Adams, M.A.; M. Bolger; C.D. Carrington; C.E. Coker; G.M. Cramer; M.J. DiNovi & S. Dolan (1993^b). *Guidance Document for Lead in Shellfish*. Guidance Documents for Trace Element in Seafood (Washington DC; National Academy Press).

Ahmed, F.E. (editor) (1991). *Seafood Safety*. National Academy Press. Washington D.C.

Ahsanullah, M.; M.C. Mobley & D.S. Negilski (1984). Accumulation of Cadmium from Contaminated Water and Sediment by The Shrimp *Callinassa australiensis*. *Marine Biology* 82:191-197.

Al-Mohanna, S.Y. & M.N.V. Subrahmanyam (2001). Flux of Heavy Metal Accumulation in Various Organs of The Intertidal Marine Blue Crab, *Portunus pelagicus* (L.) from the Kuwait coast after the gulf war. *Environment International* 27 : 321-326.

Anonim (1996). *Trace Element in Human Nutrition and Health*. WHO. Macmillan. Geneva.

Anonim (1997). Pencemaran di Teluk Jakarta mencapai radius 10km. *KOMPAS*, 21 Oktober, p.3.

Anonim (1999). *Buku Tahunan 1997. Statistik Perikanan Tingkat Propinsi 1997. Pemerintah Daerah Tingkat I Jawa Tengah. Dinas Perikanan. 1999.*

Anonim (2001). *Rajungan Mundu Digemari Turis. Pikiran Rakyat* 11 November.

Atlas, R.M. & R. Barthes (1981). *Microbial Ecology Fundamental & Application*. Addison-Wesley Publ. Co. Philippines.

Banwart, G.J. (1989). *Basic Food Microbiology* 2nd. Chapman & hall. New York.

Baudrimont, M.; J. Metivaud; R.M. Brachet; F. Ribeyre & A. Boudou (1997). Bioaccumulation and Metallothionein Response in The Asiatic Clam (*Corbicula fluminea*) after Experimental Exposure to Cadmium and Inorganic Mercury. *Environmental Toxicology and Chemistry* 16(10):2096-2105.

Blasco, J.; V. Saenz & A. Gomez-Parra (2000). Heavy Metals Fluxes at The Sediment Water Interface of Three Coastal Ecosystems from South_West of The Iberian Peninsula. *The Science of The Environmental* 247: 189-199.

Browne, D.R., A. Husni, M.J. Risk & J. Evles (1999). Exposure Assessment : Heavy Metals In Marine Biota of Coastal Indonesia. UNIP-McMaster Collaborative Project in Coastal Zone Eco-Development. <http://informer2.cis.mcmaster.ca/mich/indo.htm>.

Bryan, G.W. (1976). Heavy metal Contamination in The Sea. Academic Press. London.

Bu-Olayan, A.H. & S Al-Yakoob (1998). Lead, Nickel and Vanadium in Seafood: An Exposure Assesment for Kuwait Consumers. *The Science of the Total Environmet* 223:81-86.

Clark, R.B. (1986). Marine Pollution. Clarendon Press.Oxford.

Costa, M.; E. Paiva & I. Moreira (2000). Total Mercury in Perna Mussels from Guanabara Bay-10 years later. *The Science of the Total Environment* 261:69-73.

Darmojo B.; Ag. Soemantri, H.R. Soenoko & R. Miranda (1985). Monitoring Logam Berat di Perairan Pantai Semarang. Bunga Rampai UNIP. Semarang.

Devescovi, M. & C. Lucu (1995). Seasonal Changes of The Copper Level in Shore Crabs *Carcinus mediterraneus*. *Marine Ecology Progress Series* 120:169-174.

Dickman, M.D. & K.M.C. Leung (1998). Mercury and Organochlorine Exposure from Fish Consumption in Hong Kong. *Chemosphere* 37:991-1015.

Fardiaz, S. (1992). Polusi Air dan Udara. Kanisius. Yogyakarta.

Farley, D. (1998). Dangers of Lead Still Linger. FDA Cosumer January-February. U.S. FDA.

Gaman, P.M. & K.B. Sherrington (1994). Ilmu Pangan : Pengantar Ilmu Pangan, Nutrisi dan Mikrobiologi. Gadjah Mada University Press. Yogyakarta.

Groten, J.P. & P.J. van Bladeren (1994). Cadmium Bioavailability and Health Risk in Food. *Trends in Food Science and Technology* 5: 50-55.

Handoyo (1998). Kandungan Logam Berat pada Sedimen dan Perairan Muara Sungai Banjir Kanal Timur Semarang. Laporan Penelitian Jurusan Ilmu Kelautan. Undip. Semarang.

Han, B.C. & T.C. Hung (1990). Green Oyster Ccaused by Copper Pollution in The Taiwan Coast. *Environmental Pollution* 65: 347-362.

Han, B.C., W.L., Jeng, R.Y. Chen, G.T. Fang, T.C. Hung & R.J. Tseng (1998). Estimation of Target Hazard Quotients and Potential Health Risks for Metals by Consumption of Seafood in Taiwan Coast. *Archives of Environmental Contamination and Toxicology* 35:711-720.

Han, B.C.; W.L. Jeng; T.C. Hung & M.S. Jeng (1994). Copper Intake and Health Threat by Consuming Seafood from Copper-Contaminated Coastal Environment in Taiwan. *Journal of Environmental Toxicology and Chemistry* 13(5):775-780.

Han, B.C.; W.L. Jeng; T.C. Hung, Y.C. Ling, M.J. Shieh & L.C. Chien. (2000). Esimation of Metal and Organochlorine Pesticide Exposures and Potential Health Threat by Consumption of Oyster in Taiwan. *Environmental Pollution* 109:147-156.

Hantoro, I. (2000). Metals Content, Microbial Composition and Biomass Reduction of Tissue of Commercially Important Cockle (*Anadara granosa*) from Coastal Areas In Semarang and Kendal. Skripsi. Unika Soegijapranata. Semarang.

Hendarko, (1998): Kemampuan Bakteri Sedimen Muara Sungai Yang Tercemar Limbah Industri Dalam mengikat Logam Berat. *Jurnal Biologi* vol 6 : 105-117.

Hendriks, A.J.; H. Pieters & J. de Boer (1998). Accumulation of Metals, Polycyclic (Halogenated) Aromatic Hidrocarbons, and Biocides in Zebra Mussel and Eel from The Rhine and Meuse Rivers. *Environmental Toxicology and Chemistry* 17(10); 1885-1898.

High, K.A.; V.J. barthet; J.W. McLaren & J.S. Blais (1997). Characterization of Methallothionein-like Protein from Zebra Mussels (*Dreissena polymorpha*). *Environmental Toxicology and Chemistry* 16(6): 1111-1118.

Horvat, M.; S. Coveilli; J. Faganeli; M. Logar; V. Mandic; R. Rajar; A. Sirca & D. Zagar (1999). Mercury in Contaminated Coastal Environments; A Case Study: The Gulf of Trieste. *The Science of the Total Environment* 237/238:43-56.

Hutagalung, H.P. (1991). Pencemaran Laut oleh Logam Berat dalam Beberapa Perairan Indonesia. Puslitbang. OSeanologi-LIPI. Jakarta.

Hutagalung, H.P. & Razak (1981). Kandungan Logam Berat dalam Beberapa Perairan laut Indonesia dalam Kondisi Lingkungan Pesisir dan Laut Indonesia. Pusat Penelitian dan Pengembangan OSeanologi-LIPI. Jakarta.

Ibrahim, N. (1995). Trace element content of Malaysian cockles (*Anadara granosa*). *Journal of Food Chemistry* 54:133-135.

Ibrahim, N. & I. Mat. (1995). Trace element content in relation to the body weight of the marine bivalve *Anadara granosa* with special reference to application of INAA and ICP-AES analytical techniques. *Journal of Radio analytical and Nuclear Chemistry*. 195 (1): 203-208.

Ismail, A.; H. Wahidah & J.H. Ali (1994). Heavy metal contamination in Malaysian rice field snails. In B. Widianarko, K. Vink & N.M. van Straalen (eds): *Environmental Toxicology in South East Asia*. VU University Press. Amsterdam. Pp 209-213.

Jewett, S.C. & A.S. Naidu (2000). Assesment of Heavy Metals in Red King Crab Following Offshore Placer Gold Mining. *Marine Pollution Bulletin*, 40:478-490.

John, L. & T.V. Fernandez (1998). Incidence of Trace Metals in *Scylla serrata*, An Edible Crab from Ashtamudi Estuary, India. *Journal of Environmental Biology* 19(2): 99-106.

Joiris, C.R. & M.I. Azokwu (1999). Heavy Metals in Bivalve Anadara (*Senilia*) Senilis from Nigeria. *Marine Pollution Bulletin* 38:618-622.

Jones, G.B.' P. Mercurio F. Oliver (2000) Zinc in Fish, Crabs, Oyster and Mangrove Flora and Fauna from Cleaveland Bay. *Marine Pollution Bulletin* 41:345-352.

Jorhem, L; J. Engman; B. Sundstrom & A.M. Thim (1994). Trace Element in Crayfish: Regional Differences and Changes Induced by Cooking. *Archives of Environmental Contamination Toxicology* 26:137-142.

Juwana, S. & K. Romimohtarto (2000). Rajungan Perikanan, Cara Budidaya dan Menu Masakan. Penerbit Djambatan. Jakarta.

Jorhem, L; J. Engman; B. Sundstrom & A.M. Thim (1994). Trace Element in Crayfish: Regional Differences and Changes Induced by Cooking. *Archives of Environmental Contamination Toxicology* 26:137-142.

Kehrig, H.A.;M. Costa; I. Moreira & O. Malm (2001) Methylmercury and Total Mercury in Estuarine Organism from Rio de Janeiro, Brazil. *Environmental Science and Pollution Research* 8:275-279.

Kraak, M.H.S.; D. lavy; H. Schoon; M. Toussaint; W.H.M. Peeters & N.M. van Straalen (1994). Ecotoxicity of Mixtures of Metals to The Zebra Mussel *Dreissena Polymorpha*. *Environmental Toxicology and Chemistry* 13:109-114.

Lakshmi, A. & R. Rajagopalan (2000). Sosio-economic Implications of Coastal Zone Degradation and Their Mitigation: A Case Study from Coastal Villages in India. *Ocean & Coastal Management* 43:749-762.

Leliveld, M.J. (1999). Tissue Distribution of Metals in The Edible Crab (*Scylla serrata*) : A Human Consumption Risk. VU Amsterdam and Unika Soegijapranata Semarang.

Mat, I. (1994). Arsenic and Trace Metals in Commercially Important Bivalves, *Anadara granosa* and *Paphia undulata*. *Bulletin of Environmental Contamination and Toxicology* 52: 833-839.

Mat, I.; M.J. Maah & A. Johari (1994). Trace metals in Sediment and Potential Availability to *Anadara granosa*. *Archives of Environmental Contamination Toxicology* 27: 54-59.

Moffat. C.F. & K.J. Whittle (1999). Environmental Contaminants in Food. Sheffield Academic Press. Sheffield.

Mortimer, M.R. (2000). Pesticide and Trace Metal Concentrations in Queensland Estuarine Crabs. *Marine Pollution Bulletin* 41:359-366.

Nelson, W.G.; B.J. Bergen & D.J. Cobb (1995). Comparison of PCB and trace metal bioaccumulation in the blue mussel, *Mytilus edulis*, and ribbed mussel, *Modiolus demissus*, in New Bedford Harbor, Massachusetts. *Environmental Toxicology and Chemistry* 14 (3): 513-521.

Osuna, F.P. & L.T. Mayen (1995). Distribution of Heavy Metals in Tissues of The Shrimp *Penaeus californiensis* from The Northwest Coast of Mexico. *Bulletin Environmental Contaminant Toxicology* 55:209-215.

Pickett, S. T. A.; M.L. Cadenasso; J.M. Grove; C.H. Nilon; R.V. Pouyat; W.C. Zipperer & R. Costanza (2001). Urban Ecological Systems: Linking Terrestrial Ecological, Physical, and Socioeconomic Components of Metropolitan Areas. *Annual Review of Ecology and Systematics* 32:127-157.

Rainbow, P.S. & S.L. White (1989). Comparative Strategies of Heavy Metal Accumulation by Crustaceans: Zinc, Copper and Cadmium in A Decapod, An Amphipod and A Barnacle. *Hidrobiologia* 174: 245-262.

Rainbow, P.S. (1995). Physiology, physicochemistry and metal uptake – a crustacean perspective. *Marine Pollution Bulletin* 21:321-324.

Reilly, C. (1980). *Metal Contamination of Food*. Applied Science. London.

Ringwood, A.H. (1991). Short-Term Accumulation of Cadmium by Embryos, Larvae, and Adults of an Hawaiian Bivalve, *Isognomon californicum*. *J. Exp. Mar. Biol.*, 118:673-680.

Salomons. W.; U. Forstner (1984). *Metals in the Hydrocycle*. Springer-Verlag. New York.

Soim, A. (1994). *Pembesaran Kepiting*. Penebar Swadaya. Jakarta.

Sole, M.; C. Porte; D. Barcelo & J. Albaiges (2000). Bivalves Residue Analysis for The Assesment of Coastal Pollution in The Ebro Delta (NW Mediterranean). *Marine Pollution Bulletin* 38: 746-753.

Spiegel, M.R.; I. Nyoman S. & Ellen G. (1996). *Statistika*. 2nd.ed. Erlangga. Jakarta.

Sudarmadji, S.; B. Haryono & Suhardi (1996). *Analisa Bahan Makanan dan Pertanian*. Liberty. Yogyakarta.

Sudibyso (1999). Ratio of Blood and Gingival Lead Contents as a Parameter for Chronic Lead Poisoning. *Mediagama* I(3).

Sugianto, D.N. (1998). Bioaccumulated level of lead (Pb) in soft tissue of “Kerang Bulu” (*Anadara inflata reeve*) as bioindicator of pollutant under laboratories. *Environmental Journal* 8-12.

Sulistiyawati, I. (2001). Trace Metals and Nutritional Contents of Cockle *Anadara granosa* from Several Location at Northern Coast of Central Java. Thesis. Unika Soegijapranata. Semarang.

Supranto, J. (1994). *Statistik, Teori dan Aplikasi*. 5th ed. Erlangga. Jakarta.

Suryono & C.A. Suryono (2001). Bioakumulasi logam berat melalui sistem jaringan makanan dan lingkungan pada kerang bulu *Anadara inflata*. Laporan Penelitian Dosen Muda. Undip. Semarang.

Tahvonen, R. & J. Kumpulainen (1996). Content of Lead and Cadmium in Selected Fish Species Consumed in Finland in 1993-1994. *Food Additives and Contaminants* 13(6): 647-654.

Tjahjono, B. (2002). Evaluasi Kandungan Logam Berat Pada Udang Windu (*Penaeus monodon*) From Several Locations at Northern Coast of Central Java. Skripsi. Unika Soegijapranata. Semarang.

Takarina, (1998). Heavy Metal level in Surficial River sediment From Semarang. Central Java, Indonesia. *Jurnal Lingkungan* vol I no 3: 35-40.

Takarina, N.D. & T. Bachtiar (2001). Fraksinasi Geokimiawi Logam Berat pada Sedimen Perairan Pantai Semarang. Laporan Penelitian Dosen Muda. Undip. Semarang.

Tukimat, L.; D. Aminah; S. Salmijah & Y.H. Lee (1999). Assesment of Heavy Metals in Malaysian diet. *Bulletin Kesehatan Masyarakat* 5: 37-46.

Turoczy, N.J.; B.D. Mitchell; A.H. Levings; V.S. Rajendram (2001). Cadmium, Copper, Mercury, and Zinc Concentrations in Tissues of the Crab (*Pseudocarcinus gigas*) from Southeast Australian Waters. *Environment International* 27 : 327-334

Vakily, J.M. (1992). Determination and Comparison of Bivalve Growth, with Emphasis on Thailand and Other Tropical Areas. *ICLARM Tech. Rep.* 36, 125p.

van Leeuwen & J.L.M. Hermes (1995). Risk Assesment of Chemicals : An Introduction. Kluwer Academic Publisher. Boston.

Vasconcelos, M.T.S.D.; M.A.O. Azenha & J.P.S. Cabral (1997). Comparison of Availability of Copper (II) Complexes with Organic Ligands to Bacterial Cells and to Chitin. *Environmental Toxicology and Chemistry* 16(10): 2029-2039.

Vasquez, G.F.; V.K. Sharma; V.R. Magallanes & A.J. marmolejo (1999). Heavy Metals in A Coastal Lagoon of The Gulf of Mexico. *Marine Pollution Bulletin* 38:479-485.

Widianarko, B. (1997). Urban Ecotoxilogy : Spatial and Temporal Heterogeneity of Pollution. Faculty of Biology. Vrije Universiteit Amsterdam (Ph.D. Thesis). ISBN 90-9010823.

Widianarko, B & N.M. van Straalen (1998). Scientific Research on Evironmental Toxicology in South East Asia: A. View of Its Position in The International Arena. *Australian Journal of Ecotoxicology* 3: 89-98.

Widianarko, B. & S. A. Pujilestari. (1999). Evaluasi Keamanan Konsumsi kepiting (*Scylla serrata*) dari Pantai Semarang Berdasarkan Kandungan Logam Berat. Skripsi. Unika Soegijapranata. Semarang.

Widianarko, B. (2000). Bioindication of Urban Metal Pollution using The Guppy, *Poecilia reticulata*. *Lingkungan & Pembangunan* 20(2): 202-217.

Widianarko, B.; I. Sulistyawati & N.M. van Straalen (2001). Dietary Exposure to Logam Berat in cockles, *Anadara granosa* from Four Sites along The North Coast of Central Java, Indonesia. (submitted).

Widianarko, B. (2002). Peran Toksikologi Lingkungan dalam Pemecahan Masalah Pangan dan Lingkungan. UNIKA University Press. Semarang.

Yoseph, F.H. (2002). Trace Metals, Pathogenic Bacteria and Nutritional Contents of Cockles from The Coast of Semarang and Demak. Skripsi. Unika Soegijapranata. Semarang.

Zabel, T.F. (1993), Diffuse Sources of Pollution by Heavy Metals. *J. IWEM* 7:513-520.

Zanders, I.P. & W.E. Rojas (1996). Salinity Effects on Cadmium Accumulation in Various Tissues of tThe Tropical Fiddler Crab *Uca rapax*. *Environmental Pollution* 94(3): 293-299.

