

6. DAFTAR PUSTAKA

- Ahmed, F.E. (1991). *Seafood Safety*. National Academy Press. Washington D.C.
- Ahsanullah, M; M.C. Mobley & D.S. Negilski. (1984). Accumulationof Cadmium from Contaminated Water and Sediment by The Shrimp *Callianassa australiensis*. *Marine Biology* (82):191-197.
- Anonim. (1996). *Trace Element in Human Nutrition and Health*. Macmillan. Geneva.
- Anonim. (2001^a). Perikanan Jawa Tengah dalam Angka. Dinas Perikanan dan Kelautan. Pemerintah Propinsi Jawa Tengah.
- Anonim. (2001^b). Ekspose Instalasi Pengolahan Lumpur Tinja. Dinas Kebersihan Kotamadya Dati II Semarang.
- Babukutty, Y & J. Chacko. (1995). Chemical Partitioning and Bioavailability of Lead and Nickel in an estuarine System. *Environmental Toxicology and Chemistry* 14 (3): 427-434.
- Banwart, G.j. (1989). *Food Microbiology*. Van Nostrand Reinhold Co, Inc. New York.
- Blasco, J; V. Saenz & A. Gomez-Parra. (2000). Heavy Metals Fluxes at The Sediment Water Interface of Three Coastal Ecosystems from South-West of The Iberian Peninsula. *The Science of the Total Environmental* (247):189-199.
- Browne, D.R; A. Husni; M.J. Risk & J. Elyes. (1999). Exposure Assessment: Heavy Metals in Marine Biota of Coastal Indonesia. Research from UNDIP-McMaster Collaborating Project in Coastal Zone Eco-Development CIDAUPCD Agreement No. 098/s47074-(0-99). ISP.<http://www.mcmaster.ca/mieh/indo.htm>.
- Bu-Olayan, A.H & S. Al-Yakoob. (1998). Lead, Nickel and Vanadium in Seafood: An Exposure Assessment for Kuwait Consumers. *The Science of The Total Environment* (223):81-86.
- Chen, M.H & H.T. Wu. (1997). Concentrations of Copper in sediments and Fishes from Kaohsiung River and its Harbor area, Taiwan. Contaminated soil 3 rd International Conference on The Biogeochemistry of Trace Elements. Taiwan.
- Cohen, M.H & P.S. Rainbow. (1993). The Accumulation of Dissolved Zinc by The Shore Crab *Carcinus maenas* (L.). *Ophelia* 38 (1):13-30.
- Djuwito. (1984). Peranan *Mytilus* sp. Sebagai Penangkap Bahan-bahan Pencemar dengan Penekanan pada Logam-logam Berat. Universitas Diponegoro. Semarang.
- Effendi, M.I. (2002). *Biologi Perikanan*. Yayasan Pustaka Nusantara. Jakarta.

Febriyana, S.W. (2003). Kandungan Logam dan Evaluasi Risiko Konsumsi pada Bandeng Presto di Kota Semarang. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Fernandes, H.M; E.D. Bidone; L.H.S. Veiga; S.R. Patchhineelam. (1994). Heavy Metal Pollution Assessment in Coastal Lagoons of Jacaperagua, Rio-de-Jeneireo, Brazil. *Environmental Pollution* (85):259-264.

Gaman, P.M & K.B. Sherrington. (1994). Pengantar Ilmu Gizi: Pangan, Nutrisi dan Mikrobiologi Pangan. Gadjah Mada University Press. Yogyakarta.

Hadiwiyoto, S. (1993). Teknologi Pengolahan Hasil Perikanan. Jilid I. Liberty. Yogyakarta.

Han, B.C & T.C. Hung. (1990). Green Oyster Caused by Copper Pollution in The Taiwan Coast. *Environmental Pollution* 65:347-362.

Han, B.C; W.L. Jeng; T.C. Hung; Y.C. Ling; M.J. Shieh & L.C. Chien. (2000). Estimation of Metal and Organochlorine Pesticide Exposure and Potential Health Threat by Consumption of Oyster in Taiwan. *Environmental Pollution* (109):147-156.

Hantoro, I. (2000). Metals Content, Microbial Composition and Biomass Reduction of Tissue of Comercially Important Cockle (*Anadara granosa*) from Coastal Areas in Semarang and Kendal. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Inswiari. (1993). Penelitian kandungan Logam Berat pada Perairan Muara Sungai dan Ikan Segar di Teluk Jakarta. Abstrak. Jakarta.

Ismail, A; H. Wahidah & J.H. Ali. (1994). Heavy Metal Contamination in Malaysian Rice Field Snails. In Widjanarko, B; K. Vink & N.M. Van Straalen. Environmental Toxicology in South East Asia. VU University Press. Amsterdam.

Jay, J.M. (1986). Modern Food Microbiology. Van Nostrand Reinhold Co, Inc. New York.

John, L & T.V. Fernandes. (1998). Incidence of Trace Metals in *Scylla serrata*, An Edible Crab from Ashtamudi Estuary, India. *Journal of Environmental Biology* 19 (2):99-106.

Jones, G.B; P. Mercurio & F. Oliver. (2000). Zinc in Fish, Crabs, Oyster and Mangrove Flora and Fauna from Cleveland Bay. *Marine Pollution Bulletin* (41):345-352.

Joseph, F.H. (2002). Kandungan Logam, Bakteri Patogen dan Nutrisi Kerang dari Pantai Semarang dan Demak. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Kirby, J;W. Maher & F. Krikawa. (2001). Selenium, Cadmium, copper and Zinc Concentrations in Sediments and Mullet (*Mugil cephalus*) from The Southern Basin of Lake Macquarie, NSW, Australia. *Arch. Environ. Contam. Toxicol* (40):246-256.

Kraak, M.H.S; D. Lavy; H. Schoon; M. Toossaint; W.H.M. Peeters & N.M. Van Straalen. (1994). Ecotoxicity of Mixtures of Metals to the Zebra Mussel *Dreissena polymorpha*. *Environmental Toxicology and Chemistry* (13):109-114.

Laksmi, A & R. Rajagopalan. (2000). Socio-economic Implications of Coastal Zone Degradation and Their Mitigation: A Case Study from Coastal Village in India. *Ocean and Coastal Management* (43):749-762.

Martosudarmo, B; E. Sudarmini; B. Solaeman & B.S. Ramoemihardjo. (1985). Biologi Bandeng (*Chanos chanos* Forskal): Pedoman Budidaya Tambak. Direktorat Jenderal Perikanan Departemen Pertanian. Jakarta.

Mat, I; M.J. Maah & A. Johari. (1994). Trace Metals in Sediment and Potential Availability to *Anadara granosa*. *Archives of Environment Contamination and Toxicology* (27):54-59.

Mitchel, R. (1992). *Environmental Microbiology*. A John Wiley and Sons, Inc. New York.

Nasrullah. (1998). Laporan studi Pendayagunaan Program PLP. Dinas Kebersihan Kotamadya Dati II. Semarang.

Nugroho, R.A & Sucahyo. (2000). Uji Ekotoksitas Logam Seng (Zn) Terhadap Ikan seribu (*Poecilia reticulata* (Peters)). *Biota Vol 5(2)*:81-85.

Paez-Osuna, F & L. Tron-Mayen. (1995). Distribution of Heavy Metals in Tissues of the Shrimp *Penaeus californiensis* from the Northwest Coast of Mexico. *Bulletin of Environment Contamination and Toxicology* (55):209-215.

Prasetyo, A.A.W. (2002). Studi Pola Konsumsi Seafood Masyarakat Perkampungan Nelayan Tambak Lorok dan Desa Trimulyo Kota Semarang. Skripsi. Universitas Katolik Soegijapranata Semarang.

Prihatiningsih, B. (1997). Kandungan Logam Berat di Perairan Pantai Ria Kenjeran Surabaya. *SAINS* (1):53-57.

Prudente, M.S; H. Ichihashi & R. Tatsukawa. (1994). Heavy Metal Concentration in Sediments from Manila Bay, Phillipines and Inflowing Rivers. *Environmental Pollution* (86):83-88.

Rachmansyah; Dalfiah; P.R. Pongmasak & T. Ahmad. (1998). Uji Toksisitas Logam Berat Terhadap Benur Udang Windu (*Penaeus monodon*) dan Nener Bandeng (*Chanos chanos*). *Jurnal Penelitian Perikanan Indonesia* (4):55-65.

Rainbow, P.S & S.L. White. (1989). Comparative Strategies of Heavy Metal Accumulation by Crustaceans: Zinc, Copper and Cadmium in a Decapod, an Amphipod and a Barnacle. *Hidrobiologia* (147):245-262.

Rainbow, P.S. (1990). The Significance of Accumulated Heavy Metal Concentrations in Marine Organisms. *Marine Pollution Bulletin* (21):321-324.

Ray, B. (1996). Fundamental Food Microbiology. CRC Press, Inc. Florida.

Schouw, N.L; S. Danteravanich; H. Mosbaek & J.C. Tjell. (2002). Composition of Human Excreta-A Case Study From Southern Thailand. Higwire-Medline Abstract. <Http://higwire.stanford.edu/cgi/medline/pmid;11886091>.

Soeseno, S. (1985). Budidaya Ikan dan Udang dalam Tambak. PT. Gramedia Pustaka Utama. Jakarta.

Standar Nasional Indonesia. (1992). Cara Uji Cemaran Logam. Departemen Perindustrian.

Sudarmadji, S; B. Haryono & Suhardi. (1980). Petunjuk Analisa Bahan Makanan dan Pertanian. Liberty. Yogyakarta.

Sudarmadji, S; B. Haryono & Suhardi. (1996). Analisa Bahan Makanan dan Pertanian. Liberty. Yogyakarta.

Suhendrayatna. (2001). Bioremoval Logam Berat dengan menggunakan Mikroorganisme: Suatu Kajian Kepustakaan. Seminar on. Air Bioteknologi untuk Indonesia Abad 21:1-8.

Sulaeman & Burhanuddin. (1997). Penelitian Pengangkutan Gelondongan Ikan Bandeng *Chanos chanos* dengan Kepadatan Berbeda. ISSN:0853-5051:31-36.

Sulistyawati, I. (2001). Trace Metal and Nutrition Contents of Cockle *Anadara granosa* From several Location at Northen Coast of Central Java. Thesis. Universitas Katolik Soegijapranata. Semarang.

Tahvonen, R & j. Kumpulainen. (1996). Content of Lead and Cadmium in Selected Fish Species Consumed in Finland in 1993-1994. *Food additives and Contaminants* 13 (6):647-654.

Takarina, N.D. (1998). Heavy Metal Levels in Survicial River Sediment from Semarang, Central Java, Indonesia. *Environmental Journal* 35-40.

Tjahjono, B. (2002). Evaluasi Logam Berat pada Udang Windu (*Penaeus monodon*) dari Tiga Lokasi di Jawa Tengah. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Tukimat, L; D. Aminah; S. Saljimah & Y.H. Lee. (1999). Assessment of Heavy Metals in a Malaysian Diet. *Buletin Kesihatan Masyarakat* (5):37-46.

Vakily, J.M. (1992). Determination and Comparison of Bivalve Growth, with Emphasis of Thailand and Others Tropical Areas. ICLARM Tech Rep (36):125p.

Van Leuwen, C.J & J.L.M. Hermens. (1995). Risk Assessment of Chemicals: an Introduction. Kluwer Academic Publishers. Netherlands.

Vasquez, G.F; V.K. Sharma; V.R. Magallanes & A.J. Marmolejo. (1999). Heavy Metals in a Coastal Lagoon of The Gulf Mexico. *Marine Pollution Bulletin* (38):479-485.

Vogt, G & E.T. Quinito. (1994). Accumulation and Excretion of Metals Granules in Prawn, *Penaeus monodon*, Exposed to Water-borne Copper, Lead, Iron and Calcium. *Aquatic Toxicology* (28):223-241.

Whitten, T; R.E. Soeriaatmadja & S.A. Afiff. (1999). Ekologi Jawa dan Bali. Prenhallindo. Jakarta.

Widianarko, B. (1997). Urban Ecotoxicology: Spatial and temporal Heterogeneity of Pollution. Faculty of Biology Ph.D. Thesis. VU Amsterdam.

Widianarko, B; M. Leiloveld; S.A. Pujilestari & N.M. Van Straalen. (2001^b). food Safety Risk of Trace Metals in The Crab *Scylla serrata* from The Coastal area of Semarang, Indonesia. (*Submitted*).

Widianarko, B; R.A. Verweij; C.A.M. Van Gestel & M. Van Staalen. (2000). Spatial Distribution of Trace Metals in sediments From Urban Streams of Semarang, Central Java, Indonesia. *Ecotoxicology and Environmental Safety* (46):95-100.

Widianarko, B; I. Sulistyawati & N.M Van Straalen. (2001^a). Dietary Exposure to Trace Metal in Cockles, *Anadara granosa* from Four Sites Along The North Coast of central Java, Indonesia. (*submitted*).

Widianarko, B. (2002). Peran Toksikologi Lingkungan dalam Pemecahan Masalah Pangan dan Lingkungan. UNIKA University Press. Semarang.

Winarno, F.G. Kimia Pangan dan Gizi. PT. Gramedia Pustaka Utama. Jakarta.

Zanders, I.P & W.E. Rojas. (1996). Salinity Effects on Cadmium accumulation in Various Tissues of The Tropical Fiddler Crab *Uca rapax*. *Environmental Pollution* 94(3): 293-299.