

6. DAFTAR PUSTAKA

- Alexander. (2002). Geography Of Italian Pasta. <http://www.cs.brandeis.edu>.8 Mei 2010.
- Ames, N.P; J.M Clarke; B.A Marchylo; J.E Dexter; S.M Woods. (1999). Effect Of Environmental And Genotype on Durum Wheat Gluten Strength and Pasta Viscoelasticity. *Cereal Chemistry*, 76(4) :582-586.
- Anna V.A Resurreccion. (1998).Consumer Sensory Testing For Product Development. Aspen Publishers, Inc.United States of America.
- AOAC.(1995). Official Methods Of Analysis Of AOAC (International) 16th edition Volume 1: Food Composition, Additives, Natural Contaminants. AOAC International. USA.
- Apriyantono; D. Fardiaz,N. L Puspitasari; Sedarnawati & Sudiyanto. (1989). Petunjuk Labolatorium Analisis Pangan. IPB Press. Bogor.
- Armero, E. and Collar,C.(1996). Anti-Stalling Additives, Flour Type and Sourdough Process Effect On Functionality Of Wheat Doughs.*J.Food Sci.*61 :299-303.
- Astawan, Made .(2010). Supaya Gizi Pasta Makin Melimpah. KOMPAS : 17 Mei 2010. Jakarta.
- Augusta,L.S.A;L Dal Maso; C.La Vecchia; M Parpinel; E. Negri; S Vaccarella; C.W.S Kendall; D.J.A Jenkins.(2001). Dietary Glicemic Index and Glycemic Load, and Breast Cancer Risk : A Case Control Study. *Oxford Journal* 12(11) :1533-1538.
- Beckett. (1995). Physicochemical Aspect of Food Processing. Blackie Academic & Professional. New York.
- Be Miller, James N, Roy Lester Whistler. (2009). Starch : Chemistry & Technology. Academic Press.USA.
- Biro Pusat Statistik (2009). Perkembangan Ekspor-Import Nasional Indonesia. <http://pphp.deptan.go.id/explore/vie.deptan.go.id>.10Agustus2010

Codex Alimentarius .(1991). Codex Standard For Processed Cereal Based Foods For Infants And Children. <http://www.codexalimentarius.net/download/standards/290/pdf> : 10 Agustus 2010.

Del Giudice. (2010). Pasta. [http:// www.enotes.com](http://www.enotes.com). 5 Agustus 2010.

Diaz, P.Osorio; E. Agama Acevedo; M.Mendoza Vinalay; J.Tovar; L.A Bello Perez. (2008). Pasta Added With Chickpea Flour : Chemical Composition, In Vitro Starch Digestibility and Predicted Glycemic Index. Cien. Technol. Alimen, 6(1): 6-12.

Djam'an.(2008). Pengaruh Air Perasan Daun Cyclea Barbata Miers (Cincau Hijau) Terhadap Konsentrasi HCl Lambung dan Gambaran Hispatologik Lambung Tikus Galur Wistar yang Diinduksi. Thesis . Universitas Diponegoro Semarang.

Edwards, N.M, S.J Mulvaney; M.G Scanlon; J.E Dexter.(2003). Role of Gluten and Its Components in Determining Durum Semolina Dough Viscoelastic Properties. Cereal Chemistry 80(6) : 75576.

Edmond Ryan. (2008). The Canadian Trial of Carbohydrates in Diabetes (CCD), a 1-y controlled trial of Low-Glicemic-Index Dietary Carbohydrate In Type 2 Diabetes : No Effect on Glycated Hemoglobin But Reduction in C-Reactive Protein. American Journal Of Clinical Nutrition, 8(7) :114-125.

Fannon, John. E; Jeanette M. Shull; James N. Be Miller. (1993). Interior Channels Of Starch Granules.Cereal Chemistry, 70(5): 611-613.

FAO.(1986). Manuals Of Food Quality Control, Food Analysis : General Techniques, Additives, Contaminants and Composition. FAO. Rome.

FAO. (1992). Agribusiness. <http://www.fao.org/docrep/012/al175e/al175e.pdf>. 5 Agustus 2010.

Foods Standards Agency. (2002).McCance and Widdowson's The Composition of Foods. The Royal Society of Chemistry, Cambridge, UK.

Gianibelli, M.C; M.J Sisson; I.L Batey.(2005). Effect Of Source and Proportion Of Waxy on Pasta Cooking Quality. Cereal Chemistry, 82(8):321.

Gwirtz, J.A; M.R Willyard; K.L McFall.(2007). Future of Flour “The Comprehensive Manual of Practical Information on Cereal, Flour and Flour Improvement”. Germany : Muchlenchemie.

Hamaker, Bruce R. (2008).Technology of Functional Cereal Products. CRC Press.USA.

Handayani, Dina Maria.(2000). Mempelajari Ekstrak Cincau Hijau (Cyclea Barbata L. Miers) Terhadap Produksi Radikal Bebas Makrofag Peritonal Mencit Secara In Vitro. Skripsi. Institut Pertanian Bogor.

Hermawan .(2008). Agricultural Sector Profile. <http://www.ats.agr.gc.ca/ase/4404-eng.htm> . 27 Agustus 2010.

Hendriyani, Desi. (2003). Kajian Bioavailabilitas Klorofil Bubuk Daun Cincau Hijau. Skripsi. Institut Pertanian Bogor.

Hoefer, A.C.(2004). Hydrocolloids. Egan Press Handbook. AACC International, St. Paul Minnesota, Ch.1-3,pp.1-42.

Horie, Y, Ito H, Kusaba M, Tanaka R, Tanaka A. (2009). Participation of Chlorophyll b reductase In The Initial Step Of The Degradation Of Light Harvesting Chlorophyll a/b-Protein Complexes. Journal Of Biological Chemistry, 284(26):17449-17456.

Hou&Krouk.(1998). Asian Noodle Technology. <https://secureaibonline.org/catalog/example/ressources.ciheam.org/om/pdf/a40/00600070.pdf>. 14 Januari 2010.

Italian Trade Comission. (2010). Italian Pasta. <http://www.Italianmade.com>. 5 Agustus 2010.

Ji, Y, K Seetharaman, P. J White. (2004). Optimizing A Smale Scale Corn Starch Extraction Method For Use In The Laboratory. Cereal Chemistry 81 (1): 55-58.

Kenya Bureau Of Standard.(2009). Pasta Products-Spesification.<http://members.wto.org/cr natt Ments/2010 tbt/ken/pdf>. 11 Agustus 2010.

Kill & Turnbull. (2001). Pasta And Semolina Technology. UK : Blackwell.

Koswara, Sutrisno.(2008). Produk Pasta Beraneka Bentuk dan Rupa. <http://ebookpangan.com>. 5 Januari 2010.

Krachler, Benno; Mats Elliasson; Hans Stenlud; Ingegerd Johansson; Goran Hallman; Bernt Lindahl. (2006). Reported Food Intake and Distribution Of Body Fat : A Repeated Cross-Sectional Study. *Nutrition Journal* 5(1) : 34.

Krisnawati R. 2004. Pengaruh Konsentrasi Asam Sitrat Terhadap Rendemen Sifat serat Pangan dari Daun Cincau Pohon (*Premna oblongifolia* Merr). Skripsi. Universitas Lampung. Bandar Lampung.

Kruger, J. E; R. B. Matsuo ; & J. W. Dick. (1996). *Pasta and Noodle Technology*. American Association of Cereal Chemist, Inc. Minnesota.

Landi, A; Barilla G.E; E Filli. (1995). Durum Wheat, Semolina, and Pasta Quality Characteristic For An Italian Food Company. <http://resources.ciheam.org/pdf>. 5 Agustus 2010.

Lohan & Michael. (1993). Fresh Pasta Product and Process Of Manufacture. <http://www.freepatentsonline.com/528195.html>. 8 Oktober 2010.

Mailer, Rod. (2006). Chemistry and Quality Olive Oil. [http://www.dpi.nsw.gov.au/_/pf227.chemistry and quality olive oil](http://www.dpi.nsw.gov.au/_/pf227.chemistry%20and%20quality%20olive%20oil). 8 Oktober 2010.

Marconi, E; M. Carcea; M. Graziano; R.Cubadda. Kernel Properties and Pasta Making Quality Of Five European Spelt Wheat Cultivars. *Cereal Chemistry* 76(1) : 25-29.

Martinez, Maribel Ovando; Sonia Sayago-Ayeradi;Edith Agama-Acevedo; Isabel Goni; Luis A. Bello Perez. (2009). Unripe Banana Flour As An Ingredient To Increase The Undigestible Carbohydrates Of Pasta, 113 : 121-126.

Meilgaard, M.Civille,G.V Carr.(1999). *Sensory Evaluation Techniques*.3rd ed.CRC Press LCC. Boca Raton.

Mohammed, Nowar Abuelgassim Hasan. (2004). Chemical Sensory Evaluation Of Macaroni from Semolina With Cooked Lentil (*Lens Culinaris*). Desertation. Faculty of Agriculture University of Khartoum.

Muchtaridi, Dolih Gozali; Jutti Levita .(2009). Karakteristik Tablet Kunyah Antasida dengan Menggunakan Gel Cincau Hijau (*Cyclea Barbata L. Miers*) Sebagai Bahan Pengikat.

Nelles, E.M; J. Dewar; M.L Bason and J.R.N Taylor. (2000). Maize Starch Biphasing Pasting Curves. *Journal Of Food Science*, 31 : 287-294.

Nurdin, Syamsu Udayanda & Suharyono.A.S. (2007). Karakteristik Fungsional Polisakarida Pembentuk Gel Daun Cincau Hijau. <http://upmpolinela.files.wordpress.com/2008/07/karakteristik-fungsional-polisakarida-pembentuk-gel-daun-cincau-hijau.doc>

Nur Aini & Purwiyatno. (2010). Gelatinization Properties Of White Maize Starch From Three Varieties Of Corn Subject to Oxidized And Acetylated-Oxidized Modification. *International Food Research Journal* 17 : 961-968.

Pasaribu, Nani. (2005). Substitusi Gelatin dengan Gel Cincau Hijau. *Kumpulan Jurnal Ilmiah Unijoyo Vol 1 No.3*.

Pena. (2005). Durum Wheat For Pasta And Bread Making. Comparison of Methods Used In Breeding To Determine Gluten Quality-Related Parameters. <http://www.essources.org/om/pdf>. 10 Agustus 2010.

Radhika S Gopinathan; Salim Shanavas; Subramoney N Morthy. (2008). Influence Of Lipids Isolated From Soybean Seed On Different Properties Of Starch. *Starch* 60 : 485-492.

Salfarino.(2005). Potensi Jagung. Pusat Penelitian dan Pengembangan Tanaman Pangan : Maros.

Sandhu, Singh Kawaljit & Narpinder Singh. (2007). Some Properties of Corn Starches II : Physicochemical, Gelatinization, Retrogradation, Pasting and Gel Textural Properties. *Food Chemistry* 101 : 1499-1507.

Satin, Morton. (2001).Functional Properties Of Starch. <http://www.fao.org/ag/magazine>. 8 September 2010.

Sissons.(2008). Role Of Durum Wheat Composition On The Quality Pasta and The Bread. *Food* 2(2) :75-90.

Smith & J. Scott, Yiu Hui. (2004). Food Processing : Principles and Application. Wiley Blackwell. USA.

Sozer & Kaya.(2003). Changes In cooking And Textural Properties Of Spaghetti Cooked With Different Levels Of Salt In The Cooking Water. Journal of Texture Studies, 34: 381–390.

Soh, H.N; Sissons M.J; and M.A Turner.(2006). Effect Of Starch Granule Size Distribution and Elevated Amylose Content on Durum Dough Rheology and Spaghetti Cooking Quality. Cereal Chemistry 85(3) : 513519.

Sopian, A.; Tahir, R;& Muchtadi T.R.(2005). Pengaruh Pengeringan dengan Far Infrared Dryer, Oven Vakum, Freeze Drier Terhadap Warna, Kadar Total Karoten, Beta Karoten, dan Vitamin C Pada Daun Bayam (*Amaranthus tricolor*.L) Jurnal Teknologi Industri Pangan Volume XIV No.2.

Sudarmadji,S.B;Haryono dan Suhardi.(1989). Analisa Bahan Makanan dan Pertanian. Liberty . Yogyakarta.

Sudarmadji, S.; B. Haryono & Suhardi. (1984). Prosedur Analisa Bahan Makanan dan Pertanian Edisi Ketiga. Liberty Bekerja Sama Dengan PAU Pangan dan Gizi UGM. Yogyakarta

Suriadi, Peter. (1992). Modifikasi Pati Dari Beberapa Varietas Jagung (*Zea Mays*) dengan Garam Oksidasi. Skripsi. Institut Pertanian Bogor. Bogor.

Sumiati& Pitojo.(1995). Cincin : Cara Pembuatan dan Variasi Olahannya. Agromedia Pustaka. Jakarta.

Suarni & Richana. (2005). Teknologi Pengolahan Jagung. <http://balitsereal.litbang.deptan.go.id>. 11 Februari 2010.

Sutomo, Budi. (2008).Variasi Mi dan Pasta. Kawan Pustaka.Jakarta

U.S Department Of Agriculture, Food Nutrition Service, with the National Food Service Management. (2002). Measuring Success With Standardized Recipe. USA : National Food ServiceManagement.<http://www.olemiss.edu/depts/nfsmi/Information/stdrecipes/prelim.pdf>

Vargaz, Delgado Fransisco & Octavio Paredes Lopez.(2003). Natural Colorants For Food And Nutraceutical Uses. CRC Press : London

Vignaux, Nathalie; Douglas C. Doehlert; Elias M. Elias; Michael S. McMullen; Linda A. Grant; and Shahryar F Kianian. (2005). Quality Of Spaghetti From Full and Partial Waxy Durum Wheat. *Cereal Chew* 82(1) : 93-100.

Villalobos, Rodolfo Rendon; Perla Osorio Diaz; Edith Agama Acevedo; Juscelino Tovar; Luis A Bello Perez. (2008). Composite White Plaintain Starch Salted Noodles, Preparation, Proximate Composition, and In Vitro Digestibility. *Interciencia Asociación Interciencia* :658-662.

Wang, Trevor L; Tanya Ya Bogracheva; Cliff L Hedley; (1998). Starch : As Simple as A, B, C ?. *Journal Of Experimental Botany*, 49(320): 481-502.

Wolever, Thomas; Allison L Gibbs; Christine Mehling; Jean Louis Chiasson; Phillip W Connely; Robert G Josse, Lawrence A Leiter; Pierre Maheux; Remi Rabasa-lhoret; N Wilson Rodger; and Edmond A Ryan. (2008). The Canadian Trial of Carbohydrates in Diabetes (CCD), a 1-y controlled trial of Low-Glicemic-Index Dietary Carbohydrate In Type 2 Diabetes : No Effect on Glycated Hemoglobin But Reduction in C-Reactive Protein. *American Journal Of Clinical Nutrition*, 8(7) :114-125.

Wu, Y. Victor; Gary A. Hareland; and Kathleen Warner. (2001). Protein Enriched Spaghetti Fortified With Corn Glutel Meal. *Journal Agricultural Food Chemistry*, 49(8) : 3906-3910.

