

LAMPIRAN

LAMPIRAN 1

KUESIONER SURVEY
PENDAHULUAN

KUESIONER PENDAHULUAN

Dibawah ini terdapat faktor-faktor yang menjadi pertimbangan dalam keputusan membeli.

Pilihlah salah satu faktor dibawah ini yang jadi pertimbangan anda dalam memutuskan untuk melakukan pembelian di swalayan Sri Ratu Pemuda dengan cara memberikan tanda (X) silang pada tanda kurung.

1. () Lokasi
2. () Pelayanan
3. () Harga
4. () Aneka pilihan produk
5. () Kenyamanan tempat
6. () Promosi
7. () Fasilitas (AC, Kereta dorong, tempat penitipan barang)

LAMPIRAN 2

KUESIONER PENELITIAN

Kuesioner

I. Isilah data pribadi anda dibawah ini :

Nama :

Jenis kelamin :

Umur :

Pekerjaan :

Pendidikan :

II. Jawablah daftar pertanyaan dibawah ini dengan memberikan tanda silang (X) pada Jawaban yang tersedia

Promosi

1. Swalayan Sri Ratu Pemuda sering menawarkan hadiah-hadiah kepada konsumennya:

- | | |
|------------------|-------------------------|
| a. Sangat setuju | d. Kurang setuju |
| b. Setuju | e. Sangat kurang setuju |
| c. Normal | |

2. Swalayan Sri Ratu Pemuda dalam memberikan potongan harga lebih memuaskan daripada pasar swalayan lain :

- | | |
|------------------|-------------------------|
| a. Sangat setuju | d. Kurang setuju |
| b. Setuju | e. Sangat kurang setuju |
| c. Normal | |

3. Promosi yang dilakukan swalayan Sri Ratu Pemuda dengan pemberian hadiah kepada konsumennya menarik sehingga membuat anda tertarik untuk membeli :

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

4. Anda tertarik dengan penawaran harga khusus yang ditawarkan oleh swalayan Sri Ratu Pemuda:

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

5. Swalayan Sri Ratu Pemuda mempromosikan produk yang dijualnya melalui pengadaan iklan di surat kabar menarik anda untuk membeli:

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

Lokasi

6. Dalam mencari tempat untuk parkir di swalayan Sri Ratu Pemuda mudah untuk mendapatkannya :

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

7. Anda mudah untuk mendapatkan sarana transportasi umum apabila berbelanja di swalayan Sri Ratu Pemuda :

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

8. Untuk mencapai lokasi swalayan Sri Ratu Pemuda cukup mudah :

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

Harga

9. Harga barang yang dijual di swalayan Sri Ratu Pemuda pada umumnya lebih murah bila dibandingkan dengan pasar swalayan lain :

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

10. Kualitas barang yang ditawarkan sesuai dengan harga yang ditetapkan oleh swalayan Sri Ratu :

- a. Sangat setuju
- b. Setuju
- c. Normal
- d. Kurang setuju
- e. Sangat kurang setuju

Keputusan Pembelian

11. Setiap kali saya ingin membeli kebutuhan, saya berbelanja di swalayan Sri Ratu

Pemuda Semarang:

- | | |
|------------------|-------------------------|
| a. Sangat setuju | d. Kurang setuju |
| b. Setuju | e. Sangat kurang setuju |
| c. Normal | |

12. Kalau ingin berbelanja kebutuhan rumah tangga, saya selalu berbelanja di swalayan Sri Ratu Pemuda Semarang:

- | | |
|------------------|-------------------------|
| a. Sangat setuju | d. Kurang setuju |
| b. Setuju | e. Sangat kurang setuju |
| c. Normal | |

LAMPIRAN 3

PRINT OUT REGRESI BERGANDA LINIER

* * * * MULTIPLE REGRESSION * * * *

Equation Number 1 Dependent Variable.. Y Keputusan Pembelian

Block Number 1. Method: Enter X1 X2 X3

Variable(s) Entered on Step Number

1..	X3	Harga
2..	X2	Lokasi
3..	X1	Promosi

Multiple R	.83279
R Square	.69354
Adjusted R Square	.68396
Standard Error	1.02352

Analysis of Variance

	DF	Sum of Squares	Mean Square
Regression	3	227.59121	75.86374
Residual	96	100.56879	1.04759

F = 72.41729 Signif F = .0000

----- Variables in the Equation -----

Variable	B	SE B	Beta	T	Sig T
X1	.192893	.037585	.376737	5.132	.0000
X2	.300462	.053066	.344738	5.662	.0000
X3	.330571	.068267	.343262	4.842	.0000
(Constant)	-2.223801	.697329		-3.189	.0019

End Block Number 1 All requested variables entered.

* * * * MULTIPLE REGRESSION * * * *

Listwise Deletion of Missing Data

	Mean	Std Dev	Label
Y	7.280	1.821	Keputusan Pembelian
X1	17.890	3.556	Promosi
X2	12.400	2.089	Lokasi
X3	7.040	1.891	Harga

N of Cases = 100

Correlation, 1-tailed Sig:

	Y	X1	X2	X3
Y	1.000	.710	.576	.663
	.	.000	.000	.000
X1	.710	1.000	.368	.602
	.000	.	.000	.000
X2	.576	.368	1.000	.270
	.000	.000	.	.003
X3	.663	.602	.270	1.000
	.000	.000	.003	.

LAMPIRAN 4

TANGGAPAN RESPONDEN

	p01	p02	p03	p04	p05	p06	p07	p08	p09	p10	p11	p12	x1	x2	x3	y
1	4	4	1	3	2	3	2	2	3	3	2	2	14	7	6	4
2	5	5	4	4	2	3	3	2	5	5	3	3	20	8	10	6
3	4	4	1	3	2	4	2	2	3	3	2	2	14	8	6	4
4	4	4	4	4	3	5	5	5	2	3	3	5	19	15	5	8
5	5	3	4	3	2	4	5	4	2	3	2	4	17	13	5	6
6	4	3	3	3	3	4	4	4	2	3	3	4	16	12	5	7
7	4	5	3	5	5	5	4	5	3	3	4	4	22	14	6	8
8	3	2	3	2	2	4	4	4	2	2	2	4	12	12	4	6
9	3	2	2	2	2	4	4	4	3	3	2	4	11	12	6	6
10	4	3	3	3	3	4	4	4	3	3	2	4	16	12	6	6
11	4	3	3	2	2	4	4	4	3	3	3	4	14	12	6	7
12	4	2	3	2	2	3	3	3	2	3	2	3	13	9	5	5
13	5	4	4	4	4	5	4	5	3	4	3	4	21	14	7	7
14	3	3	4	3	2	4	4	4	2	4	2	4	15	12	6	6
15	5	4	3	4	3	4	4	4	4	3	4	4	19	12	7	8
16	5	4	5	4	5	5	4	5	1	3	5	5	23	14	4	10
17	3	4	2	4	3	5	5	5	4	4	3	2	16	15	8	5
18	5	4	3	4	1	4	4	4	3	3	4	3	17	12	6	7
19	3	3	2	3	2	4	3	4	2	4	2	3	13	11	6	5
20	5	3	3	3	4	4	4	4	3	3	3	3	18	12	6	6
21	4	4	4	4	3	4	4	4	3	4	4	4	19	12	7	8
22	5	5	4	5	4	4	4	4	3	4	5	3	23	12	7	8
23	4	4	3	4	3	2	2	2	3	4	3	2	18	6	7	5
24	4	4	4	4	4	4	4	4	3	4	4	4	20	12	7	8
25	4	4	4	4	4	4	3	4	4	4	4	4	20	11	8	8
26	5	2	1	2	3	4	4	4	5	5	4	5	13	12	10	9
27	3	3	3	3	3	4	4	4	3	3	3	4	15	12	6	7
28	4	4	5	4	3	5	5	5	3	4	5	5	20	15	7	10
29	4	5	4	5	4	4	4	4	3	4	3	4	22	12	7	7
30	2	2	1	2	2	5	5	5	1	2	2	2	9	15	3	4
31	4	3	3	4	3	5	5	5	3	3	3	5	17	15	6	8
32	4	2	3	3	2	3	4	4	4	3	2	2	14	11	7	4
33	4	1	2	2	2	4	3	4	1	3	2	3	11	11	4	5
34	3	3	4	4	3	4	4	4	3	4	3	4	17	12	7	7

	p01	p02	p03	p04	p05	p06	p07	p08	p09	p10	p11	p12	x1	x2	x3	y
35	3	3	3	3	4	3	4	4	4	2	3	2	16	11	6	5
36	3	3	2	4	5	4	4	4	4	4	4	4	17	12	8	8
37	4	2	3	2	2	4	4	4	3	3	2	3	13	12	6	5
38	4	2	3	3	3	4	4	5	4	4	4	4	15	13	8	8
39	3	2	3	4	4	3	4	4	2	2	4	4	16	11	4	8
40	4	3	4	4	3	5	5	5	3	3	4	4	18	15	6	8
41	5	4	4	4	3	4	4	4	3	4	4	4	20	12	7	8
42	4	4	4	4	3	5	5	5	4	4	4	5	19	15	8	9
43	5	4	4	4	4	4	5	4	3	3	3	4	21	13	6	7
44	4	3	4	4	4	5	5	5	3	3	4	4	19	15	6	8
45	5	4	4	4	4	5	5	5	4	4	4	5	21	15	8	9
46	3	3	3	3	3	4	4	4	3	3	3	4	15	12	6	7
47	4	3	4	4	4	4	4	3	4	3	4	4	19	11	7	8
48	4	4	4	4	3	4	4	4	3	3	3	5	19	12	6	8
49	5	4	3	3	3	5	5	5	3	3	4	5	18	15	6	9
50	3	3	3	3	2	5	4	4	3	3	3	4	14	13	6	7
51	5	4	5	4	3	5	5	5	3	3	3	5	21	15	6	8
52	5	4	4	3	3	4	4	4	3	4	4	4	19	12	7	8
53	5	4	5	4	5	5	5	5	5	5	5	5	23	15	10	10
54	3	2	3	3	3	3	3	3	3	3	3	3	14	9	6	6
55	3	3	3	3	2	4	4	4	3	4	4	4	14	12	7	8
56	5	3	4	3	2	4	5	4	3	4	2	4	17	13	7	6
57	5	3	2	3	2	5	5	5	2	3	1	4	15	15	5	5
58	4	3	3	4	3	3	2	2	1	2	2	2	17	7	3	4
59	5	3	4	4	4	4	4	4	3	3	4	2	20	12	6	6
60	5	3	3	3	3	2	2	2	3	3	2	2	17	6	6	4
61	4	3	2	3	3	4	4	4	3	3	2	4	15	12	6	6
62	4	3	4	3	2	4	4	4	1	2	3	3	16	12	3	6
63	3	3	4	4	4	2	5	5	3	4	4	4	18	12	7	8
64	5	3	3	3	4	5	5	5	3	4	2	4	18	15	7	6
65	2	3	2	3	3	4	3	4	3	3	2	3	13	11	6	5
66	4	3	3	3	2	3	3	3	3	3	2	2	15	9	6	4
67	4	3	2	4	2	4	4	4	2	3	2	3	15	12	5	5
68	3	4	4	4	4	4	4	4	4	4	4	4	19	12	8	8

	p01	p02	p03	p04	p05	p06	p07	p08	p09	p10	p11	p12	x1	x2	x3	y
69	5	3	3	4	3	4	4	4	3	3	4	3	18	12	6	7
70	3	2	4	4	3	5	5	5	2	4	2	3	16	15	6	5
71	3	3	3	3	3	4	3	3	3	4	3	3	15	10	7	6
72	3	2	4	3	3	5	3	4	5	5	3	4	15	12	10	7
73	5	3	3	3	3	4	3	4	2	3	3	3	17	11	5	6
74	3	3	3	3	4	4	4	5	3	3	3	3	16	13	6	6
75	3	4	3	3	3	4	3	3	3	4	3	1	16	10	7	4
76	4	3	3	3	3	4	4	3	2	3	3	3	16	11	5	6
77	3	2	2	3	1	4	3	4	3	3	3	4	11	11	6	7
78	5	3	3	3	2	4	4	4	3	3	3	4	16	12	6	7
79	4	4	4	5	3	5	5	5	5	5	4	5	20	15	10	9
80	5	5	5	5	4	5	5	5	5	5	5	5	24	15	10	10
81	4	3	3	3	3	4	4	4	5	5	5	5	16	12	10	10
82	5	5	4	4	4	5	5	5	5	5	5	5	22	15	10	10
83	4	4	4	4	4	4	5	5	5	5	5	5	20	14	10	10
84	4	4	4	4	3	4	5	5	4	4	3	4	19	14	8	7
85	4	5	4	4	4	5	5	5	5	5	5	5	21	15	10	10
86	5	5	4	4	5	4	4	4	5	5	4	5	23	12	10	9
87	4	4	4	5	4	5	5	5	5	5	4	5	21	15	10	9
88	4	5	5	5	4	4	5	4	5	5	4	5	23	13	10	9
89	4	4	4	4	3	5	4	4	5	4	4	5	19	13	9	9
90	5	4	4	4	4	4	4	4	5	5	5	5	21	12	10	10
91	4	4	4	4	4	5	4	4	4	5	5	4	20	13	9	9
92	5	5	4	4	4	5	5	5	5	5	5	5	22	15	10	10
93	5	5	5	5	5	4	5	5	4	5	5	5	25	14	9	10
94	5	5	5	5	5	4	4	4	5	5	5	4	25	12	10	9
95	4	4	4	4	3	5	5	5	4	4	4	5	19	15	8	9
96	5	5	5	5	4	4	5	5	4	5	4	5	24	14	9	9
97	4	4	5	5	5	5	5	5	5	5	5	5	23	15	10	10
98	5	5	5	5	5	4	4	4	5	5	5	5	25	12	10	10
99	4	5	5	5	4	4	4	4	5	5	5	5	23	12	10	10
100	5	5	4	5	5	4	5	5	5	5	4	5	24	14	10	9

P01

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	34	34.0	34.0	34.0
	4	42	42.0	42.0	76.0
	3	22	22.0	22.0	98.0
	2	2	2.0	2.0	100.0
	Total	100	100.0	100.0	

Valid cases 100 Missing cases 0

P02

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	16	16.0	16.0	16.0
	4	33	33.0	33.0	49.0
	3	37	37.0	37.0	86.0
	2	13	13.0	13.0	99.0
	1	1	1.0	1.0	100.0
	Total	100	100.0	100.0	

Valid cases 100 Missing cases 0

P03

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	12	12.0	12.0	12.0
	4	40	40.0	40.0	52.0
	3	34	34.0	34.0	86.0
	2	10	10.0	10.0	96.0
	1	4	4.0	4.0	100.0
	Total	100	100.0	100.0	

Valid cases 100 Missing cases 0

P04



Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	14	14.0	14.0	14.0
	4	43	43.0	43.0	57.0
	3	35	35.0	35.0	92.0
	2	8	8.0	8.0	100.0
	Total	100	100.0	100.0	
Valid cases	100	Missing cases	0		

P05

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	10	10.0	10.0	10.0
	4	28	28.0	28.0	38.0
	3	38	38.0	38.0	76.0
	2	22	22.0	22.0	98.0
	1	2	2.0	2.0	100.0
	Total	100	100.0	100.0	
Valid cases	100	Missing cases	0		

P06

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	30	30.0	30.0	30.0
	4	58	58.0	58.0	88.0
	3	9	9.0	9.0	97.0
	2	3	3.0	3.0	100.0
	Total	100	100.0	100.0	
Valid cases	100	Missing cases	0		

P07

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	33	33.0	33.0	33.0
	4	49	49.0	49.0	82.0
	3	13	13.0	13.0	95.0
	2	5	5.0	5.0	100.0
	Total	100	100.0	100.0	

Valid cases 100 Missing cases 0

P08

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	34	34.0	34.0	34.0
	4	53	53.0	53.0	87.0
	3	7	7.0	7.0	94.0
	2	6	6.0	6.0	100.0
	Total	100	100.0	100.0	

Valid cases 100 Missing cases 0

P09

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	21	21.0	21.0	21.0
	4	16	16.0	16.0	37.0
	3	45	45.0	45.0	82.0
	2	13	13.0	13.0	95.0
	1	5	5.0	5.0	100.0
	Total	100	100.0	100.0	

Valid cases 100 Missing cases 0

P10

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	23	23.0	23.0	23.0
	4	29	29.0	29.0	52.0
	3	42	42.0	42.0	94.0
	2	6	6.0	6.0	100.0
	Total	100	100.0	100.0	
Valid cases	100	Missing cases	0		

P11

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	17	17.0	17.0	17.0
	4	31	31.0	31.0	48.0
	3	29	29.0	29.0	77.0
	2	22	22.0	22.0	99.0
	1	1	1.0	1.0	100.0
	Total	100	100.0	100.0	
Valid cases	100	Missing cases	0		

P12

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	30	30.0	30.0	30.0
	4	40	40.0	40.0	70.0
	3	18	18.0	18.0	88.0
	2	11	11.0	11.0	99.0
	1	1	1.0	1.0	100.0
	Total	100	100.0	100.0	
Valid cases	100	Missing cases	0		

LAMPIRAN 5

HASIL PENGUJIAN VALIDITAS DAN RELIABILITAS

lat1

	promosi1	promosi2	promosi3	promosi4	promosi5	lokasi1
1	5.00	5.00	5.00	5.00	5.00	5.00
2	2.00	2.00	3.00	3.00	3.00	5.00
3	4.00	4.00	3.00	3.00	3.00	4.00
4	5.00	5.00	5.00	5.00	5.00	5.00
5	4.00	4.00	4.00	4.00	3.00	4.00
6	5.00	5.00	5.00	5.00	5.00	5.00
7	5.00	5.00	5.00	4.00	4.00	5.00
8	4.00	4.00	4.00	4.00	4.00	5.00
9	4.00	4.00	4.00	3.00	4.00	4.00
10	2.00	2.00	2.00	2.00	3.00	3.00
11	5.00	3.00	4.00	4.00	4.00	5.00
12	4.00	2.00	2.00	3.00	4.00	2.00
13	4.00	2.00	3.00	3.00	2.00	4.00
14	5.00	3.00	3.00	4.00	4.00	3.00
15	4.00	3.00	3.00	3.00	3.00	3.00
16	3.00	3.00	2.00	4.00	4.00	2.00
17	4.00	4.00	4.00	2.00	4.00	4.00
18	4.00	3.00	5.00	4.00	4.00	3.00
19	2.00	2.00	2.00	2.00	2.00	4.00
20	3.00	2.00	2.00	2.00	2.00	4.00
21	1.00	2.00	3.00	3.00	2.00	4.00
22	4.00	2.00	2.00	2.00	2.00	4.00
23	5.00	3.00	4.00	5.00	4.00	5.00
24	4.00	2.00	2.00	2.00	3.00	4.00
25	3.00	3.00	4.00	4.00	4.00	4.00
26	4.00	4.00	4.00	4.00	3.00	4.00
27	4.00	4.00	4.00	4.00	4.00	3.00
28	5.00	4.00	4.00	5.00	2.00	4.00
29	5.00	5.00	5.00	5.00	2.00	4.00
30	4.00	3.00	4.00	4.00	3.00	4.00

lat1

	lokasi2	lokasi3	harga1	harga2	kp_pemb1	kp_pemb2
1	5.00	5.00	5.00	5.00	5.00	5.00
2	3.00	5.00	5.00	4.00	3.00	4.00
3	4.00	5.00	3.00	4.00	3.00	4.00
4	3.00	5.00	4.00	5.00	3.00	4.00
5	4.00	4.00	4.00	4.00	3.00	3.00
6	5.00	5.00	5.00	5.00	5.00	5.00
7	4.00	5.00	4.00	5.00	4.00	4.00
8	5.00	5.00	4.00	5.00	5.00	5.00
9	3.00	5.00	2.00	4.00	2.00	4.00
10	3.00	4.00	3.00	3.00	3.00	3.00
11	5.00	4.00	4.00	4.00	3.00	2.00
12	2.00	3.00	3.00	4.00	2.00	3.00
13	3.00	5.00	4.00	3.00	4.00	4.00
14	3.00	3.00	3.00	3.00	2.00	3.00
15	3.00	3.00	3.00	3.00	3.00	3.00
16	4.00	4.00	2.00	4.00	2.00	3.00
17	5.00	5.00	3.00	4.00	2.00	2.00
18	4.00	3.00	4.00	4.00	4.00	4.00
19	5.00	5.00	2.00	3.00	2.00	2.00
20	5.00	4.00	2.00	3.00	2.00	2.00
21	5.00	5.00	1.00	4.00	3.00	3.00
22	5.00	5.00	3.00	4.00	2.00	3.00
23	5.00	5.00	4.00	4.00	4.00	4.00
24	4.00	4.00	2.00	4.00	3.00	2.00
25	4.00	4.00	2.00	2.00	2.00	2.00
26	4.00	4.00	2.00	4.00	2.00	2.00
27	4.00	4.00	3.00	4.00	4.00	3.00
28	5.00	4.00	4.00	4.00	4.00	4.00
29	4.00	4.00	4.00	4.00	4.00	4.00
30	5.00	4.00	4.00	4.00	4.00	4.00

Reliability

***** Method 2 (covariance matrix) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

1. PROMOSI1
2. PROMOSI2
3. PROMOSI3
4. PROMOSI4
5. PROMOSI5

	Mean	Std Dev	Cases
1. PROMOSI1	3.9000	1.0619	30.0
2. PROMOSI2	3.3000	1.0875	30.0
3. PROMOSI3	3.5333	1.0743	30.0
4. PROMOSI4	3.5667	1.0400	30.0
5. PROMOSI5	3.3667	.9643	30.0

N of Cases = 30.0

Statistics for Scale	Mean	Variance	Std Dev	N of Variables
	17.6667	18.9195	4.3497	5

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Alpha if Item Deleted
PROMOSI1	13.7667	12.6678	.6779	.4841	.8757
PROMOSI2	14.3667	11.6195	.8251	.7384	.8407
PROMOSI3	14.1333	11.7057	.8244	.7639	.8411
PROMOSI4	14.1000	12.2310	.7708	.6356	.8543
PROMOSI5	14.3000	14.0103	.5512	.3052	.9007

Analysis of Variance

Source of Variation	Sum of Sq.	DF	Mean Square	F	Prob.
Between People	109.7333	29	3.7839		
Within People	55.6000	120	.4633		
Between Measures	6.5333	4	1.6333	3.8614	.0055
Residual	49.0667	116	.4230		
Total	165.3333	149	1.1096		
Grand Mean	3.5333				

Hotelling's T-Squared = 17.0168 F = 3.8141 Prob. = .0144
 Degrees of Freedom: Numerator = 4 Denominator = 26

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients 5 items

Alpha = .8882

Standardized item alpha = .8865

Reliability

***** Method 2 (covariance matrix) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

1. LOKASI1
2. LOKASI2
3. LOKASI3

	Mean	Std Dev	Cases
1. LOKASI1	3.9667	.8503	30.0
2. LOKASI2	4.1000	.8847	30.0
3. LOKASI3	4.3333	.7112	30.0

N of Cases = 30.0

Statistics for Scale	Mean	Variance	Std Dev	N of Variables
	12.4000	4.0414	2.0103	3

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Alpha if Item Deleted
LOKASI1	8.4333	1.7713	.6836	.5384	.5451
LOKASI2	8.3000	2.0793	.4622	.2210	.8181
LOKASI3	8.0667	2.2023	.6317	.4989	.6326

Analysis of Variance

Source of Variation	Sum of Sq.	DF	Mean Square	F	Prob.
Between People	39.0667	29	1.3471		
Within People	21.3333	60	.3556		
Between Measures	2.0667	2	1.0333	3.1107	.0521
Residual	19.2667	58	.3322		
Total	60.4000	89	.6787		
Grand Mean	4.1333				

Hotelling's T-Squared = 10.7780 F = 5.2032 Prob. = .0120
 Degrees of Freedom: Numerator = 2 Denominator = 28

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients 3 items

Alpha = .7534

Standardized item alpha = .7623

Reliability

***** Method 2 (covariance matrix) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

- 1. HARGA1
- 2. HARGA2

	Mean	Std Dev	Cases
1. HARGA1	3.2667	1.0483	30.0
2. HARGA2	3.9000	.7120	30.0
N of Cases =	30.0		

Statistics for Scale	Mean	Variance	Std Dev	N of Variables
	7.1667	2.3506	1.5332	2

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Alpha if Item Deleted
HARGA1	3.9000	.5069	.4990	.2490	.
HARGA2	3.2667	1.0989	.4990	.2490	.

Analysis of Variance

Source of Variation	Sum of Sq.	DF	Mean Square	F	Prob.
Between People	34.0833	29	1.1753		
Within People	18.5000	30	.6167		
Between Measures	6.0167	1	6.0167	13.9773	.0008
Residual	12.4833	29	.4305		
Total	52.5833	59	.8912		
Grand Mean	3.5833				

Levene's T-Squared = 13.9773 F = 13.9773 Prob. = .0008
 Degrees of Freedom: Numerator = 1 Denominator = 29

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients 2 items

alpha = .6337

Standardized item alpha = .6658

RELIABILITY ANALYSIS - SCALE (ALPHA)

		Mean	Std Dev	Cases
1.	KP_PEMB1	3.1333	1.0080	30.0
2.	KP_PEMB2	3.3333	.9589	30.0
N of Cases =		30.0		

Statistics for Scale	Mean	Variance	Std Dev	N of Variables
	6.4667	3.4299	1.8520	2

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Alpha if Item Deleted
_PEMB1	3.3333	.9195	.7729	.5974	.
_PEMB2	3.1333	1.0161	.7729	.5974	.

Analysis of Variance

Source of Variation	Sum of Sq.	DF	Mean Square	F	Prob.
Between People	49.7333	29	1.7149		
Within People	7.0000	30	.2333		
Between Measures	.6000	1	.6000	2.7188	.1100
Residual	6.4000	29	.2207		
Total	56.7333	59	.9616		
Grand Mean	3.2333				

Selling's T-Squared = 2.7188 F = 2.7188 Prob. = .1100
 Degrees of Freedom: Numerator = 1 Denominator = 29

Reliability Coefficients

2 items
 alpha = .8713 Standardized item alpha = .8719

LAMPIRAN 6


**TABEL r PRODUCT MOMENT,
TABEL t, TABEL F**

TABEL NILAI-NILAI r PRODUCT MOMENT

N	Taraf Signif		N	Taraf Signif		N	Taraf Signif	
	5%	1%		5%	1%		5%	1%
3	0,997	0,999	26	0,388	0,496	55	0,266	0,345
4	0,950	0,990	27	0,381	0,487	60	0,254	0,330
5	0,878	0,959	28	0,374	0,478	65	0,244	0,317
6	0,811	0,917	29	0,367	0,470	70	0,235	0,306
7	0,754	0,874	30	0,361	0,463	75	0,227	0,296
8	0,707	0,834	31	0,355	0,456	80	0,220	0,286
9	0,666	0,798	32	0,349	0,449	85	0,213	0,278
10	0,632	0,765	33	0,344	0,442	90	0,207	0,270
11	0,602	0,735	34	0,339	0,436	95	0,202	0,263
12	0,576	0,708	35	0,334	0,430	100	0,195	0,256
13	0,553	0,684	36	0,329	0,424	125	0,176	0,230
14	0,532	0,661	37	0,325	0,418	150	0,159	0,210
15	0,514	0,641	38	0,320	0,413	175	0,148	0,194
16	0,497	0,623	39	0,316	0,408	200	0,138	0,181
17	0,482	0,606	40	0,312	0,403	300	0,113	0,148
18	0,468	0,590	41	0,308	0,398	400	0,098	0,128
19	0,456	0,575	42	0,304	0,393	500	0,088	0,115
20	0,444	0,561	43	0,301	0,389	600	0,080	0,105
21	0,433	0,549	44	0,297	0,384	700	0,074	0,097
22	0,423	0,537	45	0,294	0,380	800	0,070	0,091
23	0,413	0,526	46	0,291	0,376	900	0,065	0,086
24	0,404	0,515	47	0,288	0,372	1000	0,062	0,081
25	0,396	0,505	48	0,284	0,368			
			49	0,281	0,364			
			50	0,279	0,361			

t student

TABEL VI Titik persentasi distribusi t



Bagi d.f. = 10

$P(t > 1.812) = 0.05$


$P(t < -1.812) = 0.05$

d.f. \ α	.25	.20	.15	.10	.05	.025	.01	.005	.0005
1	1.000	1.376	1.963	3.078	6.314	12.706	31.821	63.657	636.619
2	.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	31.598
3	.765	.978	1.250	1.638	2.353	3.182	4.541	5.841	12.941
4	.741	.941	1.190	1.533	2.132	2.776	3.747	4.604	8.610
5	.727	.920	1.156	1.476	2.015	2.571	3.365	4.032	6.859
6	.718	.906	1.134	1.440	1.943	2.447	3.143	3.707	5.959
7	.711	.896	1.119	1.415	1.895	2.365	2.998	3.499	5.405
8	.706	.889	1.108	1.397	1.860	2.306	2.896	3.355	5.041
9	.703	.883	1.100	1.383	1.833	2.262	2.821	3.250	4.781
10	.700	.879	1.093	1.372	1.812	2.228	2.764	3.169	4.587
11	.697	.876	1.088	1.363	1.796	2.201	2.718	3.106	4.437
12	.695	.873	1.083	1.356	1.782	2.179	2.681	3.055	4.318
13	.694	.870	1.079	1.350	1.771	2.160	2.650	3.012	4.221
14	.692	.868	1.076	1.345	1.761	2.145	2.624	2.977	4.140
15	.691	.866	1.074	1.341	1.753	2.131	2.602	2.947	4.073
16	.690	.865	1.071	1.337	1.746	2.120	2.583	2.921	4.015
17	.689	.863	1.069	1.333	1.740	2.110	2.567	2.898	3.965
18	.688	.862	1.067	1.330	1.734	2.101	2.552	2.878	3.922
19	.688	.861	1.066	1.328	1.729	2.093	2.539	2.861	3.883
20	.687	.860	1.064	1.325	1.725	2.086	2.528	2.845	3.850
21	.686	.859	1.063	1.323	1.721	2.080	2.518	2.831	3.819
22	.686	.858	1.061	1.321	1.717	2.074	2.508	2.819	3.792
23	.685	.858	1.060	1.319	1.714	2.069	2.500	2.807	3.767
24	.685	.857	1.059	1.318	1.711	2.064	2.492	2.797	3.745
25	.684	.856	1.058	1.316	1.708	2.060	2.485	2.787	3.722
26	.684	.856	1.058	1.315	1.706	2.056	2.479	2.779	3.707
27	.684	.855	1.057	1.314	1.703	2.052	2.473	2.771	3.690
28	.683	.855	1.056	1.313	1.701	2.018	2.467	2.763	3.674
29	.683	.854	1.055	1.311	1.699	2.045	2.462	2.756	3.659
30	.683	.854	1.055	1.310	1.697	2.042	2.457	2.750	3.646
40	.681	.851	1.050	1.303	1.683	2.021	2.423	2.704	3.551
60	.679	.843	1.046	1.296	1.671	2.000	2.390	2.660	3.460
120	.677	.845	1.041	1.289	1.658	1.980	2.358	2.617	3.373
∞	.674	.842	1.036	1.282	1.645	1.960	2.326	2.576	3.291

Sumber: Fisher and Yates: *Statistical Tables for Biological Agricultural and Medical Research*, Tabel III. Izin Penerbit: Oliver and Boyd, Ltd, Edinburg, England.

TABLE XII Distribusi I

Cekak biasa 5%
Cekak kecil 1%



Derajat bebas bagi Pembagi (v2)	Derajat bebas bagi pembilang (v1)																								
	1	2	3	4	5	6	7	8	9	10	11	12	14	16	20	24	30	40	50	75	100	200	500	∞	
1	161	200	216	225	230	234	237	239	241	242	243	244	245	246	248	249	250	251	252	253	253	254	254	254	254
1052	1999	3403	5623	7671	9359	10923	12381	13781	15121	16401	17621	18781	19891	20951	21971	22951	23891	24791	25651	26471	27251	28001	28711	29381	29991
1851	19001	1918	1925	1930	1933	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1947	1948	1948	1949	1949	1950	1950	1950
9849	99071	9917	9923	9930	9933	9934	9936	9938	9940	9941	9942	9943	9944	9945	9946	9947	9948	9948	9949	9949	9949	9950	9950	9950	9950
3	1013	955	928	912	901	894	888	884	881	878	876	874	871	869	866	864	862	860	858	857	856	854	854	854	853
3412	3081	2946	2871	2824	2791	2767	2749	2734	2723	2713	2705	2692	2683	2676	2669	2660	2650	2641	2630	2627	2623	2618	2614	2612	2612
771	694	659	639	626	616	609	604	600	596	593	591	587	584	580	577	574	571	570	570	568	566	565	564	564	563
2120	1800	1669	1598	1552	1521	1498	1480	1466	1454	1445	1437	1424	1415	1402	1393	1383	1374	1369	1361	1357	1352	1348	1348	1348	1346
661	579	541	519	505	495	488	482	478	474	470	468	464	460	456	453	450	446	444	442	440	438	437	437	436	436
1626	1327	1206	1139	1097	1067	1043	1027	1015	1005	996	989	982	977	972	963	958	950	942	934	927	921	913	904	904	902
599	514	476	453	439	428	421	415	410	406	403	400	396	392	387	384	381	377	375	372	371	369	368	368	367	367
1374	1092	973	916	875	847	826	810	798	787	779	772	760	752	739	731	723	714	709	702	699	694	690	690	688	688
559	474	435	412	397	387	379	373	368	363	360	357	352	349	344	341	338	334	332	329	328	328	324	324	323	323
1225	954	842	785	746	719	700	684	671	662	654	647	635	627	615	607	598	590	585	578	575	570	567	567	565	565
532	446	407	384	369	356	350	344	339	334	331	328	323	320	315	312	306	305	303	300	298	296	294	293	293	293
1126	855	759	701	663	637	619	603	591	582	574	567	556	548	536	528	520	511	506	500	496	491	488	486	486	486
512	426	386	363	348	337	329	323	318	313	310	307	302	298	293	290	286	282	280	277	276	273	272	271	271	271
1056	802	695	642	606	580	562	547	535	526	518	511	500	492	486	473	464	456	451	445	441	436	433	433	431	431
496	410	371	348	333	322	314	307	302	297	291	291	286	282	277	274	270	267	264	261	259	256	255	254	254	254
1004	756	655	599	564	539	521	506	495	485	478	471	460	452	441	433	425	417	412	405	401	396	393	393	391	391

Distribusi F (lanjutan)

Derajat bebas bagi pembagi (v ₂)	Terdapat bebas bagi pembilang (v ₁)																																															
	1	2	3	4	5	6	7	8	9	10	11	12	14	16	20	24	30	40	50	75	100	200	500	∞																								
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.86	2.82	2.79	2.74	2.70	2.65	2.61	2.57	2.53	2.50	2.47	2.45	2.42	2.41	2.40	9.65	7.30	6.22	5.67	5.32	5.07	4.88	4.74	4.63	4.54	4.46	4.40	4.29	4.21	4.10	4.02	3.94	3.86	3.80	3.74	3.70	3.66	3.62	3.60
12	4.75	3.88	3.49	3.26	3.11	3.00	2.92	2.85	2.80	2.76	2.72	2.69	2.64	2.60	2.54	2.50	2.46	2.42	2.40	2.36	2.35	2.32	2.31	2.30	9.33	6.93	5.95	5.41	5.06	4.82	4.65	4.50	4.39	4.30	4.22	4.16	4.05	3.98	3.86	3.78	3.70	3.61	3.56	3.49	3.46	3.41	3.39	3.36
13	4.67	3.80	3.41	3.18	3.02	2.92	2.84	2.77	2.72	2.67	2.63	2.60	2.55	2.51	2.46	2.42	2.38	2.34	2.32	2.29	2.28	2.26	2.25	9.07	6.70	5.74	5.20	4.86	4.62	4.44	4.30	4.19	4.10	4.02	3.96	3.85	3.78	3.59	3.51	3.42	3.37	3.32	3.24	3.21	3.18	3.16		
14	4.60	3.74	3.34	3.11	2.96	2.85	2.77	2.70	2.65	2.60	2.56	2.53	2.48	2.44	2.39	2.35	2.31	2.27	2.24	2.21	2.19	2.16	2.15	8.66	6.51	5.56	5.03	4.69	4.46	4.28	4.14	4.03	3.94	3.86	3.80	3.70	3.62	3.51	3.43	3.34	3.26	3.21	3.14	3.11	3.06	3.02	3.00	
15	4.54	3.68	3.29	3.06	2.90	2.79	2.70	2.64	2.59	2.55	2.51	2.48	2.43	2.39	2.33	2.29	2.25	2.21	2.18	2.15	2.12	2.10	2.08	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.73	3.67	3.56	3.48	3.36	3.29	3.20	3.12	3.07	3.00	2.92	2.89	2.87		
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.45	2.42	2.37	2.33	2.28	2.24	2.20	2.16	2.13	2.09	2.07	2.04	2.02	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.61	3.55	3.45	3.37	3.25	3.18	3.10	3.01	2.96	2.89	2.83	2.80	2.77	2.76	
17	4.45	3.59	3.20	2.96	2.81	2.70	2.62	2.55	2.50	2.45	2.41	2.38	2.33	2.29	2.23	2.19	2.15	2.11	2.08	2.04	2.02	1.99	1.97	8.30	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.52	3.43	3.35	3.27	3.16	3.08	3.00	2.92	2.86	2.79	2.76	2.73	2.71	2.65	
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37	2.34	2.29	2.25	2.19	2.15	2.11	2.07	2.04	2.00	1.98	1.95	1.92	8.28	6.01	5.09	4.53	4.25	4.01	3.85	3.71	3.60	3.51	3.44	3.37	3.27	3.19	3.07	3.00	2.91	2.83	2.78	2.71	2.68	2.62	2.59	2.57	2.51
19	4.38	3.52	3.13	2.90	2.74	2.63	2.55	2.48	2.43	2.38	2.34	2.31	2.25	2.21	2.15	2.11	2.07	2.02	2.00	1.96	1.94	1.91	1.88	8.12	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.36	3.30	3.19	3.12	3.00	2.92	2.84	2.76	2.70	2.63	2.60	2.54	2.51	2.49	
20	4.35	3.49	3.10	2.87	2.71	2.60	2.52	2.45	2.40	2.35	2.31	2.28	2.23	2.18	2.12	2.08	2.04	1.99	1.96	1.92	1.90	1.87	1.84	8.10	5.85	4.91	4.43	4.10	3.87	3.71	3.56	3.45	3.37	3.30	3.23	3.13	3.05	2.94	2.86	2.77	2.69	2.63	2.56	2.53	2.47	2.44	2.42	2.36
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.28	2.25	2.20	2.15	2.09	2.05	2.00	1.96	1.93	1.89	1.87	1.84	1.81	8.02	5.78	4.87	4.37	4.04	3.81	3.65	3.51	3.40	3.31	3.24	3.17	3.07	2.99	2.88	2.80	2.72	2.63	2.58	2.51	2.47	2.42	2.38	2.36	
22	4.30	3.44	3.05	2.82	2.66	2.55	2.47	2.40	2.35	2.30	2.26	2.23	2.18	2.13	2.07	2.03	1.98	1.93	1.91	1.87	1.84	1.81	1.78	7.91	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.33	3.26	3.18	3.12	3.02	2.91	2.83	2.75	2.67	2.58	2.53	2.46	2.42	2.37	2.33	2.31	
23	4.28	3.42	3.03	2.80	2.64	2.53	2.45	2.38	2.32	2.28	2.24	2.20	2.14	2.10	2.04	2.00	1.96	1.91	1.88	1.84	1.82	1.79	1.76	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.39	3.30	3.21	3.14	3.07	2.97	2.89	2.78	2.70	2.62	2.53	2.48	2.41	2.37	2.32	2.28	2.26	
24	4.26	3.40	3.01	2.78	2.62	2.51	2.43	2.36	2.30	2.26	2.22	2.18	2.13	2.09	2.02	1.98	1.94	1.89	1.86	1.82	1.80	1.76	1.73	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.35	3.25	3.17	3.10	3.03	2.93	2.85	2.74	2.66	2.58	2.49	2.44	2.36	2.33	2.27	2.23	2.21	

Distribusi F (lanjutan)

Derajat bebas pengaruh (v ₂)	Derajat bebas uji pembanding (v ₁)																							
	1	2	3	4	5	6	7	8	9	10	11	12	14	16	20	24	30	40	50	75	100	200	500	∞
25	4.24	3.38	2.99	2.76	2.60	2.49	2.41	2.34	2.28	2.24	2.20	2.16	2.11	2.06	2.00	1.96	1.92	1.87	1.84	1.80	1.77	1.74	1.72	1.71
26	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.21	3.13	3.05	2.99	2.89	2.81	2.70	2.62	2.54	2.45	2.40	2.32	2.29	2.23	2.19	2.17
27	4.22	3.37	2.89	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15	2.10	2.05	1.99	1.95	1.90	1.85	1.82	1.78	1.75	1.72	1.70	1.69
28	7.72	5.55	4.64	4.14	3.82	3.59	3.42	3.29	3.19	3.09	2.98	2.96	2.86	2.77	2.66	2.58	2.50	2.41	2.36	2.28	2.23	2.19	2.15	2.13
29	4.20	3.34	2.95	2.71	2.58	2.44	2.36	2.29	2.24	2.20	2.15	2.12	2.06	2.01	1.96	1.91	1.87	1.81	1.80	1.78	1.75	1.72	1.70	1.69
30	7.64	5.54	4.57	4.07	3.76	3.53	3.36	3.23	3.14	3.03	2.93	2.90	2.80	2.72	2.63	2.55	2.47	2.38	2.33	2.25	2.21	2.16	2.12	2.10
32	4.17	3.32	2.92	2.69	2.55	2.42	2.34	2.27	2.21	2.16	2.12	2.07	2.02	1.97	1.91	1.85	1.84	1.79	1.76	1.72	1.71	1.70	1.68	1.64
34	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.06	2.98	2.90	2.84	2.74	2.66	2.57	2.49	2.41	2.32	2.27	2.21	2.19	2.15	2.10	2.03
36	4.15	3.30	2.90	2.67	2.51	2.40	2.32	2.25	2.19	2.14	2.10	2.07	2.02	1.97	1.91	1.86	1.82	1.76	1.74	1.70	1.69	1.66	1.64	1.62
38	7.50	5.34	4.46	3.97	3.66	3.42	3.25	3.12	3.01	2.94	2.86	2.80	2.70	2.62	2.51	2.42	2.34	2.25	2.20	2.12	2.08	2.02	2.00	1.96
40	4.13	3.28	2.88	2.65	2.49	2.38	2.30	2.23	2.17	2.12	2.08	2.03	2.00	1.95	1.89	1.84	1.80	1.74	1.71	1.71	1.69	1.65	1.61	1.59
42	7.44	5.29	4.42	3.93	3.61	3.36	3.19	3.06	2.97	2.89	2.82	2.76	2.66	2.58	2.47	2.38	2.30	2.21	2.15	2.08	2.04	2.00	1.98	1.91
44	4.11	3.26	2.86	2.63	2.48	2.36	2.28	2.21	2.15	2.10	2.06	2.02	1.97	1.91	1.85	1.82	1.76	1.72	1.71	1.69	1.65	1.62	1.59	1.55
46	7.39	5.23	4.36	3.87	3.55	3.30	3.13	3.00	2.91	2.83	2.76	2.70	2.60	2.52	2.41	2.32	2.24	2.15	2.10	2.04	2.00	1.98	1.94	1.87
48	4.10	3.25	2.85	2.62	2.46	2.35	2.26	2.19	2.14	2.09	2.05	2.02	1.96	1.92	1.85	1.82	1.76	1.71	1.67	1.65	1.62	1.59	1.55	1.52
50	7.35	5.21	4.34	3.85	3.53	3.28	3.11	2.98	2.89	2.82	2.75	2.69	2.59	2.51	2.40	2.32	2.22	2.14	2.08	2.00	1.97	1.90	1.84	1.81
52	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.07	2.04	2.00	1.95	1.90	1.84	1.79	1.74	1.69	1.66	1.64	1.60	1.57	1.51	1.51
54	7.31	5.18	4.31	3.81	3.51	3.26	3.09	2.96	2.88	2.80	2.73	2.66	2.56	2.48	2.37	2.29	2.20	2.11	2.05	1.97	1.94	1.88	1.84	1.81
56	4.07	3.22	2.83	2.59	2.44	2.32	2.23	2.16	2.11	2.06	2.02	1.99	1.92	1.87	1.82	1.78	1.73	1.68	1.64	1.62	1.58	1.54	1.51	1.49
58	7.27	5.15	4.28	3.78	3.48	3.23	3.06	2.93	2.85	2.77	2.70	2.64	2.54	2.46	2.35	2.26	2.17	2.08	2.02	1.94	1.91	1.85	1.80	1.78
60	4.06	3.21	2.82	2.58	2.43	2.31	2.22	2.15	2.10	2.05	2.01	1.98	1.88	1.81	1.76	1.72	1.68	1.66	1.63	1.60	1.57	1.52	1.50	1.48
62	7.24	5.12	4.26	3.76	3.46	3.21	3.04	2.91	2.83	2.75	2.68	2.62	2.52	2.44	2.33	2.24	2.15	2.06	2.00	1.92	1.86	1.82	1.78	1.75
64	4.05	3.20	2.81	2.57	2.42	2.30	2.21	2.14	2.09	2.04	2.00	1.97	1.87	1.80	1.75	1.71	1.67	1.65	1.62	1.59	1.54	1.51	1.48	1.46
66	7.21	5.10	4.24	3.74	3.44	3.19	3.02	2.89	2.81	2.73	2.66	2.60	2.50	2.42	2.31	2.22	2.13	2.04	1.98	1.90	1.86	1.80	1.76	1.72
68	4.04	3.19	2.80	2.56	2.41	2.29	2.20	2.13	2.08	2.03	1.99	1.96	1.86	1.79	1.74	1.70	1.66	1.64	1.61	1.58	1.54	1.51	1.48	1.45
70	7.18	5.08	4.22	3.72	3.42	3.17	3.00	2.87	2.79	2.71	2.64	2.58	2.48	2.40	2.29	2.20	2.11	2.02	1.96	1.88	1.84	1.80	1.76	1.72
72	4.03	3.18	2.79	2.55	2.40	2.28	2.19	2.12	2.07	2.02	1.98	1.95	1.85	1.78	1.73	1.69	1.65	1.63	1.60	1.57	1.52	1.50	1.48	1.45
74	7.15	5.06	4.20	3.70	3.40	3.15	2.98	2.85	2.77	2.69	2.62	2.56	2.46	2.38	2.27	2.18	2.09	2.00	1.94	1.86	1.82	1.78	1.75	1.72
76	4.02	3.17	2.78	2.54	2.39	2.27	2.18	2.11	2.06	2.01	1.97	1.94	1.84	1.77	1.72	1.68	1.64	1.62	1.59	1.56	1.51	1.48	1.45	1.42
78	7.12	5.04	4.18	3.68	3.38	3.13	2.96	2.83	2.75	2.67	2.60	2.54	2.44	2.36	2.25	2.16	2.07	2.00	1.92	1.88	1.84	1.80	1.76	1.72
80	4.01	3.16	2.77	2.53	2.38	2.26	2.17	2.10	2.05	2.00	1.96	1.93	1.83	1.76	1.71	1.67	1.63	1.61	1.58	1.55	1.50	1.48	1.45	1.42
82	7.09	5.02	4.16	3.66	3.36	3.11	2.94	2.81	2.73	2.65	2.58	2.52	2.42	2.34	2.23	2.14	2.05	1.98	1.90	1.86	1.82	1.78	1.75	1.72
84	4.00	3.15	2.76	2.52	2.37	2.25	2.16	2.09	2.04	1.99	1.95	1.92	1.82	1.75	1.70	1.66	1.62	1.60	1.57	1.54	1.49	1.48	1.45	1.42
86	7.07	5.00	4.14	3.64	3.34	3.09	2.92	2.79	2.71	2.63	2.56	2.50	2.40	2.32	2.21	2.12	2.03	1.96	1.88	1.84	1.80	1.76	1.73	1.70
88	4.00	3.14	2.75	2.51	2.36	2.24	2.15	2.08	2.03	1.98	1.94	1.91	1.81	1.74	1.69	1.65	1.61	1.59	1.56	1.53	1.48	1.48	1.45	1.42
90	7.05	4.98	4.12	3.62	3.32	3.07	2.90	2.77	2.69	2.61	2.54	2.48	2.38	2.30	2.19	2.10	2.01	1.94	1.86	1.82	1.78	1.74	1.70	1.67
92	4.00	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.93	1.90	1.80	1.73	1.68	1.64	1.60	1.58	1.55	1.52	1.47	1.48	1.45	1.42
94	7.03	4.96	4.10	3.60	3.30	3.05	2.88	2.75	2.67	2.59	2.52	2.46	2.36	2.28	2.17	2.08	2.00	1.92	1.88	1.84	1.80	1.76	1.72	1.69
96	4.00	3.12	2.73	2.49	2.34	2.22	2.13	2.06	2.01	1.96	1.92	1.89	1.79	1.72	1.67	1.63	1.59	1.57	1.54	1.51	1.46	1.48	1.45	1.42
98	7.01	4.94	4.08	3.58	3.28	3.03	2.86	2.73	2.65	2.57	2.50	2.44	2.34	2.26	2.15	2.06	1.97	1.90	1.82	1.78	1.74	1.70	1.67	1.64
100	4.00	3.11	2.72	2.48	2.33	2.21	2.12	2.05	2.00	1.95	1.91	1.88	1.78	1.71	1.66	1.62	1.58	1.56	1.53	1.50	1.45	1.48	1.45	1.42

Sumber: George W. Snedecor: Statistical Methods, 5th edition, 1968. Penerbit: Iowa State University Press.