

7. DAFTAR PUSTAKA

- Abrams, S. A. (2013). Calcium and vitamin D requirements of enterally fed preterm infants. *Pediatrics*, 131(5), e1676-e1683. <https://doi.org/10.1542/peds.2013-0420>
- Agostoni, C., Buonocore, G., Carnielli, V. P., De Curtis, M., Darmaun, D., Decsi, T., ... & ESPGHAN Committee on Nutrition. (2010). Enteral nutrient supply for preterm infants: commentary from the European Society of Paediatric Gastroenterology, Hepatology and Nutrition Committee on Nutrition. *Journal of pediatric gastroenterology and nutrition*, 50(1), 85-91. <https://doi.org/10.1097/mpg.0b013e3181adaee0>
- AKG.2019. Angka Kecukupan Gizi Yang Dianjurkan Untuk Masyarakat Indonesia. Peraturan Kementerian Kesehatan Republik Indonesia Nomor 28 Tahun 2019. http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No_28_Th_2019_ttg_Angka_Kecukupan_Gizi_Yang_Dianjurkan_Untuk_Masyarakat_Indonesia.pdf
- Amissah, E. A., Brown, J., & Harding, J. E. (2018). Protein supplementation of human milk for promoting growth in preterm infants. *Cochrane Database of Systematic Reviews*, (6). <https://doi.org/10.1002/14651858.CD000433.pub3>
- Ananth, C. V., Friedman, A. M., & Gyamfi-Bannerman, C. (2013). Epidemiology of moderate preterm, late preterm and early term delivery. *Clinics in perinatology*, 40(4), 601-610. <https://doi.org/10.1016/j.clp.2013.07.001>
- Anggraini, D. I., & Septira, S. (2016). Nutrisi bagi bayi berat badan lahir rendah (BBLR) untuk mengoptimalkan tumbuh kembang. *Jurnal Majority*, 5(3), 151-155. <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/1053/848>
- Armanian AM, Barekatin B, Hoseinzadeh M, Salehimehr N. (2015). Prebiotics for the management of hyperbilirubinemia in preterm neonates. *J Matern Fetal Neonatal Med.* 2016;29(18):3009-3013. <https://doi.org/10.3109/14767058.2015.1113520>
- Aslamzai, M., Raheen, A. R., Hamidi, M. F., & Hassin, Z. (2020). The Effect of Dual Strain Probiotic on the Growth and Feeding Intolerance in Premature Neonates of Kabul city: A Randomized Clinical Trial. <https://doi.org/10.21203/rs.3.rs-102536/v1>
- Athalye-Jape, G., Deshpande, G., Rao, S., & Patole, S. (2014). Benefits of probiotics on enteral nutrition in preterm neonates: a systematic review. *The American journal of clinical nutrition*, 100(6), 1508-1519. <https://doi.org/10.3945/ajcn.114.092551>

- Aucott, S., Donohue, P. K., Atkins, E., & Allen, M. C. (2002). Neurodevelopmental care in the NICU. *Mental retardation and developmental disabilities research reviews*, 8(4), 298-308. <https://doi.org/10.1002/mrdd.10040>
- Baack, M. L., Puumala, S. E., Messier, S. E., Pritchett, D. K., & Harris, W. S. (2016). Daily enteral DHA supplementation alleviates deficiency in premature infants. *Lipids*, 51(4), 423-433. <https://dx.doi.org/10.1007%2Fs11745-016-4130-4>
- Badan Pusat Statistik (BPS), Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN) dan Kementerian Kesehatan RI. (2017). *Survei Demografi dan Kesehatan Indonesia* SDKI. <https://www.bps.go.id/statictable/2020/10/21/2111/laporan-survei-demografi-dan-kesehatan-indonesia.html>
- Barrus, D. M., Romano-Keeler, J., Carr, C., Segebarth, K., Claxton, B., Walsh, W. F., & Flakoll, P. J. (2012). Impact of enteral protein supplementation in premature infants. *Research and Reports in Neonatology*, 2, 25-31. <https://doi.org/10.2147/RRN.S27358>
- Bellagamba, M. P., Carmenati, E., D'Ascenzo, R., Malatesta, M., Spagnoli, C., Biagetti, C., & Carnielli, V. P. (2016). One extra gram of protein to preterm infants from birth to 1800 g: a single-blinded randomized clinical trial. *Journal of pediatric gastroenterology and nutrition*, 62(6), 879-884. <https://doi.org/10.1097/mpg.0000000000000989>
- Blanco, C. L., Gong, A. K., Schoolfield, J., Green, B. K., Daniels, W., Liechty, E. A., & Ramamurthy, R. (2012). Impact of early and high amino acid supplementation on ELBW infants at 2 years. *Journal of pediatric gastroenterology and nutrition*, 54(5), 601-607. <https://doi.org/10.1097/mpg.0b013e31824887a0>
- Brumberg, H. L., Kowalski, L., Troxell-Dorgan, A., Gettner, P., Konstantino, M., Poulsen, J. F., & Ehrenkranz, R. A. (2010). Randomized trial of enteral protein and energy supplementation in infants less than or equal to 1250 g at birth. *Journal of perinatology*, 30(8), 517-521 <https://doi.org/10.1038/jp.2010.10>
- Brune, K. D., & Donn, S. M. (2018). Enteral feeding of the preterm infant. *NeoReviews*, 19(11), e645-e653. <https://doi.org/10.1542/neo.19-11-e645>
- Bulut, O., Coban, A., Uzunhan, O., & Ince, Z. (2020). Effects of Targeted Versus Adjustable Protein Fortification of Breast Milk on Early Growth in Very Low-Birth-Weight Preterm Infants: A Randomized Clinical Trial. *Nutrition in Clinical Practice*, 35(2), 335-343. <https://doi.org/10.1002/ncp.10307>
- Carroll, W. F., Fabres, J., Nagy, T. R., Frazier, M., Roane, C., Pohlandt, F., ... & Thome, U. H. (2011). Results of extremely low birth weight infants randomized to receive extra enteral calcium supply. *Journal of pediatric*

gastroenterology and nutrition, 53(3), 339.
<https://dx.doi.org/10.1097%2FMPG.0b013e3182187ecd>

- Centers for Disease Control & Prevention. (2007). National Health and Nutrition Examination Survey (NHANES): Anthropometry Procedures Manual. CreateSpace Independent Publishing Platform
https://www.cdc.gov/nchs/data/nhanes/nhanes_07_08/manual_an.pdf
- Collins, C. T., Makrides, M., Gibson, R. A., McPhee, A. J., Davis, P. G., Doyle, L. W., & Ryan, P. (2011). Pre-and post-term growth in pre-term infants supplemented with higher-dose DHA: a randomised controlled trial. *British journal of nutrition*, 105(11), 1635-1643. <https://doi.org/10.1017/S000711451000509X>
- Cui, X., Shi, Y., Gao, S., Xue, X., & Fu, J. (2019). Effects of *Lactobacillus reuteri* DSM 17938 in preterm infants: A double-blinded randomized controlled study. *Italian journal of pediatrics*, 45(1), 1-7. <https://doi.org/10.1186/s13052-019-0716-9>
- Devriany, A., Wardani, Z., & Yunihar, Y. (2018). Perbedaan Status Pemberian ASI Eksklusif terhadap Perubahan Panjang Badan Bayi Neonatus. *Media Kesehatan Masyarakat Indonesia Universitas Hasanuddin*, 14(1), 44-51. <https://dx.doi.org/10.30597/mkmi.v14i1.1840>
- Diana, F. M. (2012). OMEGA 3. *Jurnal Kesehatan Masyarakat Andalas*, 6(2), 113-117. <http://jurnal.fkm.unand.ac.id/index.php/jkma/article/view/98>
- Ditzenberger, G. R., Wallen, L. D., Phelan, L., Escoe, S., & Collins, S. D. (2013). Supplemental protein and postnatal growth of very low birth weight infants: a randomized trial. *Journal of neonatal-perinatal medicine*, 6(4), 285-294. <https://doi.org/10.3233/npm-1371213>
- Dogra, S., Thakur, A., Garg, P., & Kler, N. (2017). Effect of differential enteral protein on growth and neurodevelopment in infants < 1500 g: a randomized controlled trial. *Journal of pediatric gastroenterology and nutrition*, 64(5), e126-e132. <https://doi.org/10.1097/mpg.0000000000001451>
- Embleton, N. D., & van den Akker, C. H. (2019). Protein intakes to optimize outcomes for preterm infants. In *Seminars in perinatology* (Vol. 43, No. 7, p. 151154). WB Saunders. <https://doi.org/10.1053/j.semperi.2019.06.002>
- Ergenekon, E., Soysal, Ş., Hirfanoğlu, İ., Baş, V., Gücüyener, K., Turan, Ö., ... & Atalay, Y. (2013). Short-and long-term effects of individualized enteral protein supplementation in preterm newborns. *Turkish Journal of Pediatrics*, 55(4). https://www.turkishjournalpediatrics.org/uploads/pdf_TJP_1220.pdf
- Gartner, L. M., & Greer, F. R. (2003). Prevention of rickets and vitamin D deficiency: New guidelines for vitamin D intake. *Pediatrics*, 111(4), 908-910. <https://doi.org/10.1542/peds.111.4.908>

- Greer, F. R. (2001). Fat-soluble vitamin supplements for enterally fed preterm infants. *Neonatal Network*, 20(5), 7-11. <https://doi.org/10.1891/0730-0832.20.5.7>
- Gregory, K. (2005). Update on nutrition for preterm and full-term infants. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 34(1), 98-108. <https://doi.org/10.1177/0884217504272805>
- Güney-Varal, İ., Köksal, N., Özkan, H., Bağcı, O., & Doğan, P. (2017). The effect of early administration of combined multi-strain and multi-species probiotics on gastrointestinal morbidities and mortality in preterm infants: A randomized controlled trial in a tertiary care unit. *The Turkish journal of pediatrics*, 59(1), 13–19. <https://doi.org/10.24953/turkjped.2017.01.003>
- Harding, J. E., Wilson, J., & Brown, J. (2017). Calcium and phosphorus supplementation of human milk for preterm infants. *Cochrane Database of Systematic Reviews*, (2). <https://doi.org/10.1002/14651858.CD003310.pub2>
- Harris, T., Gardner, F., Podany, A., Kelleher, S. L., & Doheny, K. K. (2019). Increased early enteral zinc intake improves weight gain in hospitalised preterm infants. *Acta Paediatrica*, 108(11), 1978-1984. <https://doi.org/10.1111/apa.14828>
- Härtel, C., Pagel, J., Rupp, J., Bendiks, M., Guthmann, F., Rieger-Fackeldey, E., ... & German Neonatal Network. (2014). Prophylactic use of *Lactobacillus acidophilus/Bifidobacterium infantis* probiotics and outcome in very low birth weight infants. *The Journal of pediatrics*, 165(2), 285-289. <http://dx.doi.org/10.1016/j.jpeds.2014.04.029>
- Hay Jr, W. W., Brown, L. D., & Denne, S. C. (2014). Energy requirements, protein-energy metabolism and balance, and carbohydrates in preterm infants. In *Nutritional Care of Preterm Infants* (Vol. 110, pp. 64-81). Karger Publishers. <https://doi.org/10.1159/000358459>
- Horsman, A., Ryan, S. W., Congdon, P. J., Truscott, J. G., & Simpson, M. (1989). Bone mineral accretion rate and calcium intake in preterm infants. *Archives of disease in childhood*, 64(7 Spec No), 910-918. <http://dx.doi.org/10.1136/adc.64.7 Spec No.910>
- Indrio, F., Riezzo, G., Tafuri, S., Ficarella, M., Carlucci, B., Bisceglia, M., Polimeno, L., & Francavilla, R. (2017). Probiotic Supplementation in Preterm: Feeding Intolerance and Hospital Cost. *Nutrients*, 9(9), 965. <https://doi.org/10.3390/nu9090965>
- Ingol, T. T., Li, R., Boone, K. M., Rausch, J., Klebanoff, M. A., Turner, A. N., ... & Keim, S. A. (2019). Docosahexaenoic and arachidonic acid supplementation of toddlers born preterm does not affect short-term growth or adiposity. *The Journal of nutrition*, 149(12), 2182-2190. <https://doi.org/10.1093/jn/nxz115>

- Innis SM, Adamkin DH, Hall RT, Kalhan SC, Lair C, Lim M, Stevens DC, Twist PF, Diersen-Schade DA, Harris CL et al. (2002). Docosahexaenoic acid and arachidonic acid enhance growth with no adverse effects in preterm infants fed formula. *J Pediatr* 140:547–554 <https://doi.org/10.1067/mpd.2002.123282>
- Islam, M. N., Chowdhury, M. A. K. A., Siddika, M., Qurishi, S. B., Bhuiyan, M. K. J., Hoque, M. M., & Akhter, S. (2010). Effect of oral zinc supplementation on the growth of preterm infants. *Indian Pediatrics*, 47(10), 845-849. <https://doi.org/10.1007/s13312-010-0145-8>
- Justyna, C. K. (2020). Mineral and nutritional requirements of preterm infant. In *Seminars in Fetal and Neonatal Medicine* (Vol. 25, No. 1, p. 101071). WB Saunders. <https://doi.org/10.1016/j.siny.2019.101071>
- Kemenkes RI. (2011). Keputusan Menteri Kesehatan Republik Indonesia 1995/Menkes/SK/XII/2010 tentang Standar Antropometri Penilaian Status Gizi Anak. <https://med.unhas.ac.id/kedokteran/wp-content/uploads/2017/03/buku-sk-antropometri-2010-1.pdf>
- Kim, M. J. (2016). Enteral nutrition for optimal growth in preterm infants. *Korean journal of pediatrics*, 59(12), 466. <https://doi.org/10.3345/kjp.2016.59.12.466>
- Konsensus Ikatan Dokter Anak Indonesia. (2016). Asuhan Nutrisi pada Bayi Prematur. KONSENSUS, 5. <https://spesialis1.ika.fk.unair.ac.id/wp-content/uploads/2018/03/Konsensus-Asuhan-Nutrisi-Prematur.pdf>
- Koo, W. K., & Warren, L. (2003). Calcium and bone health in infants. *Neonatal Network*, 22(5), 23-37. <https://doi.org/10.1891/0730-0832.22.5.23>
- Körnmann, M. N., Christmann, V., Gradussen, C. J., Rodwell, L., Gotthardt, M., Van Goudoever, J. B., & Van Heijst, A. F. (2017). Growth and bone mineralization of very preterm infants at term corrected age in relation to different nutritional intakes in the early postnatal period. *Nutrients*, 9(12), 1318. <https://doi.org/10.3390/nu9121318>
- Kumar, G. T., Sachdev, H. S., Chellani, H., Rehman, A. M., Singh, V., Arora, H., & Filteau, S. (2011). Effect of weekly vitamin D supplements on mortality, morbidity, and growth of low birthweight term infants in India up to age 6 months: randomised controlled trial. *Bmj*, 342. <https://doi.org/10.1136/bmj.d2975>
- Kuschel, C. A., & Harding, J. E. (2000). Protein supplementation of human milk for promoting growth in preterm infants. *Cochrane Database of Systematic Reviews*, (2). <https://doi.org/10.1002/14651858.CD000433>
- Kuschel, C. A., Harding, J. E., & Kumaran, V. S. (2000). Fat supplementation of human milk for promoting growth in preterm infants. *Cochrane Database of Systematic Reviews*, (2). <https://doi.org/10.1002/14651858.cd000341>

- Lapillonne, A. (2014). Enteral and parenteral lipid requirements of preterm infants. *Nutritional Care of Preterm Infants*, 110, 82-98. <https://doi.org/10.1159/000358460>
- Lien VW, Clandinin MT (2009) Dietary assessment of arachidonic acid and docosahexaenoic acid intake in 4 - 7 years old children. *J Am Coll Nutr* 28:7–15 <https://doi.org/10.1080/07315724.2009.10719755>
- Lin, Y. H., Hsu, Y. C., Lin, M. C., Chen, C. H., & Wang, T. M. (2020). The association of macronutrients in human milk with the growth of preterm infants. *PloS one*, 15(3), e0230800. <https://doi.org/10.1371/journal.pone.0230800>
- Lubis, G., & Suciati, R. T. (2016). Hubungan pemberian enteral makanan dini dan penambahan berat badan pada bayi prematur. *Sari Pediatri*, 9(2), 145-50. <https://saripediatri.org/index.php/sari-pediatri/article/download/756/691>
- Lyons, K. E., Ryan, C. A., Dempsey, E. M., Ross, R. P., & Stanton, C. (2020). Breast milk, a source of beneficial microbes and associated benefits for infant health. *Nutrients*, 12(4), 1039. <https://doi.org/10.3390/nu12041039>
- Maas, C., Mathes, M., Bleeker, C., Vek, J., Bernhard, W., Wiechers, C., & Franz, A. R. (2017). Effect of increased enteral protein intake on growth in human milk–fed preterm infants: A randomized clinical trial. *JAMA pediatrics*, 171(1), 16-22. <https://doi.org/10.1001/jamapediatrics.2016.2681>
- McGuire, S. F. (2017). Understanding the implications of birth weight. *Nursing for women's health*, 21(1), 45-49. <https://doi.org/10.1016/j.nwh.2016.12.005>
- Mei, Z., & Grummer-Strawn, L. M. (2007). Standard deviation of anthropometric Z-scores as a data quality assessment tool using the 2006 WHO growth standards: a cross country analysis. *Bulletin of the World Health Organization*, 85, 441-448. <https://doi.org/10.2471/blt.06.034421>
- Miller, J., Makrides, M., Gibson, R. A., McPhee, A. J., Stanford, T. E., Morris, S., ... & Collins, C. T. (2012). Effect of increasing protein content of human milk fortifier on growth in preterm infants born at < 31 wk gestation: a randomized controlled trial. *The American journal of clinical nutrition*, 95(3), 648-655. <https://doi.org/10.3945/ajcn.111.026351>
- Morgan, C., Herwitker, S., Badhawi, I., Hart, A., Tan, M., Mayes, K., & Turner, M. A. (2011). SCAMP: standardised, concentrated, additional macronutrients, parenteral nutrition in very preterm infants: a phase IV randomised, controlled exploratory study of macronutrient intake, growth and other aspects of neonatal care. *BMC pediatrics*, 11(1), 1-11. <https://doi.org/10.1186/1471-2431-11-53>

- Moya, F., Sisk, P. M., Walsh, K. R., & Berseth, C. L. (2012). A new liquid human milk fortifier and linear growth in preterm infants. *Pediatrics*, 130(4), e928-e935. <https://doi.org/10.1542/peds.2011-3120>
- Mugambi, M. N., Musekiwa, A., Lombard, M., Young, T., & Blaauw, R. (2012). Probiotics, prebiotics infant formula use in preterm or low birth weight infants: a systematic review. *Nutrition journal*, 11(1), 1-18. <https://doi.org/10.1186/1475-2891-11-58>
- Olsen, I. E., Harris, C. L., Lawson, M. L., & Berseth, C. L. (2014). Higher protein intake improves length, not weight, z scores in preterm infants. *Journal of pediatric gastroenterology and nutrition*, 58(4), 409-416. <https://doi.org/10.1097/mpg.0000000000000237>
- Rao, S. C., & Tompkins, J. (2007). Growth curves for preterm infants. *Early human development*, 83(10), 643-651. <https://doi.org/10.1016/j.earlhumdev.2007.07.008>
- Ribek, I. N., Labir, I. K., & Dewi, I. D. A. P. C. (2013). Lingkar Kepala Dengan Masa Perkembangan Pada Bayi Usia 0-12 Bulan. *Jurnal Gema Keperawatan*, 6(1), 72-76. <http://repository.poltekkes-denpasar.ac.id/4190/>
- Rigo, J., Pieltain, C., Salle, B., & Senterre, J. (2007). Enteral calcium, phosphate and vitamin D requirements and bone mineralization in preterm infants. *Acta Paediatrica*, 96(7), 969-974. <https://doi.org/10.1111/j.1651-2227.2007.00336.x>
- Rohsiswatmo, R., & Amandito, R. (2020). Optimalisasi Pertumbuhan Bayi Prematur dan Pasca Prematur di Indonesia; Mengacu pada Pedoman Nutrisi Bayi Prematur di RSCM. *Sari Pediatri*, 21(4), 262-70. <https://scholar.archive.org/work/okhdrog5hgngfmb54qj5pr2ydm/access/wayback/https://sari pediatri.org/index.php/sari-pediatri/article/download/1670/pdf>
- Sjöström, E. S., Öhlund, I., Ahlsson, F., & Domellöf, M. (2016). Intakes of micronutrients are associated with early growth in extremely preterm infants. *Journal of pediatric gastroenterology and nutrition*, 62(6), 885-892. <https://doi.org/10.1097/mpg.0000000000001085>
- Skipper, A. (Ed.). (1998). *Dietitian's handbook of enteral and parenteral nutrition*. Jones & Bartlett Learning. https://books.google.com/books?hl=id&lr=&id=3qexy5Se3SoC&oi=fnd&pg=PR13&dq=Dietitian%27s+handbook+of+enteral+and+parenteral+nutrition&ots=Tr66hqwgrK&sig=sFULnoyjPI7s_WGm9weT-VWF2io
- Surasmi A., Handayani S., Nur KH. (2003). *Perawatan Bayi Berisiko Tinggi*. Jakarta: EGC. https://books.google.com/books?id=4Tx-1B-W4oAC&printsec=frontcover&dq=Perawatan+Bayi+Berisiko+Tinggi&hl=id&newbks=1&newbks_redir=1&sa=X&ved=2ahUKEwjg-f2e_NzwAhUM4XMBHe8wAYsQ6AEwAHoECAAQAg

- Tangkilisan, H. A., & Lestari, H. (2016). Peran penambahan DHA pada susu formula. *Sari Pediatri*, 3(3), 147-51. <https://saripediatri.org/index.php/sari-pediatri/article/download/993/923>
- Taylor, S. N., Hollis, B. W., & Wagner, C. L. (2009). Vitamin D needs of preterm infants. *NeoReviews*, 10(12), e590-e599. <https://doi.org/10.1542/neo.10-12-e590>
- Terrin, G., Berni Canani, R., Passariello, A., Messina, F., Conti, M. G., Caoci, S., ... & De Curtis, M. (2013). Zinc supplementation reduces morbidity and mortality in very-low-birth-weight preterm neonates: a hospital-based randomized, placebo-controlled trial in an industrialized country. *The American journal of clinical nutrition*, 98(6), 1468-1474. <https://doi.org/10.3945/ajcn.112.054478>
- Torabi, Z., Moemeni, N., Ahmadiafshar, A., & Mazloomzadeh, S. (2014). The effect of calcium and phosphorus supplementation on metabolic bone disorders in premature infants. *J Pak Med Assoc*, 64(635), e9. https://www.researchgate.net/publication/266152386_The_effect_of_calcium_and_phosphorus_supplementon_on_metabolic_bone_disorders_in_premature_infants
- Tucker, J., & McGuire, W. (2004). Epidemiology of preterm birth. *Bmj*, 329(7467), 675-678. <https://doi.org/10.1136/bmj.329.7467.675>
- Twilhaar, E. S., de Kieviet, J. F., Oosterlaan, J., & van Elburg, R. M. (2018). A randomised trial of enteral glutamine supplementation for very preterm children showed no beneficial or adverse long-term neurodevelopmental outcomes. *Acta paediatrica (Oslo, Norway: 1992)*, 107(4), 593-599. <https://doi.org/10.1111/apa.14167>
- Van de Lagemaat, M., Rotteveel, J., Muskiet, F. A., Schaafsma, A., & Lafeber, H. N. (2011). Post term dietary-induced changes in DHA and AA status relate to gains in weight, length, and head circumference in preterm infants. *Prostaglandins, leukotrienes and essential fatty acids*, 85(6), 311-316. <https://doi.org/10.1016/j.plefa.2011.09.005>
- Vitahealth, T. (2004). *Seluk beluk food supplement*. Jakarta: Gramedia. https://books.google.com/books?id=60jxT0Lh9WEC&printsec=frontcover&dq=Seluk+beluk+food+supplement&hl=id&newbks=1&newbks_redir=1&sa=X&ved=2ahUKEwis_5S2_NzwAhVNVisKHasMD8UQ6AEwAHoECAIQAg
- Wejryd, E., Marchini, G., Frimmel, V., Jonsson, B., & Abrahamsson, T. (2019). Probiotics promoted head growth in extremely low birthweight infants in a double-blind placebo-controlled trial. *Acta Paediatrica*, 108(1), 62-69. <https://doi.org/10.1111/apa.14497>

World Health Organization. (2018). Preterm Birth Fact Sheet <https://www.who.int/news-room/fact-sheets/detail/preterm-birth>

Xu, L., Wang, Y., Wang, Y., Fu, J., Sun, M., Mao, Z., & Vandenplas, Y. (2016). A double-blinded randomized trial on growth and feeding tolerance with *Saccharomyces boulardii* CNCM I-745 in formula-fed preterm infants☆. *Jornal de pediatria*, 92, 296-301. <https://doi.org/10.1016/j.jpmed.2015.08.013>

Yang Q, Ayers K, Welch CD, O'Shea TM. (2014). Randomized controlled trial of early enteral fat supplement and fish oil to promote intestinal adaptation in premature infants with an enterostomy. *J Pediatr*. 165(2):274-279.e1. <https://doi.org/10.1016/j.jpeds.2014.02.002>

