

7. Daftar Pustaka

- Almatsier S. 2006. Prinsip Dasar Ilmu Gizi. PT Gramedia Pustaka Utama, Jakarta
https://perpustakaan.pelatihan.bapelkescikarang.or.id/index.php?p=show_detail&id=290
- Ansari, A. A., Ghanem, S. M., & Naeem, M. 2019. Brown alga Padina: a review. International Journal of Botany Studies, 4(1), 01-03.
https://www.researchgate.net/profile/Abid-Ansari-5/publication/333879310_Brown_Alga_Padina_A_review/links/5d0a670ea6fdcc35c15b5c2d/Brown-Alga-Padina-A-review.pdf
- AOAC.2005. Official Methods of Analysis of The Association of Official Analytical Chemists. Washington. <https://link.springer.com/article/10.1007/BF02670789>
- AOCS, 1993. Preparation of Methyl Esters of Long-Chain Fatty Acid. AOCS Ce 2-66.
<https://www.coursehero.com/file/53583244/AOCS-Official-Method-Ce-2-66-Preparation-of-Methyl-Esters-of-Fatty-Acidspdf/>
- Arifianti, A. E., Anwar, E. dan, & Nurjanah. (2017). Aktivitas Penghambat Tirosinase dan Antioksidan Serbuk Rumput Laut dari Sargassum plagyphyllum Segar dan Kering. Jurnal Pengolahan Hasil Perikanan Indonesia, 20(3), 488–493.
<https://journal.ipb.ac.id/index.php/jphpi/article/download/19769/13652>
- Badmus, U. O., Taggart, M. A., & Boyd, K. G. 2019. The effect of different drying methods on certain nutritionally important chemical constituents in edible brown seaweeds. Journal of applied Phycology, 31, 3883-3897.
<https://link.springer.com/article/10.1007/s10811-019-01846-1>
- Bhaskar, N., & Kazuo, M. 2005. Lipid composition of Padina tetrastromatica (Dictyotales, Phaeophyta), a brown seaweed of the west coast of India. Indian Journal of fisheries, 52(3), 263-268 <https://ir.cftri.res.in/9917/>
- Bixler, H. J., & Porse, H. (2011). A decade of change in the seaweed hydrocolloids industry. Journal of applied Phycology, 23(3), 321-335.
<https://link.springer.com/article/10.1007/s10811-010-9529-3>
- BSN. 2009. BSN. 1998. SNI 01-449-1998. Penetapan Kadar Rumput Laut Kering. Standar Nasional Indonesia. Badan Standar Nasional. Indonesia.

https://www.globalseaweed.org/wp-content/uploads/2019/02/SNI_2690_Tahun_2015_Dry_seaweed.pdf

Cagalj, M., Skroza, D., Tabanelli, G., Özogul, F., & Simat, V. 2021. Maximizing the antioxidant capacity of *Padina pavonica* by choosing the right drying and extraction methods. Processes, 9(4), 587. <https://www.mdpi.com/2227-9717/9/4/587>

Cahyaningrum, K., Husni, A., & Budhiyanti, S. A. (2016). Aktivitas antioksidan ekstrak rumput laut cokelat (*Sargassum polycystum*). Agritech, 36(2), 137-144. <https://journal.ugm.ac.id/agritech/article/view/12857>

Chan, J. C. C., Cheung, P. C. K., & Ang, P. O. 1997. Comparative studies on the effect of three drying methods on the nutritional composition of seaweed *Sargassum hemiphyllum* (turn.) C. Ag. Journal of agricultural and food chemistry, 45(8), 3056-3059. <https://pubs.acs.org/doi/abs/10.1021/jf9701749>

Charles, A. L., Sridhar, K., & Alamsjah, M. A. (2020). Effect of drying techniques on color and bioactive potential of two commercial edible Indonesian seaweed cultivars. Journal of Applied Phycology, 32, 563-572. <https://link.springer.com/article/10.1007/s10811-019-01916-4>

Chaudhari, Asish.D.; Prof. Sanjay P. Salve. (2014). A Review of Solar Dryer Technologies. Department of Mechanical Engineering, Pimpri Chinchwad College of Engineering, University of Pune, India. <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=6da7bce6e953aa84a0722e783329de63b2937b0f>

Chellappan, D. K., Chellian, J., Leong, J. Q., Liaw, Y. Y., Gupta, G., Dua, K., ... & Palaniveloo, K. 2020. Biological and therapeutic potential of the edible brown marine seaweed *Padina australis* and their pharmacological mechanisms. Journal of Tropical Biology & Conservation (JTBC), 17, 251-271. <https://jurcon.ums.edu.my/ojums/index.php/jtbc/article/view/2667>

Chew, Y. L., Lim, Y. Y., Omar, M., & Khoo, K. S. (2008). Antioxidant activity of three edible seaweeds from two areas in South East Asia. Lwt, 41(6), 1067–1072. <https://www.sciencedirect.com/science/article/pii/S0023643807002356>

- Chiva-Blanch, G., & Visioli, F. (2012). Polyphenols and health: Moving beyond antioxidants. In Journal of Berry Research (Vol. 2, Issue 2, pp. 63–71). <https://content-iospress-com/articles/journal-of-berry-research/jbr028>
- Circuncisão, A. R., Catarino, M. D., Cardoso, S. M., & Silva, A. M. (2018). Minerals from macroalgae origin: Health benefits and risks for consumers. Marine drugs, 16(11), 400. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6266857/>
- Dawczynski, C., Schubert, R., & Jahreis, G. (2007). Amino acids, fatty acids, and dietary fibre in edible seaweed products. Food chemistry, 103(3), 891-899. <https://www.sciencedirect.com/science/article/pii/S0308814606007655>
- Dotulong, V., Widjanarko, S. B., & Mamahit, L. P. (2013). The Content of Total Phenols and Antioxidant Activity Three Types Sea Algae Taken at the North Sulawesi Waters. <https://core.ac.uk/download/pdf/234683673.pdf>
- Farvin KHS, Jacobsen C. 2013. Phenolic compounds and antioxidant activities of selected species of seaweeds from Danish coast. Food chemistry, 138(2-3), 1670–1681. <https://www.sciencedirect.com/science/article/pii/S0308814612016524>
- Ferdouse, F., Holdt, S.L., Smith, R., Murúa, P., Yang, Z. 2018. The Global Status of Seaweed Production, Trade and Utilization. FAO Fisheries and Aquaculture Technical Paper No. 567. Rome, FAO. 120 pp. <https://search.proquest.com/openview/63a9872d1ea30c63f92d5d8acfcd6e35/1?pq-origsite=gscholar&cbl=237312>
- Firdaus, M., Astawan, M., Muchtadi, D., Wresdiyati, T., Waspadji, S., & Setyawati, S.K. (2010). Pengaruh ekstrak rumput laut coklat terhadap fungsi sel Endotelium aorta tikus diabetes mellitus. Majalah Farmasi Indonesia. 21(3): 151–157. <https://download.garuda.kemdikbud.go.id/article.php?article=410763&val=8865&title=Effects%20of%20brown%20algae%20extract%20to%20function%20of%20aorta%20endothelium%20cell%20in%20diabetic%20rats>
- Fung, A., Hamid, N., & Lu, J. (2013). Fucoxanthin content and antioxidant properties of Undaria pinnatifida. Food Chemistry, 136(2), 1055–1062. <https://www.sciencedirect.com/science/article/pii/S0308814612014264>

- Ganesan P, Chandini SK, Bhaskar N. 2008. Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. Bioresource Technology. 99: 2717–2723.
<https://www.sciencedirect.com/science/article/pii/S0960852407005469>
- Gunji, S., Santoso, J., Yoshie-Stark, Y. & Suzuki, T. 2007. Effects of extracts from tropical seaweeds on DPPH radicals and Caco-2 cells treated with hydrogen peroxide. Food Sci. Technol. Res. 13:275-279.
https://www.jstage.jst.go.jp/article/fstr/13/3/13_3_275/_article/-char/ja/
- Gupta, S., Cox, S., & Abu-Ghannam, N. 2011. Effect of different drying temperatures on the moisture and phytochemical constituents of edible Irish brown seaweed. LWT-Food Science and Technology, 44(5), 1266-1272.
<https://www.sciencedirect.com/science/article/pii/S0023643810004469>
- Hamid, S. S., Wakayama, M., Soga, T., & Tomita, M. 2018. Drying and extraction effects on three edible brown seaweeds for metabolomics. Journal of Applied Phycology, 30(6). 3335-3350. <https://link.springer.com/article/10.1007/s10811-018-1614-z>
- Handayani, T., Sutarno, S. A., & Setyawan, A. D. (2004). Analisis komposisi nutrisi rumput laut *Sargassum crassifolium*. J. Agardh. Biofarmasi, 2(2), 45-52.
https://www.researchgate.net/publication/303132456_Analisis_Komposisi_Nutrisi_Rumput_Laut_Sargassum_crassifolium
- Har, M., & Noviendri, D. 2017. Kandungan Fukosantin dan Fenolik Total pada Rumput Laut Coklat *Padina australis* yang Dikeringkan dengan Sinar Matahari. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan, 12(2), 117-124.
<https://scholar.archive.org/work/tsrfrxqfvzhvdc2xtpqemgdrmy/access/wayback/http://bbp4b.litbang.kkp.go.id/jurnal-jpbkp/index.php/jpbkp/article/download/341/pdf>
- Haryani, T, S., Triastinurmiatiningsih., Sari, B. L. 2020. Uji Antioksidan Ekstrak *Padina australis* dan Efek Toksisitas Akut Terhadap Mencit (*Mus muculus*). Bogor: Universitas Pakuan. <https://repository.unpak.ac.id/tukangna/repo/file/files-20200919211754.pdf>

Hidayat T, Nurjanah, Jacoeb AM, Putera BA. 2020. Aktivitas Antioksidan Caulerpa sp. Segar dan Rebus. JPHPI. 23(3): 566-575.
<https://journal.ipb.ac.id/index.php/jphpi/article/view/33869>

Hidayati, J. R., Ridlo, A., & Pramesti, R. 2017. Aktivitas Antioksidan Ekstrak Rumput Laut Padina sp. Dari Perairan Bandengan Jepara Dengan Metode Transfer Elektron. Buletin Oseanografi Marina, 6(1), 46-52.
https://www.researchgate.net/profile/Jelita-Hidayati/publication/326371678_Aktivitas_Antioksidan_Ekstrak_Rumput_Laut_Padina_sp_Dari_Perairan_Bandengan_Jepara_Dengan_Metode_Transfer_Elektron/links/5e7b4ff94585152fc0ecbfcd/Aktivitas-Antioksidan-Ekstrak-Rumput-Laut-Padina-sp-Dari-Perairan-Bandengan-Jepara-Dengan-Metode-Transfer-Elektron.pdf?_sg%5B0%5D=started_experiment_milestone&origin=journalDetail&_rtd=e30%3D

Ho, K. K., & Redan, B. W. (2021). Impact of thermal processing on the nutrients, phytochemicals, and metal contaminants in edible algae. *Critical reviews in food science and nutrition*, 62(2), 508-526.
<https://www.tandfonline.com/doi/abs/10.1080/10408398.2020.1821598>

Holdt, S. L., & Kraan, S. (2011). Bioactive compounds in seaweed: functional food applications and legislation. *Journal of Applied Phycology*, 23(3), 543-597. DOI: 10.1007/s10811-010-9632-5. <https://link.springer.com/article/10.1007/s10811-010-9632-5>

Hunt, R. W. G., & Pointer, M. R. (2011). Measuring colour. John Wiley & Sons.
<https://www.google.com/books?hl=id&lr=&id=MZ-TM0f2twAC&oi=fnd&pg=PR15&dq=related:JSGdTQCSOJQJ:scholar.google.com/&ots=XEYmCo4CF-&sig=6nn3QCTLfi1XJ2pZ2Oln4wijaNw>

Husni, A., Putra, D. R., & Lelana, I. Y. B. 2014. Aktivitas antioksidan Padina sp. pada berbagai suhu dan lama pengeringan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 9(2), 165-173.
<https://pdfs.semanticscholar.org/340a/1a948d69360b5e4cbb7d921040ec829243e2.pdf>

- Jaswir, I., Tope, A. H. T., Raus, R. A., Monsur, H. A., & Ramli, N. 2014. Study on antibacterial potentials of some Malaysian brown seaweeds. *Food Hydrocolloids*, 42, 275-279.
<https://www.sciencedirect.com/science/article/pii/S0268005X14000812>
- Jeeva, S., Antonisamy, J.M., Domettila, C., Anantham, B., Mahesh, M., 2012. Preliminary phytochemical studies on some selected seaweeds from Gulf of Mannar, India. *Asian Pacific J. Trop. Biomed.* 2 (1, Suppl.), S30–S33.
<https://www.sciencedirect.com/science/article/pii/S2221169112601257>
- JS, Garcia V, P. (2016). Nutritional Potential of Four Seaweed Species Collected in the Barbate Estuary (Gulf of Cadiz, Spain). *Journal of Nutrition & Food Sciences*, 06(03). https://www.researchgate.net/profile/Josefina-Garcia/publication/303845445_Nutritional_Potential_of_Four_Seaweed_Species_Collected_in_the_Barbate_Estuary_Gulf_of_Cadiz_Spain/links/59c8b4f8aca272c71bcc14fc/Nutritional-Potential-of-Four-Seaweed-Species-Collected-in-the-Barbate-Estuary-Gulf-of-Cadiz-Spain.pdf
- Kepel, R. C., Mantiri, D. M., & Manu, G. D. (2015). Pertumbuhan Alga Coklat *Padina australis* Hauck di Perairan Pesisir, Desa Kampung Ambon, Kecamatan Likupang Timur, Kabupaten Minahasa Utara. *Jurnal LPPM Bidang Sains dan Teknologi*, 2(2), 78-85.
<https://ejournal.unsrat.ac.id/v3/index.php/lppmsains/article/view/10694>
- Klimjit, A., Praiboon, J., Tiengrim, S., Chirapart, A., & Thamlikitkul, V. 2021. Phytochemical composition and antibacterial activity of brown seaweed, *Padina australis* against human pathogenic bacteria. *Journal of Fisheries and Environment*, 45(1), 8-22. <https://li01.tci-thaijo.org/index.php/JFE/article/view/220426>
- Kumar, C.S., Ganesan, P., & Suresh, P.V. (2015). Seaweeds as a source of nutritionally beneficial compounds - A review. *J Food Sci Technol.* 5(5), 1117-1123.
https://www.researchgate.net/profile/Shantha-Chandini/publication/285330657_Composition_Functionality_and_Potential_Applications_of_Seaweed_Lipids/links/5bf52d254585150b2bc68061/Composition-Functionality-and-Potential-Applications-of-Seaweed-Lipids.pdf?crsi=662496652&cicada_org_src=healthwebmagazine.com&cicada_organ_md=directn

Lalopua, V. (2020). Rendemen Ekstrak Kasar Dan Fraksi Pelarut Alga Merah (*Kappaphycus alvarezii* doty). Majalah BIAM, 16(1), 1-5.
<http://ejurnal.kemenperin.go.id/files010483/journals/17/articles/5760/public/5760-26432-1-PB.pdf>

Le Lann K, Jégou C, Stiger-Pouvreau V. 2008. Effect of different conditioning treatments on total phenolic content and antioxidant activities in two Sargassacean species: comparison of the frondose *Sargassum muticum* (Yendo) Fensholt and the cylindrical *Bifurcaria bifurcata* R. Ross. Phycol Res 56:238–245
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1440-1835.2008.00505.x>

Lekshmi, V. S., & Kurup, G. M. 2019. Anticoagulant activities of sulfated polysaccharides from the edible marine algae *Padina tetrastromatica* and *Ulva fasciata*: A combined in vitro and in vivo approach. Journal of Pharmacognosy and Phytochemistry, 8(1), 693-698.
<https://www.phytojournal.com/archives/2019.v8.i1.6815/anticoagulant-activities-of-sulfated-polysaccharides-from-the-edible-marine-algae-Itemgtpadina-tetrastromatica-Itemgtand-Itemgtulva-fasciatItemgt-a-combined-Itemgtin-vitro-Itemgtand-Itemgtin-vivo-Itemgtapproach>

Li, A.-N., Li, S., Zhang, Y.-J., Xu, X.-R., Chen, Y.-M., & Li, H.-B. (2014). Resources and Biological Activities of Natural Polyphenols. Nutrients, 6(12), 6020–6047.
<https://www.mdpi.com/2072-6643/6/12/6020>

Liem ZA. 2013. Kandungan proksimat dan aktivitas antioksidan makroalga merah (*Eucheuma cottonii*) di perairan Kupang Barat. [tesis]. Salatiga (ID): Universitas Kristen Satya Wacana. <https://repository.uksw.edu/handle/123456789/4048>

Lim, Y.Y., Murtijaya, J. 2007. Antioxidant properties of *Phyllanthus amarus* extracts as affected by different drying methods. LWT-Food Science and Technology 40, 1664-1669.
<https://www.sciencedirect.com/science/article/pii/S0023643807000278>

Machado, L., Magnusson, M., Paul, N. A., de Nys, R., & Tomkins, N. (2015). Effects of marine and freshwater macroalgae on in vitro total gas and methane production. PLoS one, 10(1), e0115659.
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0085289>

- Maduqi, Ahmad Fuad, Munifatul Izzati dan Erma Prihastanti. (2014). Efek Metode Pengeringan Terhadap Kandungan Bahan Kimia Dalam Rumput Laut. Buletin Anatomi dan Fisiologi Volume XXII Nomor 1. <http://eprints.undip.ac.id/44485/>
- Maharany, F., Nurjanah, S. R., Anwar, E., & Hidayat, T. (2017). Kandungan senyawa bioaktif rumput laut *Padina australis* dan *Eucheuma cottonii* sebagai bahan baku krim tabir surya. Jurnal Pengolahan Hasil Perikanan Indonesia, 20(1), 10-17. <https://core.ac.uk/download/pdf/291863929.pdf>
- Maillard MN, Berset C. 1995. Evolution of antioxidant activity during kilning: role of insoluble bound phenolic acids of barley and malt. J Agric Food Chem 43:1789–1793. <https://pubs.acs.org/doi/pdf/10.1021/jf00055a008>
- Manteu SH, Nurjanah, Nurhayati T. 2018. Karakteristik rumput laut coklat (*Sargassum polycystum* dan *Padina minor*) dari perairan Pohuwato Provinsi Gorontalo. Jurnal Pengolahan Hasil Perikanan Indonesia. 21(3): 396-405. <https://core.ac.uk/download/pdf/291864134.pdf>
- Martín-Cabrejas MA, Aguilera Y, Pedrosa M, Cuadrado C, Hernández T, Díaz S, Esteban RM (2009) The impact of dehydration process on antinutrients and protein digestibility of some legume flours. Food Chem 114:1063–1068. <https://www.sciencedirect.com/science/article/pii/S0308814608012910>
- Melki, Agussalim, A. 2004. Keadaan Budidaya Rumput Laut di Pulau Panjang Provinsi Bangka Belitung. Jurnal Penelitian Sains. 2(10). <http://ejurnal.mipa.unsri.ac.id/index.php/jps/article/view/259>
- Mise, T., & Yasumoto, T. 2011. Simultaneous Treatment of Cancer Cells Lines with the Anticancer Drug Cisplatin and the antioxidant Fucoxanthin. Br. J.Pharmacol. Toxicol., 2(3): 127-131. <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=4c380a50ce886b0edc1d37670f41124708ecc43a>
- Monroig, Ó., Tocher, D. R., & Navarro, J. C. (2013). Biosynthesis of polyunsaturated fatty acids in marine invertebrates: recent advances in molecular mechanisms. Marine drugs, 11(10), 3998-4018. <https://www.mdpi.com/1660-3397/11/10/3998>

- Moreira R, Chenlo F, Sineiro J, Arufe S, Sexto S (2016) Drying temperature effect on powder physical properties and aqueous extract characteristics of *Fucus vesiculosus*. *J Appl Phycol* 28:2485–24. <https://link.springer.com/article/10.1007/s10811-015-0744-9>
- Nagai, T. and T. Yukimoto. 2003. Preparation and functional Properties of Beverages Made from Sea Algae. *Food Chem.*, 81: 327- 332. <https://www.sciencedirect.com/science/article/pii/S0308814602004260>
- Neldawati, Ratnawulan, Gusnedi. 2013. Analisis nilai absorbansi dalam penentuan kadar flavonoid untuk berbagai jenis daun tanaman obat. *Journal Pillar of Physics* (2): 76-83. <https://ejournal.unp.ac.id/students/index.php/fis/article/view/756>
- Neoh, Y. Y., Matanjun, P., & Lee, J. S. 2021. Effects of Various Drying Processes on Malaysian Brown Seaweed, *Sargassum polycystum* Pertaining to Antioxidants Content and Activity. *Transactions on Science and Technology*, 8(1), 25-37. <https://tost.unise.org/pdfs/vol8/no1/ToST-8x1x25-37xOA.pdf>
- Nisah, K. (2019). Analisis Kadar Serat Pada Bakso Bekatul Dengan Metode Gravimetri. *Amina*, 1(3), 103-107. <https://www.jurnal.araniry.ac.id/index.php/amina/article/view/42>
- Nursid, M., & Novienderi, D. (2017). Kandungan Fukosantin dan Fenolik Total PADA Rumput Laut Coklat *Padina australis* Yang Dikeringkan Dengan Sinar Matahari. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 12(2). <https://scholar.archive.org/work/tsrfrxqfvzhvdc2xtpqemgdrmy/access/wayback/http://bbp4b.litbang.kkp.go.id/jurnaljpbkp/index.php/jpbkp/article/download/341/pdf>
- Nurul Kartika Handayani, A. Z. (2017). *Padina australis* dan Potensinya Sebagai Obat Herbal Antikanker, Antibakteri dan Antioksidan. *Farmaka*, 15(2). <http://jurnal.unpad.ac.id/farmaka/article/view/13024>
- Orilda, R., Ibrahim, B., & Uju, U. 2022. Pengeringan Rumput Laut *Eucheuma cottonii* Menggunakan Oven Dengan Suhu Yang Berbeda. *Jurnal Perikanan Terpadu*, 2(2). <http://jurnal.utu.ac.id/jpterpadu/article/view/5201>
- Ortiz, J., Uquiche, E., Robert, P., Romero, N., Quítral, V. & Lianten, C. 2009. Functional and Nutritional Value of The Chilean Seaweeds *Codium fragile*, *Gracilaria*

- chilensis and *Macrocystis pyrifera*. Europe Journal of Lipid Science and Tech, 111:320-327 <https://onlinelibrary.wiley.com/doi/abs/10.1002/ejlt.200800140>
- Palupi, N. S., Zakaria, F. R., & Prangdimurti, E. (2007). Pengaruh pengolahan terhadap gizi pangan. <http://xa.yimg.com/kq/groups/20875559/2110434976/name/TOPIK8.pdf>
- Pelozo, M.I.G., M.L.C. Cardoso, J.C.P. Mello. 2008. Spectrophotometric determination of tannins and caffeine in preparations from *Paullinia cupana* var. *sorbilis*. Braz. Arch. Biol. Technol. 51, 447–451. <https://www.scielo.br/j/babt/a/GBt9Kfcj9xcPZBJz3vzhN8h/>
- Pokorny J, and Korczak, J. 2001. Preparation of natural antioxidant. In: M. Gordon (Ed), Antioxidant In Food. CRC Press. New York, Washington D.C. 311-330 [https://www.google.com/books?hl=en&lr=&id=zTgmJmNcRy0C&oi=fnd&pg=PR11&dq=Preparation+of+natural+antioxidant.+In:+M.+Gordon+\(Ed\),+Antioxidant+In+Food&ots=wPL9rdqd15&sig=rkbWe0xJbs1UnyrdDa7xfwhZTZw](https://www.google.com/books?hl=en&lr=&id=zTgmJmNcRy0C&oi=fnd&pg=PR11&dq=Preparation+of+natural+antioxidant.+In:+M.+Gordon+(Ed),+Antioxidant+In+Food&ots=wPL9rdqd15&sig=rkbWe0xJbs1UnyrdDa7xfwhZTZw)
- Polat, S., Ozogul, Y., 2013. Seasonal proximate and fatty acid variations of some seaweeds from the northeastern Mediterranean coast. Oceanologia 55 (2), 375–391. <https://www.sciencedirect.com/science/article/pii/S0078323413500212>
- Pratiwi, A. R., Syah, D., Hardjito, L., Panggabean, L. M. G., & Suhartono, M. T. (2009). Fatty Acid Synthesis by Indonesian Marine Diatom, *Chaetoceros gracilis*. Hayati Journal of Biosciences, 16(4), 151–156. <https://www.sciencedirect.com/science/article/pii/S197830191630256X>
- Proestos, C., D. Sereli, M. Komaitis. 2006. Determination of phenolic compounds in aromatic plants by RP-HPLC and GC- MS. Food Chemistry. 95(1): 44-52. <https://www.sciencedirect.com/science/article/pii/S0308814605000294>
- Purwaningsih, S. 2012. Aktivitas Antioksidan dan Komposisi Kimia Keong Mata Merah (*Cerithidea obtusa*). Jurnal Ilmu Kelautan 17(1): 39-48. <http://download.garuda.kemdikbud.go.id/article.php?article=1385306&val=1242&title=Aktivitas%20Antioksidan%20dan%20Komposisi%20Kimia%20Keong%20Matah%20Merah%20Cerithidea%20obtusa%20Antioxidant%20Activity%20and%20Nutrient%20Composition%20of%20Matah%20Merah%20Snail%20Cerithidea%20obtusa>

- Ratana-arporn P, Chirapart A. 2006. Nutritional evaluation of tropical green seaweeds Caulerpa lentillifera and Ulva reticulate. *Kasetsart Journal.* 40: 75–83. <https://li01.tci-thaijo.org/index.php/anres/article/view/244017>
- Rice-Evans, C.A., Miller, N.J., & Paganga, G. 1997. Antioxidant properties of phenolic compounds. *Trend Planta Sciences Review.* 2: 152–159. [https://www.cell.com/trends/plant-science/fulltext/S1360-1385\(97\)01018-2](https://www.cell.com/trends/plant-science/fulltext/S1360-1385(97)01018-2)
- Riwanti, P., Izazih, F., & Amaliyah, A. (2018). Pengaruh Perbedaan Konsentrasi Etanol pada Kadar Flavonoid Total Ekstrak Etanol 50,70 dan 96% Sargassum polycystum dari Madura. *Journal of Pharmaceutical-Care Anwar Medika,* 2(2), 35–48. <http://jurnal.stikesrsanwarmedika.ac.id/index.php/jpcam/article/view/1>
- Rocha, C. P., Pacheco, D., Cotas, J., Marques, J. C., Pereira, L., & Gonçalves, A. M. (2021). Seaweeds as valuable sources of essential fatty acids for human nutrition. *International Journal of Environmental Research and Public Health,* 18(9), 4968. <https://www.mdpi.com/1660-4601/18/9/4968>
- Rodríguez-Bernaldo de Quirós, A., & López-Hernández, J. (2021). An Overview on Effects of Processing on the Nutritional Content and Bioactive Compounds in Seaweeds. *Foods,* 10(9), 2168. <https://www.mdpi.com/2304-8158/10/9/2168>
- Sachindra, N.M., Sato, E., Maeda, H., Hosokawa, M., Niwano, Y., Kohno, M., & Miyashita, K. (2010). Radical scavenging and singlet oxygen quenching activity of marine carotenoid fucoxanthin and its metabolites. *Journal of Agricultural and Food Chemistry,* 55(21), 8516-8522. <https://pubs.acs.org/doi/abs/10.1021/jf071848a>
- Sahri, A. 2023. Mengenal potensi rumput laut: kajian pemanfaatan sumber daya rumput laut dari aspek industri dan kesehatan. *Majalah Ilmiah Sultan Agung,* 44(118), 95–116. <http://jurnal.unissula.ac.id/index.php/majalahilmiahhsultanagung/article/view/252>
- Santoso J, Gunji S, Yoshie-Stark Y, Suzuki T. 2006. Mineral content of Indonesian seaweeds and mineral solubility affected by basic cooking. *Food Science and Technology Research.* 12(10): 59–66. https://www.jstage.jst.go.jp/article/fstr/12/1/12_1_59/_article/-char/ja/

- Santoso, J. S. N. (2013). Daya Antioksidan Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana L.*) Pengeringan Matahari Langsung dan Freeze Drying. *Calyptra*, 2(1), 1-19. <https://journal.ubaya.ac.id/index.php/jimus/article/view/150>
- Saptari, T., Triastinurmiatiningsih, T., Sari, B. L., & Sayyidah, I. N. 2019. Kadar Fenolik Dan Aktivitas Antioksidan Ekstrak Etanol Rumput Laut Coklat (*Padina australis*). *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 9(1), 1-8. <https://journal.unpak.ac.id/index.php/fitofarmaka/article/view/1254>
- Saputra, F., Edison., Diharmi, A. (2021). Komposisi Proksimat Rumput Laut Coklat (*Sargassum ilicifolium*). *Jurnal Online Mahasiswa*. Vol 8, No 2. <https://jom.unri.ac.id/index.php/JOMFAPERIKA/article/download/30725/29599>
- Sari, D. K., Kustiningsih, I., & Lestari, R. S. D. (2017). Pengaruh Suhu dan Waktu Pengeringan Terhadap Mutu Rumput Laut Kering. *Teknika: Jurnal Sains dan Teknologi*, 13(1), 43-50. <https://media.neliti.com/media/publications/284899-pengaruh-suhu-dan-waktu-pengeringan-terh-6556c151.pdf>
- Sari, D.P., D.H.C. Pangemanan dan Juliatri. 2016. Uji Daya Hambat Ekstrak Alga Coklat (*Padina australis* Hauck) terhadap Pertumbuhan Bakteri *Porphyromonas Gingivalis* Secara In Vitro. *Jurnal e-GiGi.*, 4(2): 140-144. <https://ejournal.unsrat.ac.id/index.php/egigi/article/view/13652>
- Sartika, R., & Purwiyanto, A. I. (2013). Aktivitas antibakteri ekstrak rumput laut *Eucheuma cottoni* terhadap bakteri *Escherichia coli*, *Staphylococcus aureus*, *Vibrio cholera* dan *Salmonella typhosa*. *Maspari Journal: Marine Science Research*, 5(2), 98-103. <https://core.ac.uk/download/pdf/267821975.pdf>
- Saxena, M., Saxena, J., Nema, R., Singh, D., & Gupta, A. (2013). Phytochemistry of Medicinal Plants. *Journal of Pharmacognosy and Phytochemistry*, 1(6). <https://www.phytojournal.com/archives?year=2013&vol=1&issue=6&part=A&ArticleId=83>
- Sosnik, A. 2014. Alginate particles as platform for drug delivery by the oral route: state-of-the-art. *International Scholarly Research Notices*, 2014. <https://downloads.hindawi.com/archive/2014/926157.pdf>

- Subbiah, V., Duan, X., Agar, O. T., Dunshea, F. R., Barrow, C. J., & Suleria, H. A. (2023). Comparative study on the effect of different drying techniques on phenolic compounds in Australian beach-cast brown seaweeds. *Algal Research*, 72, 103140. <https://www.sciencedirect.com/science/article/pii/S221192642300173X>
- Suparmi, A. S. (2013). Kajian Pemanfaatan Sumber Daya Rumput Laut Dari Aspek Industri dan Kesehatan. *Jurnal Majalah Ilmiah Sultan Agung*, 44(118), 95–116. <https://media.neliti.com/media/publications/220086-mengenal-potensi-rumput-laut-kajian-pema.pdf>
- Tamat, S. R., T. Wikanta dan L. S. Maulina. 2007. Aktivitas Antioksidan dan Toksisitas Senyawa Bioaktif dari Ekstrak Rumput Laut Hijau *Ulva reticulata* Forsskal. *Jurnal Ilmu Kefarmasian Indonesia*, 5 (1): 31-36. <http://jifi.farmasi.univpancasila.ac.id/index.php/jifi/article/view/585>
- Towadi, D. (2017). Karakteristik Karaginan Rumput Laut *Kappaphycus alvarezii* Dengan Metode Pengeringan Yang berbeda. Skripsi, 1(632408017). <https://repository.ung.ac.id/skripsi/show/632408017/karakteristik-karaginan-rumput-laut-kappaphycus-alvarezii-dengan-metode-pengeringan-yang-berbeda.html>
- Uribe, E., Pardo-Orellana, C. M., Vega-Gálvez, A., Ah-Hen, K. S., Pastén, A., García, V., & Aubourg, S. P. 2020. Effect of drying methods on bioactive compounds, nutritional, antioxidant, and antidiabetic potential of brown alga *Durvillaea antarctica*. *Drying Technology*, 38(14), 1915-1928. <https://www.tandfonline.com/doi/abs/10.1080/07373937.2019.1679830>
- Uribe, E., Vega-Gálvez, A., García, V., Pastén, A., López, J., & Goñi, G. 2019. Effect of different drying methods on phytochemical content and amino acid and fatty acid profiles of the green seaweed, *Ulva* spp. *Journal of Applied Phycology*, 31, 1967-1979. <https://link.springer.com/article/10.1007/s10811-018-1686-9>
- Vijay K, Balasundari S, Jeyashakila R, Velayathum P, Masilan K, Reshma R. 2017. Proximate and mineral composition of brown seaweed from Gulf of Mannar. *International Journal of Fisheries and Aquatic Studies*. 5(5): 106-112. <https://www.fisheriesjournal.com/archives/2017/vol5issue5/PartB/5-4-88-968.pdf>

- Vilar, E. G., O'Sullivan, M. G., Kerry, J. P., & Kilcawley, K. N. (2021). A chemometric approach to characterize the aroma of selected brown and red edible seaweeds/extracts. *Journal of the Science of Food and Agriculture*, 101(3), 1228-1238. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jsfa.10735>
- Waluyo, E. 2022. Effect of Extraction Method from Brown Seaweeds Padina sp. on Quality of Alginate for Edible Film Application: A Review. International Journal of Biochemistry Research & Review, 31(10), 60-73. <https://journals.indexcopernicus.com/search/article?articleId=3560615>
- Wildman, R. E. C dan D. M. Medeiros. 2000. Carbohydrates, in Advanced Human Nutrition. Boca Raton FL: CRC Press. <https://www.taylorfrancis.com/books/mono/10.1201/b16554/advanced-human-nutrition-robert-wildman-denis-medeiros>
- Winarno,F.G.(1993). Pangan Gizi Teknologi dan Konsumen. Gramedia Pustaka Utama. Jakarta. <https://lib.ui.ac.id/detail.jsp?id=11896>
- Wong K, Cheung PC. 2001. Influence of drying treatment on three Sargassum species. *J Appl Phycol* 13:43–50. <https://link.springer.com/article/10.1023/A:1008149215156>
- Wu, X. J., & Hansen, C. (2008). Antioxidant Capacity, Phenolic Content, and Polysaccharide Content of Lentinus edodes Grown in Whey Permeate-Based Submerged Culture. *Journal of Food Science*, 73(1). <https://ift.onlinelibrary.wiley.com/doi/abs/10.1111/j.1750-3841.2007.00595.x>
- Zhang, Y. M., White, S. W., & Rock, C. O. 2006. Inhibiting bacterial fatty acid synthesis. *Journal of Biological Chemistry*, 281(26), 17541-17544. [https://www.jbc.org/article/S0021-9258\(20\)55624-X/abstract](https://www.jbc.org/article/S0021-9258(20)55624-X/abstract)
- Zhao, T., Dong, Q., Zhou, H., & Yang, H. (2022). Drying kinetics, physicochemical properties, antioxidant activity and antidiabetic potential of Sargassum fusiforme processed under four drying techniques. *LWT*, 163, 113578. <https://www.sciencedirect.com/science/article/pii/S0023643822005138>
- Zubia, M., Robledo, D., & Freile-Pelegrin Y. 2007. Antioxidant activities in marine macroalgae from the coasts of Quintana Roo and Yucatan, Mexico. *Journal of*

Applied Phycology. 19: 449–458.
<https://link.springer.com/article/10.1007/s10811-006-9152-5>

