

DAFTAR PUSTAKA

- Abdillah, F. (2010). Modifikasi tepung pisang tanduk (*Musa paradisiaca formatypica*) melalui proses fermentasi spontan dan pemanasan otoklaf untuk meningkatkan kadar pati resisten. Skripsi. Institut Pertanian Bogor. Bogor. <https://repository.ipb.ac.id/bitstream/handle/123456789/41029/2010fab.pdf?sequence=9&isAllowed=n>
- Abioye, V. F., Adeyemi, I. A., Akinwande, B. A., Kulakow, P., & Maziya-Dixon, B. (2017). Effect of steam cooking and storage time on the formation of resistant starch and functional properties of cassava starch. *Cogent Food & Agriculture*, 3(1), 1296401. <https://www.tandfonline.com/doi/pdf/10.1080/23311932.2017.1296401>
- Adhiyamaan, P. S., & Parimalavalli, R. (2020). Effect of dual modification on crystalline formation of resistant starch from cassava. *Journal of Food Measurement and Characterization*, 14(6), 3520-3528. <https://www.proquest.com/docview/2471722306?pq-origsite=gscholar&fromopenview=true&sourcetype=Scholarly%20Journals>
- Agama-Acevedo, E., Nuñez-Santiago, M. C., Alvarez-Ramirez, J., & Bello-Pérez, L. A. (2015). Physicochemical, digestibility and structural characteristics of starch isolated from banana cultivars. *Carbohydrate polymers*, 124, 17-24. <https://www.sciencedirect.com.ezproxy.ugm.ac.id/science/article/pii/S2590157523004479>
- Anderson, R. A. (1969). Gelatinization of corn grits by roll-and extrusion-cooking. *J. Cereal. Sci.*, 14, 4-7. <https://doi-org.ezproxy.ugm.ac.id/10.1002/star.19700220408>
- Aparicio-Sagüilán, A., Flores-Huicochea, E., Tovar, J., García-Suárez, F., Gutiérrez-Meraz, F., & Bello-Pérez, L. A. (2005). Resistant starch-rich powders prepared by autoclaving of native and ligninized banana starch: Partial characterization. *Starch-Stärke*, 57(9), 405-412. https://www.academia.edu/download/47462724/Resistant_Starchrich_Powders_Prepared_by20160723-13891-1xpaslk.pdf
- Ashwar, B. A., Gani, A., Wani, I. A., Shah, A., Masoodi, F. A., & Saxena, D. C. (2016). Production of resistant starch from rice by dual autoclaving-retrogradation treatment: Invitro digestibility, thermal and structural characterization. *Food Hydrocolloids*, 56, 108–117. <https://doi.org/10.1016/j.foodhyd.2015.12.004>
- Aurore, G., Parfait, B., & Fahrasmane, L. (2009). Bananas, raw materials for making processed food products. *Trends in Food Science and Technology*, 20, 78–91. <https://doi.org/10.1016/j.tifs.2008.10.003>
- Babu, A. S., Parimalavalli, R., & Rudra, S. G. (2015). Effect of citric acid concentration and hydrolysis time on physicochemical properties of sweet potato starches. *International Journal of Biological Macromolecules*, 80, 557-565. <https://doi.org/10.1016/j.ijbiomac.2015.07.020>
- BeMiller, J. N. (2018). Physical modification of starch. In *Starch in food* (pp. 223-253). Woodhead Publishing. <https://doi.org/10.1016/B978-0-08-100868-3.00005-6>
- Bhat, F. M., & Riari, C. S. (2016). Effect of amylose, particle size & morphology on the functionality of starches of traditional rice cultivars. *International journal of*

- biological macromolecules*, 92, 637-644.
<https://doi.org/10.1016/j.ijbiomac.2016.07.078>
- Borborah, K., Borthakur, S. K., & Tanti, B. (2016). Musa balbisiana Colla-taxonomy, traditional knowledge and economic potentialities of the plant in Assam, India. *Indian Journal of Traditional Knowledge*, 15(1), 116–120. [https://nopr.niscpr.res.in/bitstream/123456789/33567/1/IJTK%2015\(1\)%20116-120.pdf](https://nopr.niscpr.res.in/bitstream/123456789/33567/1/IJTK%2015(1)%20116-120.pdf)
- Cahyana, Y., Wijaya, E., Halimah, T. S., Marta, H., Suryadi, E., dan Kurniati, D. (2019). The effect of different thermal modifications on slowly digestible starch and physicochemical properties of green banana flour (*Musa acuminata* colla). *Food Chemistry*, 274, 274–280. <https://doi.org/10.1016/j.foodchem.2018.09.004>
- Campuzano, A., Rosell, C. M., dan Cornejo, F. (2018). Physicochemical and nutritional characteristics of banana flour during ripening. *Food Chemistry*, 256, 11–17. <https://doi.org/10.1016/j.foodchem.2018.02.113>
- Chen, P., Xie, F., Zhao, L., Qiao, Q., & Liu, X. (2017). Effect of acid hydrolysis on the multi-scale structure change of starch with different amylose content. *Food Hydrocolloids*, 69, 359-368. <https://doi.org/10.1016/j.foodhyd.2017.03.003>
- Chisenga, S. M., Workneh, T. S., Bultosa, G., & Alimi, B. A. (2019). Progress in research and applications of cassava flour and starch: a review. *Journal of food science and technology*, 56, 2799-2813. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6542882/pdf/13197_2019_Article_3814.pdf
- Choi, Y. J., Baik, M. Y., & Kim, B. Y. (2017). Characteristics of granular cold-water-soluble potato starch treated with alcohol and alkali. *Food Science and Biotechnology*, 26, 1263-1270. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6049785/pdf/10068_2017_Article_172.pdf
- da Silva, A. R., Cerdeira, C. D., Brito, A. R., Salles, B. C. C., Ravazi, G. F., Moraes, G. de O. I., Rufino, L. R. A., de Oliveira, R. B. S., dan Santos, G. B. (2016). Green banana pasta diet prevents oxidative damage in liver and kidney and improves biochemical parameters in type 1 diabetic rats. *Archives of Endocrinology and Metabolism*, 60(4), 355–366. <https://www.scielo.br/j/aem/a/S3nwSNrZrVhwbsLcHmMJhz/?lang=en&format=html>
- Daniells, J. (2001). *Musalogue: a catalogue of Musa germplasm: diversity in the genus Musa*. Bioversity International. https://books.google.com/books?hl=id&lr=&id=lNBcPkUFGzkC&oi=fnd&pg=P_A3&dq=Musalogue:+a+catalogue+of+Musa+germplasm:+diversity+in+the+genus+Musa.&ots=1_Z2OW0anO&sig=aec-ByeRuLAIJ5GfwnrcovVvbuyA
- de Castro, D. S., dos Santos Moreira, I., de Melo Silva, L. M., Lima, J. P., da Silva, W. P., Gomes, J. P., & de Figueirêdo, R. M. F. (2019). Isolation and characterization of starch from pitomba endocarp. *Food Research International*, 124, 181-187. <https://doi.org/10.1016/j.foodres.2018.06.032>

- Duyen, T. T. M., Huong, N. T. M., Phi, N. T. L., & Van Hung, P. (2020). Physicochemical properties and in vitro digestibility of mung-bean starches varying amylose contents under citric acid and hydrothermal treatments. *International Journal of Biological Macromolecules*, 164, 651-658. <https://www.sciencedirect.com/science/article/abs/pii/S0141813020339490>
- Endra Y. 2006. Analisis Proksimat dan Komposisi Asam Amino Buah Pisang Batu (*Musa balbisiana* Colla). Bogor (ID): Institut Pertanian Bogor. <https://repository.ipb.ac.id/bitstream/handle/123456789/46157/G06yen.pdf?sequence=1&isAllowed=n>
- Faridah, D. N., Rahayu, W. P., dan TIN, M. S. A. (2013). Modifikasi pati garut (*Marantha arundinacea*) dengan perlakuan hidrolisis asam dan siklus pemanasan-pendinginan untuk menghasilkan pati resisten tipe 3. *Jurnal Teknologi Industri Pertanian*, 23(1), 61-69. <https://journal.ipb.ac.id/index.php/jurnaltin/article/view/7235>
- Faridah, D. N., Silitonga, R. F., Indrasti, D., Afandi, F. A., Jayanegara, A., & Anugerah, M. P. (2022). Verification of autoclaving-cooling treatment to increase the resistant starch contents in food starches based on meta-analysis result. *Frontiers in Nutrition*, 9, 904700. <https://doi.org/10.3389/fnut.2022.904700>
- Farooq, M. A., Murtaza, M. A., Aadil, R. M., Arshad, R., Rahaman, A., Siddique, R., & Haq, A. U. (2021). Investigating the structural properties and in vitro digestion of rice flours. *Food Science & Nutrition*, 9(5), 2668-2675. <https://doi.org/10.1002/fsn3.2225>
- Ferrini, L. M., Rocha, T. S., Demiate, I. M., & Franco, C. M. (2008). Effect of acid-methanol treatment on the physicochemical and structural characteristics of cassava and maize starches. *Starch-Stärke*, 60(8), 417-425. <https://doi.org/10.1002/star.200700712>
- Fuentes-Zaragoza, E., Riquelme-Navarrete, M. J., Sánchez-Zapata, E., dan Pérez-Álvarez, J. A. (2010). Resistant starch as functional ingredient: A review. *Food Research International*, 43, 931–942. <https://rahadiandimas.staff.uns.ac.id/files/2013/05/Journal-Resistant-starch-as-functional-ingredient-A-review.pdf>
- Gao, H., Huang, S., Dong, T., Yang, Q., dan Yi, G. (2016). Analysis of resistant starch degradation in postharvest ripening of two banana cultivars: Focus on starch structure and amylases. *Postharvest Biology and Technology*, 119, 1-8. <https://doi.org/10.1016/j.postharvbio.2016.03.022>
- García-Rosas, M., Bello-Pérez, A., Yee-Madeira, H., Ramos, G., Flores-Morales, A., & Mora-Escobedo, R. (2009). Resistant starch content and structural changes in maize (*Zea mays*) tortillas during storage. *Starch-Stärke*, 61(7), 414-421. <https://doi.org/10.1002/star.200800147>
- Genkina, N. K., Noda, T., Koltisheva, G. I., Wasserman, L. A., Tester, R. F., & Yuryev, V. P. (2003). Effects of growth temperature on some structural properties of crystalline lamellae in starches extracted from sweet potatoes (Sunnyred and Ayamurasaki). *Starch-Stärke*, 55(8), 350-357. <https://doi.org/10.1002/star.200300145>

- Goesaert, H., Brijs, K., Veraverbeke, W. S., Courtin, C. M., Gebruers, K., & Delcour, J. A. (2005). Wheat flour constituents: how they impact bread quality, and how to impact their functionality. *Trends in food science & technology*, 16(1-3), 12-30. [http://www.bicga.org.uk/docs/Wheat flour constituents how they impact.pdf](http://www.bicga.org.uk/docs/Wheat%20flour%20constituents%20how%20they%20impact.pdf)
- Goñi, I., Garcia-Diz, L., Mañas, E., & Saura-Calixto, F. (1996). Analysis of resistant starch: a method for foods and food products. *Food chemistry*, 56(4), 445-449. [https://doi.org/10.1016/0308-8146\(95\)00222-7](https://doi.org/10.1016/0308-8146(95)00222-7)
- Gunaratne, A., dan Hoover, R. (2002). Effect of heat-moisture treatment on the structure and physicochemical properties of tuber and root starches. *Carbohydrate Polymers*, 49(4), 425–437. https://research.library.mun.ca/9634/1/Gunaratne_DManil.pdf
- Han, X. Z., Campanella, O. H., Mix, N. C., & Hamaker, B. R. (2002). Consequence of starch damage on rheological properties of maize starch pastes. *Cereal chemistry*, 79(6), 897-901. <https://doi.org/10.1094/CCHEM.2002.79.6.897>
- Han, Z., Shi, R., & Sun, D. W. (2020). Effects of novel physical processing techniques on the multi-structures of starch. *Trends in Food Science & Technology*, 97, 126-135. <https://doi.org/10.1016/j.tifs.2020.01.006>
- Haslinda, W. H., Cheng, L. H., Chong, L. C., & Aziah, A. N. (2009). Chemical composition and physicochemical properties of green banana (*Musa acuminata* × *balbisiana* Colla cv. Awak) flour. *International journal of food sciences and nutrition*, 60(4), 232-239. <https://doi.org/10.1080/09637480902915525>
- He, R., Fu, N. F., Chen, H. M., Ye, J. Q., Chen, L. Z., Pu, Y. F., & Zhang, W. M. (2020). Comparison of the structural characteristics and physicochemical properties of starches from sixteen cassava germplasms cultivated in China. *International Journal of Food Properties*, 23(1), 693-707. <https://www.tandfonline.com/doi/pdf/10.1080/10942912.2020.1752714>
- Herawati, E. R. N., Ariani, D., Nurhayati, R., Miftakhussolikhah, M., Na'imah, H., & Marsono, Y. (2020, March). Effect of Autoclaving-Cooling Treatments on Chemical Characteristic and Structure of Tacca (*Tacca Leontopetaloides*) Starch. In *5th International Conference on Food, Agriculture and Natural Resources (FANRes 2019)* (pp. 169-172). Atlantis Press. <https://www.atlantis-press.com/proceedings/fanres-19/125937937>
- Ho, L. H., Aziah, N. A., & Bhat, R. (2012). Mineral composition and pasting properties of banana pseudo-stem flour from *Musa acuminata* X *balbisiana* cv. Awak grown locally in Perak, Malaysia. *International Food Research Journal*, 19(4), 1479. <https://www.proquest.com/docview/1318006061?pq-origsite=gscholar&fromopenview=true&sourcetype=Scholarly%20Journals>
- Huang, T. T., Zhou, D. N., Jin, Z. Y., Xu, X. M., & Chen, H. Q. (2016). Effect of repeated heat-moisture treatments on digestibility, physicochemical and structural properties of sweet potato starch. *Food Hydrocolloids*, 54, 202-210. <https://doi.org/10.1016/j.foodhyd.2015.10.002>
- Hung, P. V., Cham, N. T. M., & Truc, P. T. T. (2013). Characterization of Vietnamese banana starch and its resistant starch improvement. *International Food Research Journal*, 20(1), 205-211. <https://www.proquest.com/docview/1425252519?pq-origsite=gscholar&fromopenview=true&sourcetype=Scholarly%20Journals>

- Jan, K. N., Panesar, P. S., Rana, J. C., & Singh, S. (2017). Structural, thermal and rheological properties of starches isolated from Indian quinoa varieties. *International Journal of Biological Macromolecules*, 102, 315-322. <https://doi.org/10.1016/j.ijbiomac.2017.04.027>
- Jane, J. L., & Robyt, J. F. (1984). Structure studies of amylose-V complexes and retrograded amylose by action of alpha amylases, and a new method for preparing amyloextrins. *Carbohydrate research*, 132(1), 105-118. [https://doi.org/10.1016/0008-6215\(84\)85068-5](https://doi.org/10.1016/0008-6215(84)85068-5)
- Jayakody, L., & Hoover, R. (2008). Effect of annealing on the molecular structure and physicochemical properties of starches from different botanical origins—A review. *Carbohydrate polymers*, 74(3), 691-703. <https://doi.org/10.1016/j.carbpol.2008.04.032>
- Kasikitwiwat, P., Chaiwanichisiri, S., & Laohasongkram, K. (2012). Effect of citric acid modification on resistant starch and physicochemical properties of rice flour. *KKU Science Journal* 40: 72-79. https://www.researchgate.net/publication/318226073_Effect_of_citric_acid_modification_on_resistant_starch_and_physicochemical_properties_of_rice_flour#:~:text=Thus%20it%20can%20be%20concluded,soluble%20character%20with%20low%20viscosity.
- Kaur, M., Oberoi, D. P. S., Sogi, D. S., & Gill, B. S. (2011). Physicochemical, morphological and pasting properties of acid treated starches from different botanical sources. *Journal of food science and technology*, 48, 460-465. <https://doi.org/10.1016/j.carbpol.2008.04.032>
- Kirk, R. E., dan Othmer., D. F. (1993). *Encyclopedia of Chemical Technology*. Fourth edition. A Willey Interscience Publication. John Wiley and Sons Co, New York.
- Lehmann, U., Jacobasch, G., & Schmiedl, D. (2002). Characterization of resistant starch type III from banana (*Musa acuminata*). *Journal of Agricultural and Food Chemistry*, 50(18), 5236–5240. <https://pubs.acs.org.ezproxy.ugm.ac.id/doi/full/10.1021/jf0203390>
- Li, M. N., Xie, Y., Chen, H. Q., & Zhang, B. (2019). Effects of heat-moisture treatment after citric acid esterification on structural properties and digestibility of wheat starch, A-and B-type starch granules. *Food Chemistry*, 272, 523-529. <https://www.sciencedirect.com/science/article/abs/pii/S0308814618314833>
- Lin, J. H., Lee, S. Y., & Chang, Y. H. (2003). Effect of acid-alcohol treatment on the molecular structure and physicochemical properties of maize and potato starches. *Carbohydrate Polymers*, 53(4), 475-482. [https://doi.org/10.1016/S0144-8617\(03\)00145-0](https://doi.org/10.1016/S0144-8617(03)00145-0)
- Luckett, C. R., & Wang, Y. J. (2012). Effects of β -amylolysis on the resistant starch formation of debranched corn starches. *Journal of agricultural and food chemistry*, 60(18), 4751-4757. <https://pubs.acs.org.ezproxy.ugm.ac.id/doi/epdf/10.1021/jf300854e>
- Ma, Z., Hu, X., & Boye, J. I. (2020). Research advances on the formation mechanism of resistant starch type III: A review. *Critical reviews in food science and*

- nutrition*, 60(2), 276-297. <https://www-tandfonline-com.ezproxy.ugm.ac.id/doi/full/10.1080/10408398.2018.1523785>
- Marta, H., Cahyana, Y., Djali, M., Arcot, J., & Tensiska, T. (2019). A comparative study on the physicochemical and pasting properties of starch and flour from different banana (*Musa spp.*) cultivars grown in Indonesia. *International Journal of Food Properties*, 22(1), 1562-1575. <https://www.tandfonline.com/doi/pdf/10.1080/10942912.2019.1657447>
- Mun, S. H., & Shin, M. (2006). Mild hydrolysis of resistant starch from maize. *Food Chemistry*, 96(1), 115-121. <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=36128c1dc05ca1d5b87434ed3b44768594b31821>
- Musita, N. (2012). Kajian Kandungan dan Karakteristik Pati Resisten dari Berbagai Varietas Pisang. *Jurnal Teknologi & Industri Hasil Pertanian*, 14(1), 68-79. <https://jurnal.fp.unila.ac.id/index.php/JTHP/article/view/55>
- Nawaz, H., Waheed, R., Nawaz, M., & Shahwar, D. (2020). Physical and chemical modifications in starch structure and reactivity. *Chemical properties of starch*, 9, 13-35. <https://www.intechopen.com/chapters/68720>
- Nayar, N. M. (2010). 2 The Bananas: Botany, Origin, Dispersal. *Horticultural reviews*, 36(3), 117-164. https://www.researchgate.net/profile/Nm-Nayar/publication/230013045_The_Bananas_Botany-Origin_Dispersal/links/5a3679e3aca27247ede1bb63/The-Bananas-Botany-Origin-Dispersal.pdf
- Nimsung, P., Thongngam, M., & Naivikul, O. (2007). Compositions, morphological and thermal properties of green banana flour and starch. *Agriculture and Natural Resources*, 41(5), 324-330. <https://li01.tci-thaijo.org/index.php/anres/article/view/244388>
- Oktaviana, A. S., Hersoelistyorini, W., & Nurhidajah, N. (2017). Kadar protein, daya kembang, dan organoleptik cookies dengan substitusi tepung mocaf dan tepung pisang kepok. *Jurnal Pangan Dan Gizi*, 7(2), 72-81. <https://jurnal.unimus.ac.id/index.php/JPDG/article/view/3178>
- Ovando-Martínez, M., Whitney, K., Reuhs, B. L., Doehlert, D. C., & Simsek, S. (2013). Effect of hydrothermal treatment on physicochemical and digestibility properties of oat starch. *Food Research International*, 52(1), 17-25. <https://doi.org/10.1016/j.foodres.2013.02.035>
- Patola, E. C., & Ilminingtyas, D. (2018). Substitusi pisang kepok putih (*Musa balbisiana*) pada pembuatan tortilla chips pisang. *Serat Acitya*, 6(2), 26-43. <http://jurnal.untagsmg.ac.id/index.php/sa/article/view/778>
- Pérez, S., Baldwin, P. M., & Gallant, D. J. (2009). Structural features of starch granules I. In *Starch* (pp. 149-192). Academic Press. <https://doi.org/10.1016/B978-0-12-746275-2.00005-7>
- Phothisawan, S., Asawawibul, S., Settaphromote, N., & Wannasawad, K. (2023). Development of Functional Food Bars Utilizing Modified Banana Green Flour, Pumpkin Seeds and Their Consumer Perceptions. *Food Science and Technology*, 11, 189-198 DOI: [10.13189/fst.2023.110401](https://doi.org/10.13189/fst.2023.110401)

- Polesi, L. F., & Sarmento, S. B. S. (2011). Structural and physicochemical characterization of RS prepared using hydrolysis and heat treatments of chickpea starch. *Starch/Stärke*, 63(4), 226–235. <https://doi.org/10.1002/star.201000114>
- Pragati, S., Genitha, I., & Ravish, K. (2014). Comparative study of ripe and unripe banana flour during storage. *Journal of Food Processing & Technology*, 5(11), 1-6. https://www.researchgate.net/profile/Genitha-Immanuel/publication/328335474_Comparative_Study_of_Ripe_and_Unripe_Banana_Flour_during_Storage/links/5bce9cf1a43d9a4bff/Comparative-Study-of-Ripe-and-Unripe-Banana-Flour-during-Storage.pdf
- Pugh, J. E., Cai, M., Altieri, N., & Frost, G. (2023). A comparison of the effects of resistant starch types on glycemic response in individuals with type 2 diabetes or prediabetes: A systematic review and meta-analysis. *Frontiers in Nutrition*, 10, 1-11. <https://www.frontiersin.org/articles/10.3389/fnut.2023.1118229/full>
- Pukkahuta, C., & Varavinit, S. (2007). Structural transformation of sago starch by heat-moisture and osmotic-pressure treatment. *Starch-Stärke*, 59(12), 624-631. <https://doi.org/10.1002/star.200700637>
- Putri, T. K., Veronika, D., Ismail, A., Karuniawan, A., Maxiselly, Y., Irwan, A. W., & Sutari, W. (2015). Pemanfaatan jenis-jenis pisang (banana dan plantain) lokal Jawa Barat berbasis produk sale dan tepung. *Kultivasi*, 14(2), 63-70. <http://jurnal.unpad.ac.id/kultivasi/article/view/12074>
- Qadir, N., Wani, I. A., & Masoodi, F. A. (2021). Physicochemical, functional properties, and in vitro digestibility studies of starch from rice cultivars grown in Indian temperate region. *Starch-Stärke*, 73, 1–8. <https://doi.org/10.1002/star.202000188>
- Ratnaningsih, N., Harmayani, E., & Marsono, Y. (2020). Physicochemical properties, in vitro starch digestibility, and estimated glycemic index of resistant starch from cowpea (*Vigna unguiculata*) starch by autoclaving-cooling cycles. *International journal of biological macromolecules*, 142, 191-200. <https://doi.org/10.1016/j.ijbiomac.2019.09.092>
- Ratnasari, D., Rustanti, N., Arifan, F., & Afifah, D. N. (2018, February). The effects of treatments on batu banana flour and percentage of wheat substitution on the resistant starch, in vitro starch digestibility content and palatability of cookies made with banana (*Musa balbisiana* Colla) flour. In *IOP Conference Series: Earth and Environmental Science*, 116(1), 1–8. <https://iopscience.iop.org/article/10.1088/1755-1315/116/1/012003/pdf>
- Reginio Jr, F. C., Ketnawa, S., & Ogawa, Y. (2020). In vitro examination of starch digestibility of Saba banana Musa ‘saba’(*Musa acuminata* × *Musa balbisiana*): impact of maturity and physical properties of digesta. *Scientific Reports*, 10(1), 1-10. <https://www.nature.com/articles/s41598-020-58611-5>
- Riandini, E. (2020). Hubungan Kekerabatan Fenetik Pisang di Kecamatan Kabawetan, Kabupaten Kepahiang, Provinsi Bengkulu. *Al-Hayat: Journal of Biology and Applied Biology*, 3(2), 111-117. <https://journal.walisongo.ac.id/index.php/hayat/article/view/5910>
- Rosalina, Y., Susanti, L., Silsia, D., & Setiawan, R. (2018). Karakteristik tepung pisang dari bahan baku pisang lokal Bengkulu. *Industria: Jurnal Teknologi dan*

- Manajemen Agroindustri, 7(3), 153-160.
<https://industria.ub.ac.id/index.php/industri/article/view/371>
- Rosida, Harijono, Estiasih, T., & Sriwahyuni, E. (2016). Physicochemical properties and starch digestibility of autoclaved-cooled water yam (*Dioscorea alata* L.) flour. *International journal of food properties*, 19(8), 1659-1670.
<https://www.tandfonline.com/doi/pdf/10.1080/10942912.2015.1105818>
- Sakawulan, D., Budi, F. S., & Syamsir, E. (2014). Pembuatan velva fruit pisang dengan bahan dasar tepung pisang dan carboxy methyl cellulose sebagai bahan penstabil. *Jurnal Aplikasi Teknologi Pangan*, 3(4): 182-187.
<http://www.jatp.ift.or.id/index.php/jatp/article/view/141>
- Sardá, F. A. H., Giuntini, E. B., Gomez, M. L. P. A., Lui, M. C. Y., Negrini, J. A. E., Tadini, C. C., Lajolo, F. M., & Menezes, E. W. (2016). Impact of resistant starch from unripe banana flour on hunger, satiety, and glucose homeostasis in healthy volunteers. *Journal of Functional foods*, 24, 63-74.
<https://doi.org/10.1016/j.jff.2016.04.001>
- Sari, A. R., Martono, Y., & Rondonuwu, F. S. (2020). Identifikasi kualitas beras putih (*Oryza sativa* L.) berdasarkan kandungan amilosa dan amilopektin di pasar tradisional dan “Selepan” Kota Salatiga. *Titian Ilmu: Jurnal Ilmiah Multi Sciences*, 12(1), 24-30. <https://journal.unuha.ac.id/index.php/JTI/article/view/599>
- Setiarto, H. B. (2017). Produksi Tepung Gadung (*Dioscorea hispida* Dennst) Kaya Pati Resisten Melalui Fermentasi Bakteri Asam Laktat dan Pemanasan Bertekanan-Pendinginan. *Jurnal Pangan*, 26(2), 137-152.
<https://jurnalpangan.com/index.php/pangan/article/view/352>
- Setiarto, R. H. B., Jenie, B. S. L., Faridah, D. N., & Saskiawan, I. (2015). Kajian peningkatan pati resisten yang terkandung dalam bahan pangan sebagai sumber prebiotik. *Jurnal Ilmu Pertanian Indonesia*, 20(3), 191-200.
<https://journal.ipb.ac.id/index.php/JIPI/article/view/10730>
- Setyaningsih, W., Karmila, Fathimah, R. N., & Cahyanto, M. N. (2021). Process optimization for ultrasound-assisted starch production from cassava (*Manihot esculenta* Crantz) using response surface methodology. *Agronomy*, 11(1), 117.
<https://www.mdpi.com/2073-4395/11/1/117>
- Shah, A., Masoodi, F. A., Gani, A., & Ashwar, B. A. (2016). In-vitro digestibility, rheology, structure, and functionality of RS3 from oat starch. *Food chemistry*, 212, 749-758. <https://doi.org/10.1016/j.foodchem.2016.06.019>
- Shao, Y., Mao, L., Guan, W., Wei, X., Yang, Y., Xu, F., ... & Jiang, Q. (2020). Physicochemical and structural properties of low-amylase Chinese yam (*Dioscorea opposita* Thunb.) starches. *International Journal of Biological Macromolecules*, 164, 427-433. <https://doi.org/10.1016/j.ijbiomac.2020.07.054>
- Shi, M., Cheng, Y., Wang, F., Ji, X., Liu, Y., & Yan, Y. (2022). Rheological Properties of Wheat Flour Modified by Plasma-Activated Water and Heat Moisture Treatment and in vitro Digestibility of Steamed Bread. *Frontiers in Nutrition*, 9, 1-8.
<https://www.frontiersin.org/articles/10.3389/fnut.2022.850227/full>
- Sholihat, S., Abdullah, R., & Suroso, S. (2015). Kajian penundaan kematangan pisang raja (*Musa paradisiaca* Var. *Sapientum* L.) melalui penggunaan media penyerap

- etilen kalium permanganat. *Rona Teknik Pertanian*, 8(2), 76-89. <https://jurnal.usk.ac.id/RTP/article/view/3005>
- Show, P. L., Oladele, K. O., Siew, Q. Y., Aziz Zakry, F. A., Lan, J. C. W., dan Ling, T. C. (2015). Overview of citric acid production from *Aspergillus niger*. *Frontiers in Life Science*, 8(3) : 271–283. <https://doi.org/10.1080/21553769.2015.1033653>
- Sidhu, J. S., & Zafar, T. A. (2018). Bioactive compounds in banana fruits and their health benefits. *Food Quality and Safety*, 2(4), 183-188. <https://academic.oup.com/fqs/article/2/4/183/5164297>
- Siji, S., & Nandini, P. V. (2017). Chemical and nutrient composition of selected banana varieties of Kerala. *International Journal of Advanced Engineering, Management and Science*, 3(4), 401-404. <https://dx.doi.org/10.24001/ijaems.3.4.21>
- Singh, J., Singh, N., & Saxena, S. K. (2002). Effect of fatty acids on the rheological properties of corn and potato starch. *Journal of Food Engineering*, 52(1), 9-16. [https://doi.org/10.1016/S0260-8774\(01\)00078-4](https://doi.org/10.1016/S0260-8774(01)00078-4)
- Sugiyono, P. R., & Faridah, D. N. (2009). Modifikasi pati Garut dengan perlakuan siklus pemanasan suhu tinggi-pendinginan untuk menghasilkan pati resisten tipe III. *Jurnal Teknologi dan Industri Pangan*, 20(1), 17-24. <https://journal.ipb.ac.id/index.php/jtip/article/view/315>
- Sumanti, D. M., Hanidah, I. I., & Abdullatif, M. A. (2022). Physical, Chemical, and Functional Characteristics of Composite Flours from Banana Corm and Tempeh. *Industria: Jurnal Teknologi dan Manajemen Agroindustri*, 11(2), 139-150. <https://industria.ub.ac.id/index.php/industri/article/view/5386>
- Sun, Q., Zhu, X., Si, F., & Xiong, L. (2015). Effect of acid hydrolysis combined with heat moisture treatment on structure and physicochemical properties of corn starch. *Journal of Food Science and Technology*, 52, 375-382. <https://link-springer-com.ezproxy.ugm.ac.id/article/10.1007/s13197-013-0998-7>
- Syafutri, M. I., Pratama, F., Malahayati, N., & Hamzah, B. (2018). Solubility and WSI of modified bangka sago starch. *Indian Journal of Natural Products and Resources*, 9(1), 66–69. <http://op.niscpr.res.in/index.php/IJNPR/article/view/15757>
- Syukriani, L., Herawati, N., Asben, A., Suliansyah, I., & Jamsari, J. (2021). Physicochemical and Morphological Characteristics of Starch and Flour Obtained from Green Banana cv. Raja (*Musa paradisiaca* cv. Raja) in West Sumatra, Indonesia. *Pakistan Journal of Biological Sciences: PJBS*, 24(11), 1175-1182. <https://doi.org/10.3923/pjbs.2021.1175.1182>
- Tester, R.F., dan Morrison, W.R. (1990). Swelling gelatinization of cereal starches. I. Effect of amylopectin, amylose and lipids. *Cereal Chemistry*, 67, 551-557. https://www.cerealsgrains.org/publications/cc/backissues/1990/Documents/67_55_1.pdf
- Tribess, T. B., Hernández-Uribe, J. P., Méndez-Montealvo, M. G. C., Menezes, E. W. D., Bello-Perez, L. A., & Tadini, C. C. (2009). Thermal properties and resistant starch content of green banana flour (*Musa cavendishii*) produced at different drying conditions. *LWT-Food Science and Technology*, 42(5), 1022-1025. <https://www-sciencedirect-com.ezproxy.ugm.ac.id/science/article/pii/S002364380900005X>

- Unlu, E., & Faller, J. F. (1998). Formation of resistant starch by a twin-screw extruder. *Cereal Chemistry*, 75(3), 346-350. <https://onlinelibrary.wiley.com/doi/abs/10.1094/CCHEM.1998.75.3.346>
- USDA. 2023. Food Composition Database. <https://ndb.nal.usda.gov/ndb/foods/> (Acces Juli 2023)
- Utrilla-Coello, R. G., Rodríguez-Huezo, M. E., Carrillo-Navas, H., Hernández-Jaimes, C., Vernon-Carter, E. J., & Alvarez-Ramirez, J. (2014). In vitro digestibility, physicochemical, thermal and rheological properties of banana starches. *Carbohydrate Polymers*, 101, 154-162. <https://doi.org/10.1016/j.carbpol.2013.09.019>
- Van Soest, J. J., Hulleman, S. H. D., De Wit, D., & Vliegenthart, J. F. G. (1996). Changes in the mechanical properties of thermoplastic potato starch in relation with changes in B-type crystallinity. *Carbohydrate Polymers*, 29(3), 225-232. [https://doi.org/10.1016/0144-8617\(96\)00011-2](https://doi.org/10.1016/0144-8617(96)00011-2)
- Vötterl, J. C., Zebeli, Q., Hennig-Pauka, I., & Metzler-Zebeli, B. U. (2019). Soaking in lactic acid lowers the phytate-phosphorus content and increases the resistant starch in wheat and corn grains. *Animal Feed Science and Technology*, 252, 115-125. <https://doi.org/10.1016/j.anifeedsci.2019.04.013>
- Wang J, Jin Z, Yuan X (2007). Preparation of resistant starch from starch-guar gum extrudates and their properties. *Food Chem*, 101(1), 20–25. <https://doi.org/10.1016/j.foodchem.2006.01.005>
- Wang, S., & Copeland, L. (2015). Effect of acid hydrolysis on starch structure and functionality: A review. *Critical reviews in food science and nutrition*, 55(8), 1081-1097. <https://doi.org/10.1080/10408398.2012.684551>
- Wang, S., Blazek, J., Gilbert, E., & Copeland, L. (2012). New insights on the mechanism of acid degradation of pea starch. *Carbohydrate Polymers*, 87, 1941–1949. <https://doi.org/10.1016/j.carbpol.2011.09.093>
- Wang, X., Reddy, C. K., & Xu, B. (2018). A systematic comparative study on morphological, crystallinity, pasting, thermal and functional characteristics of starches resources utilized in China. *Food chemistry*, 259, 81-88. <https://doi.org/10.1016/j.foodchem.2018.03.121>
- Wiadnyani, A. A. I. S., Permana, I. D. G. M., dan Widarta, I. R. (2017). Modifikasi Pati Keladi Dengan Metode Autoclaving-Cooling Sebagai Sumber Pangan Fungsional. *Scientific Journal of Food Technology*, 4(2), 94-102. <https://ojs.unud.ac.id/index.php/pangan/article/download/38630/23440>
- Wong, T. H. T., & Louie, J. C. Y. (2017). The relationship between resistant starch and glycemic control: A review on current evidence and possible mechanisms. *Starch-Stärke*, 69, 7-8. <https://onlinelibrary.wiley.com/doi/abs/10.1002/star.201600205>
- Wu, Z., Qiao, D., Zhao, S., Lin, Q., Zhang, B., & Xie, F. (2022). Nonthermal physical modification of starch: An overview of recent research into structure and property alterations. *International Journal of Biological Macromolecules*, 203, 153-175. <https://doi.org/10.1016/j.ijbiomac.2022.01.103>
- Xiong, G., Jia, L., Luo, L., Ding, Y., Lin, Q., & Liu, C. (2023). Improvement in texture and cooking quality of black rice (*Oryza sativa* L.) using different

pretreatments. *Journal of Cereal Science*, 109, 1-8.
<https://doi.org/10.1016/j.cjs.2022.103611>

- Yeh, H.Y., Su, N.W., & Lee, M.H. (2005). Chemical compositions and physicochemical properties of the fiber-rich materials prepared from shoyu mash residue. *Journal of Agriculture and Food Chemistry*, 53, 4361-4366. <https://pubs.acs.org.ezproxy.ugm.ac.id/doi/epdf/10.1021/jf050243g>
- Zhang, P., Whistler, R. L., Bemiller, J. N., & Hamaker, B. R. (2005). Banana starch: Production, physicochemical properties, and digestibility - A review. *Carbohydrate Polymers*, 59, 443–458. <https://doi.org/10.1016/j.carbpol.2004.10.014>
- Zhang, Y., Zeng, H., Wang, Y., Zeng, S., & Zheng, B. (2014). Structural characteristics and crystalline properties of lotus seed resistant starch and its prebiotic effects. *Food Chemistry*, 155, 311–318. <https://doi.org/10.1016/j.foodchem.2014.01.036>
- Zhao, X. H., & Lin, Y. (2009). The impact of coupled acid or pullulanase debranching on the formation of resistant starch from maize starch with autoclaving–cooling cycles. *European Food Research and Technology*, 230, 179-184. <https://link.springer.com.ezproxy.ugm.ac.id/article/10.1007/s00217-009-1151-8>
- Zheng, Y., Wei, Z., Zhang, R., Deng, Y., Tang, X., Zhang, Y., Liu, G., Liu, L., Wang, J., Liao, N., & Zhang, M. (2020). Optimization of the autoclave preparation process for improving resistant starch content in rice grains. *Food Science and Nutrition*, 8, 2383–2394. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/fsn3.1528>
- Zhong, C., Xiong, Y., Lu, H., Luo, S., Wu, J., Ye, J., & Liu, C. (2022). Preparation and characterization of rice starch citrates by superheated steam: A new strategy of producing resistant starch. *LWT*, 154, 112890. <https://www.sciencedirect.com/science/article/pii/S0023643821020430>

