

RECOMMENDED INTERNATIONAL CODE OF PRACTICE GENERAL PRINCIPLES OF FOOD HYGIENE

CAC/RCP 1-1969, Rev. 4-20031

TABLE OF CONTENTS

INTR	ODUCTION	
SECT	ION I - OBJECTIVES	
The	CODEX GENERAL PRINCIPLES OF FOOD HYGIENE:	
SECT	ION II - SCOPE, USE AND DEFINITION	••••••
2.1	Coop	
2.1	SCOPE	3
2.2	OUL	
	DEFINITIONS	
2.1	The state of the s	
3.1 3.2	ENVIRONMENTAL HYGIENE HYGIENIC PRODUCTION OF FOOD SOURCES	
3.3	111 GIENIC I RODUCTION OF FOOD SOURCES	
3.4	THEOLING, STORAGE AND TRANSPORT	
	CLEANING, MAI <mark>ntenance and pe</mark> rsonnel hygiene at primary production	e
SECT	ION IV - EST <mark>ABLISHME</mark> NT: DESIGN AND FACILITIES	7
4.1	LOCATION	
4.2	Premises and rooms.	7
4.3	EQUIPMENT	ةo
4.4	FACILITIES	0
SECTI	ON V - C <mark>ONTROL</mark> OF OPE <mark>RATIO</mark> N	11
5.1	CONTROL OF FOOD HAZARDS	11
5.2	KEY A <mark>spects of hy</mark> giene <mark>co</mark> ntrol systems	11
5.3	INCOMING MATERIAL REQUIREMENTS	13
5.4	PACKAGING	13
5.5	WATER	13
5.6	MANAGEMENT AND SUPERVISION	12
5.7	DOCUMENTATION AND RECORDS	14
5.8	RECALL PROCEDURES	14
SECTI	ON VI - ESTAB <mark>LISHMENT: MAIN</mark> TENANCE AND SANITATION	14
6.1	MAINTENANCE AND CLEANING	14
6.2	CLEANING PROGRAMMES	15
6.3	PEST CONTROL SYSTEMS	15
6.4	WASTE MANAGEMENT	16
6.5	Monitoring effectiveness	16
SECTI	ON VII - ESTABLISHMENT: PERSONAL HYGIENE	
7.1	HEALTH STATUS	17
7.2	ILLNESS AND INJURIES	17
7.3	PERSONAL CLEANLINESS	17
7.4	PERSONAL BEHAVIOUR	17
7.5	Visitors	18

The current version of the Recommended International Code of Practice-General Principles of Food Hygiene including Annex on Hazard Analysis and Critical Control Point (HACCP) System and Guidelines for its Application was adopted by the Codex Alimentarius Commission in 1997. Amendments regarding rinsing adopted in 1999. HACCP Guidelines were revised in 2003. The Code has been sent to all Member Nations and Associate Members of FAO and WHO as an advisory text, and it is for individual governments to decide what use they wish to make of the Guidelines.

CAC/RCP	1-1969.	Rev.4-	2003
---------	---------	--------	------

Page 2 of 31

SECTI	ON VIII - TRANSPORTATION	
8.1	GENIED AT	18
8.2	GENERAL REQUIREMENTS	18
8.3	REQUIREMENTS	18
	USE AND MAINTENANCE	
SECTI	ON IX - PRODUCT INFORMATION AND CONSUMER AWARENESS	19
9.1	LOT IDENTIFICATION	10
9.2	PRODUCT INFORMATION	19
9.3	LABELLING	19
9.4	CONSUMER EDUCATION	
SECTIO	ON X - TRAINING	
	517 A = 114H1 (1140	20
10.1	AWARENESS AND RESPONSIBILITIES	20
10.2	TRAINING PROGRAMMES	20
10.3	INSTRUCTION AND SUPERVISION	20
10.4	REFRESHER TRAINING	20
HAZAI	RD ANALYSIS AND CRITICAL CONTROL POINT (HACCE) SYSTEM AND	CHIDELINES
FOR IT	S APPLICATIONS APPLICATION	GUIDELINES
PREAM	IBLE	21

DEFINI	TIONS	21
		21
PRINC	PLES OF THE HACCP SYSTEM	22
GUIDE	LINES F <mark>OR THE A</mark> PPLICATION OF THE HACCP SYSTEM	24
		70 11
INTRO	DUCTION	<u></u> 24
A DDY T	CATION	
TDAIN	ING	
IKAIN		28

INTRODUCTION

People have the right to expect the food they eat to be safe and suitable for consumption. Foodborne illness and foodborne injury are at best unpleasant; at worst, they can be fatal. But there are also other consequences. Outbreaks of foodborne illness can damage trade and tourism, and lead to loss of earnings, unemployment and litigation. Food spoilage is wasteful, costly and can adversely affect trade and consumer confidence.

International food trade, and foreign travel, are increasing, bringing important social and economic benefits. But this also makes the spread of illness around the world easier. Eating habits too, have undergone major change in many countries over the last two decades and new food production, preparation and distribution techniques have developed to reflect this. Effective hygiene control, therefore, is vital to avoid the adverse human health and economic consequences of foodborne illness, foodborne injury, and food spoilage. Everyone, including farmers and growers, manufacturers and processors, food handlers and consumers, has a responsibility to assure that food is safe and suitable for consumption.

These General Principles lay a firm foundation for ensuring food hygiene and should be used in conjunction with each specific code of hygienic practice, where appropriate, and the guidelines on microbiological criteria. The document follows the food chain from primary production through to final consumption, highlighting the key hygiene controls at each stage. It recommends a HACCP-based approach wherever possible to enhance food safety as described in Hazard Analysis and Critical Control Point (HACCP) System and Guidelines for its Application (Annex).

The controls described in this General Principles document are internationally recognized as essential to ensure the safety and suitability of food for consumption. The General Principles are commended to Governments, industry (including individual primary producers, manufacturers, processors, food service operators and retailers) and consumers alike.

SECTION I - OBJECTIVES

1.1 THE CODEX GENERAL PRINCIPLES OF FOOD HYGIENE:

- identify the essential principles of food hygiene applicable throughout the food chain (including primary production through to the final consumer), to achieve the goal of ensuring that food is safe and suitable for human consumption;
- recommend a HACCP-based approach as a means to enhance food safety;
- indicate how to implement those principles; and
- provide a *guidance* for specific codes which may be needed for sectors of the food chain; processes; or commodities; to amplify the hygiene requirements specific to those areas.

SECTION II - SCOPE, USE AND DEFINITION

2.1 SCOPE

2.1.1 The food chain

This document follows the food chain from primary production to the final consumer, setting out the necessary hygiene conditions for producing food which is safe and suitable for consumption. The document provides a base-line structure for other, more specific, codes applicable to particular sectors. Such specific codes and guidelines should be read in conjunction with this

document and Hazard Analysis and Critical Control Point (HACCP) System and Guidelines for its Application (Annex).

2.1.2 Roles of Governments, industry, and consumers

Governments can consider the contents of this document and decide how best they should encourage the implementation of these general principles to:

- protect consumers adequately from illness or injury caused by food; policies need to consider the vulnerability of the population, or of different groups within the population;
- provide assurance that food is suitable for human consumption;
- maintain confidence in internationally traded food; and
- provide health education programmes which effectively communicate the principles of food hygiene to industry and consumers.

Industry should apply the hygienic practices set out in this document to:

- provide food which is safe and suitable for consumption;
- ensure that consumers have clear and easily-understood information, by way of labelling and other appropriate means, to enable them to protect their food from contamination and growth/survival of foodborne pathogens by storing, handling and preparing it correctly; and
- maintain confidence in internationally traded food.

Consumers should recognize their role by following relevant instructions and applying appropriate food hygiene measures.

2.2 USE

Each section in this document states both the objectives to be achieved and the rationale behind those objectives in terms of the safety and suitability of food.

Section III covers primary production and associated procedures. Although hygiene practices may differ considerably for the various food commodities and specific codes should be applied where appropriate, some general guidance is given in this section. Sections IV to X set down the general hygiene principles which apply throughout the food chain to the point of sale. Section IX also covers consumer information, recognizing the important role played by consumers in maintaining the safety and suitability of food.

There will inevitably be situations where some of the specific requirements contained in this document are not applicable. The fundamental question in every case is "what is necessary and appropriate on the grounds of the safety and suitability of food for consumption?"

The text indicates where such questions are likely to arise by using the phrases "where necessary" and "where appropriate". In practice, this means that, although the requirement is generally appropriate and reasonable, there will nevertheless be some situations where it is neither necessary nor appropriate on the grounds of food safety and suitability. In deciding whether a requirement is necessary or appropriate, an assessment of the risk should be made, preferably within the framework of the HACCP approach. This approach allows the requirements in this document to be flexibly and sensibly applied with a proper regard for the overall objectives of producing food which is safe and suitable for consumption. In so doing it takes into account the

wide diversity of activities and varying degrees of risk involved in producing food. Additional guidance is available in specific food codes.

2.3 DEFINITIONS

For the purpose of this Code, the following expressions have the meaning stated:

Cleaning - the removal of soil, food residue, dirt, grease or other objectionable matter.

Contaminant - any biological or chemical agent, foreign matter, or other substances not intentionally added to food which may compromise food safety or suitability.

Contamination - the introduction or occurrence of a contaminant in food or food environment.

Disinfection - the reduction, by means of chemical agents and/or physical methods, of the number of micro-organisms in the environment, to a level that does not compromise food safety or suitability.

Establishment - any building or area in which food is handled and the surroundings under the control of the same management.

Food hygiene - all conditions and measures necessary to ensure the safety and suitability of food at all stages of the food chain.

Hazard - a biological, chemical or physical agent in, or condition of, food with the potential to cause an adverse health effect.

HACCP - a system which identifies, evaluates, and controls hazards which are significant for food safety.

Food handler - any person who directly handles packaged or unpackaged food, food equipment and utensils, or food contact surfaces and is therefore expected to comply with food hygiene requirements

Food safety - assurance that food will not cause harm to the consumer when it is prepared and/or eaten according to its intended use.

Food suitability - assurance that food is acceptable for human consumption according to its intended use.

Primary production - those steps in the food chain up to and including, for example, harvesting, slaughter, milking, fishing.

SECTION III - PRIMARY PRODUCTION

OBJECTIVES:

Primary production should be managed in a way that ensures that food is safe and suitable for its intended use. Where necessary, this will include:

- avoiding the use of areas where the environment poses a threat to the safety of food;
- controlling contaminants, pests and diseases of animals and plants in such a way as not to pose a threat to food safety;
- adopting practices and measures to ensure food is produced under appropriately hygienic conditions.

RATIONALE:

To reduce the likelihood of introducing a hazard which may adversely affect the safety of food, or its suitability for consumption, at later stages of the food chain.

3.1 ENVIRONMENTAL HYGIENE

Potential sources of contamination from the environment should be considered. In particular, primary food production should not be carried on in areas where the presence of potentially harmful substances would lead to an unacceptable level of such substances in food.

1.2 3.2 HYGIENIC PRODUCTION OF FOOD SOURCES

The potential effects of primary production activities on the safety and suitability of food should be considered at all times. In particular, this includes identifying any specific points in such activities where a high probability of contamination may exist and taking specific measures to minimize that probability. The HACCP-based approach may assist in the taking of such measures - see Hazard Analysis and Critical Control (HACCP) Point System and Guidelines for its Application (Annex).

Producers should as far as practicable implement measures to:

- control contamination from air, soil, water, feedstuffs, fertilizers (including natural fertilizers), pesticides, veterinary drugs or any other agent used in primary production;
- control plant and animal health so that it does not pose a threat to human health through food consumption, or adversely affect the suitability of the product; and
- protect food sources from faecal and other contamination.

In particular, care should be taken to manage wastes, and store harmful substances appropriately. On-farm programmes which achieve specific food safety goals are becoming an important part of primary production and should be encouraged.

3.3 HANDLING, STORAGE AND TRANSPORT

Procedures should be in place to:

- sort food and food ingredients to segregate material which is evidently unfit for human consumption;
- dispose of any rejected material in a hygienic manner; and
- Protect food and food ingredients from contamination by pests, or by chemical, physical or microbiological contaminants or other objectionable substances during handling, storage and transport.

Care should be taken to prevent, so far as reasonably practicable, deterioration and spoilage through appropriate measures which may include controlling temperature, humidity, and/or other controls.

3.4 CLEANING, MAINTENANCE AND PERSONNEL HYGIENE AT PRIMARY PRODUCTION

Appropriate facilities and procedures should be in place to ensure that:

- any necessary cleaning and maintenance is carried out effectively; and
- an appropriate degree of personal hygiene is maintained.

SECTION IV - ESTABLISHMENT: DESIGN AND FACILITIES

OBJECTIVES:

Depending on the nature of the operations, and the risks associated with them, premises, equipment and facilities should be located, designed and constructed to ensure that:

- contamination is minimized;
- design and layout permit appropriate maintenance, cleaning and disinfections and minimize air-borne contamination;
- surfaces and materials, in particular those in contact with food, are non-toxic in intended use and, where necessary, suitably durable, and easy to maintain and clean;
- where appropriate, suitable facilities are available for temperature, humidity and other controls; and
- there is effective protection against pest access and harbourage.

RATIONALE:

Attention to good hygienic design and construction, appropriate location, and the provision of adequate facilities, is necessary to enable hazards to be effectively controlled.

4.1 LOCATION

4.1.1 Establishments

Potential sources of contamination need to be considered when deciding where to locate food establishments, as well as the effectiveness of any reasonable measures that might be taken to protect food. Establishments should not be located anywhere where, after considering such protective measures, it is clear that there will remain a threat to food safety or suitability. In particular, establishments should normally be located away from:

- environmentally polluted areas and industrial activities which pose a serious threat of contaminating food;
- areas subject to flooding unless sufficient safeguards are provided;
- areas prone to infestations of pests;
- areas where wastes, either solid or liquid, cannot be removed effectively.

4.1.2 Equipment

Equipment should be located so that it:

- permits adequate maintenance and cleaning;
- functions in accordance with its intended use; and
- · facilitates good hygiene practices, including monitoring.

4.2 PREMISES AND ROOMS

4.2.1 Design and layout

Where appropriate, the internal design and layout of food establishments should permit good food hygiene practices, including protection against cross-contamination between and during operations by foodstuffs.

4.2.2 Internal structures and fittings

Structures within food establishments should be soundly built of durable materials and be easy to maintain, clean and where appropriate, able to be disinfected. In particular the following specific conditions should be satisfied where necessary to protect the safety and suitability of food:

- the surfaces of walls, partitions and floors should be made of impervious materials with no toxic effect in intended use;
- walls and partitions should have a smooth surface up to a height appropriate to the operation;
- floors should be constructed to allow adequate drainage and cleaning;
- ceilings and overhead fixtures should be constructed and finished to minimize the build up of dirt and condensation, and the shedding of particles;
- windows should be easy to clean, be constructed to minimize the build up of dirt and where necessary, be fitted with removable and cleanable insect-proof screens. Where necessary, windows should be fixed;
- doors should have smooth, non-absorbent surfaces, and be easy to clean and, where necessary, disinfect;
- working surfaces that come into direct contact with food should be in sound condition, durable
 and easy to clean, maintain and disinfect. They should be made of smooth, non-absorbent
 materials, and inert to the food, to detergents and disinfectants under normal operating
 conditions.

4.2.3 Temporary/mobile premises and vending machines

Premises and structures covered here include market stalls, mobile sales and street vending vehicles, temporary premises in which food is handled such as tents and marquees.

Such premises and structures should be sited, designed and constructed to avoid, as far as reasonably practicable, contaminating food and harbouring pests.

In applying these specific conditions and requirements, any food hygiene hazards associated with such facilities should be adequately controlled to ensure the safety and suitability of food.

4.3 EQUIPMENT

4.3.1 General

Equipment and containers (other than once-only use containers and packaging) coming into contact with food, should be designed and constructed to ensure that, where necessary, they can be adequately cleaned, disinfected and maintained to avoid the contamination of food. Equipment and containers should be made of materials with no toxic effect in intended use. Where necessary, equipment should be durable and movable or capable of being disassembled to allow

for maintenance, cleaning, disinfection, monitoring and, for example, to facilitate inspection for pests.

4.3.2 Food control and monitoring equipment

In addition to the general requirements in paragraph 4.3.1, equipment used to cook, heat treat, cool, store or freeze food should be designed to achieve the required food temperatures as rapidly as necessary in the interests of food safety and suitability, and maintain them effectively. Such equipment should also be designed to allow temperatures to be monitored and controlled. Where necessary, such equipment should have effective means of controlling and monitoring humidity, air-flow and any other characteristic likely to have a detrimental effect on the safety or suitability of food. These requirements are intended to ensure that:

- harmful or undesirable micro-organisms or their toxins are eliminated or reduced to safe levels
 or their survival and growth are effectively controlled;
- where appropriate, critical limits established in HACCP-based plans can be monitored; and
- temperatures and other conditions necessary to food safety and suitability can be rapidly achieved and maintained.

4.3.3 Containers for waste and inedible substances

Containers for waste, by-products and inedible or dangerous substances, should be specifically identifiable, suitably constructed and, where appropriate, made of impervious material. Containers used to hold dangerous substances should be identified and, where appropriate, be lockable to prevent malicious or accidental contamination of food.

4.4 FACILITIES

4.4.1 Water supply

An adequate supply of potable water with appropriate facilities for its storage, distribution and temperature control, should be available whenever necessary to ensure the safety and suitability of food.

Potable water should be as specified in the latest edition of WHO Guidelines for Drinking Water Quality, or water of a higher standard. Non-potable water (for use in, for example, fire control, steam production, refrigeration and other similar purposes where it would not contaminate food), shall have a separate system. Non-potable water systems shall be identified and shall not connect with, or allow reflux into, potable water systems.

4.4.2 Drainage and waste disposal

Adequate drainage and waste disposal systems and facilities should be provided. They should be designed and constructed so that the risk of contaminating food or the potable water supply is avoided.

4.4.3 Cleaning

Adequate facilities, suitably designated, should be provided for cleaning food, utensils and equipment. Such facilities should have an adequate supply of hot and cold potable water where appropriate.

4.4.4 Personnel hygiene facilities and toilets

Personnel hygiene facilities should be available to ensure that an appropriate degree of personal hygiene can be maintained and to avoid contaminating food. Where appropriate, facilities should include:

- adequate means of hygienically washing and drying hands, including wash basins and a supply of hot and cold (or suitably temperature controlled) water;
- lavatories of appropriate hygienic design; and
- adequate changing facilities for personnel.

Such facilities should be suitably located and designated.

4.4.5 Temperature control

Depending on the nature of the food operations undertaken, adequate facilities should be available for heating, cooling, cooking, refrigerating and freezing food, for storing refrigerated or frozen foods, monitoring food temperatures, and when necessary, controlling ambient temperatures to ensure the safety and suitability of food.

4.4.6 Air quality and ventilation

Adequate means of natural or mechanical ventilation should be provided, in particular to:

- minimize air-borne contamination of food, for example, from aerosols and condensation droplets;
- control ambient temperatures;
- control odours which might affect the suitability of food; and
- control humidity, where necessary, to ensure the safety and suitability of food.

Ventilation systems should be designed and constructed so that air does not flow from contaminated areas to clean areas and, where necessary, they can be adequately maintained and cleaned.

4.4.7 Lighting

Adequate natural or artificial lighting should be provided to enable the undertaking to operate in a hygienic manner. Where necessary, lighting should not be such that the resulting colour is misleading. The intensity should be adequate to the nature of the operation. Lighting fixtures should, where appropriate, be protected to ensure that food is not contaminated by breakages.

4.4.8 Storage

Where necessary, adequate facilities for the storage of food, ingredients and non-food chemicals (e.g. cleaning materials, lubricants, fuels) should be provided.

Where appropriate, food storage facilities should be designed and constructed to:

- permit adequate maintenance and cleaning;
- avoid pest access and harbourage;
- enable food to be effectively protected from contamination during storage; and

 where necessary, provide an environment which minimizes the deterioration of food (e.g. by temperature and humidity control).

The type of storage facilities required will depend on the nature of the food. Where necessary, separate, secure storage facilities for cleaning materials and hazardous substances should be provided.

SECTION V - CONTROL OF OPERATION

OBJECTIVE:

To produce food which is safe and suitable for human consumption by:

- formulating design requirements with respect to raw materials, composition, processing, distribution, and consumer use to be met in the manufacture and handling of specific food items, and
- designing, implementing, monitoring and reviewing effective control systems.

RATIONALE:

To reduce the risk of unsafe food by taking preventive measures to assure the safety and suitability of food at an appropriate stage in the operation by controlling food hazards.

5.1 CONTROL OF FOOD HAZARDS

Food business operators should control food hazards through the use of systems such as HACCP. They should:

- identify any steps in their operations which are critical to the safety of food;
- implement effective control procedures at those steps;
- monitor control procedures to ensure their continuing effectiveness; and
- review control procedures periodically, and whenever the operations change.

These systems should be applied throughout the food chain to control food hygiene throughout the shelf-life of the product through proper product and process design.

Control procedures may be simple, such as checking stock rotation calibrating equipment, or correctly loading refrigerated display units. In some cases a system based on expert advice, and involving documentation, may be appropriate. A model of such a food safety system is described in Hazard Analysis and Critical Control (HACCP) System and Guidelines for its Application (Annex).

5.2 KEY ASPECTS OF HYGIENE CONTROL SYSTEMS

5.2.1 Time and temperature control

Inadequate food temperature control is one of the most common causes of foodborne illness or food spoilage. Such controls include time and temperature of cooking, cooling, processing and storage. Systems should be in place to ensure that temperature is controlled effectively where it is critical to the safety and suitability of food.

Temperature control systems should take into account:

- the nature of the food, e.g. its water activity, pH, and likely initial level and types of microorganisms;
- the intended shelf-life of the product;
- the method of packaging and processing; and
- how the product is intended to be used, e.g. further cooking/processing or ready-to-eat.

Such systems should also specify tolerable limits for time and temperature variations.

Temperature recording devices should be checked at regular intervals and tested for accuracy.

5.2.2 Specific process steps

Other steps which contribute to food hygiene may include, for example:

- chilling
- thermal processing
- irradiation
- drying
- chemical preservation
- vacuum or modified atmospheric packaging

5.2.3 Microbiological and other specifications

Management systems described in paragraph 5.1 offer an effective way of ensuring the safety and suitability of food. Where microbiological, chemical or physical specifications are used in any food control system, such specifications should be based on sound scientific principles and state, where appropriate, monitoring procedures, analytical methods and action limits.

5.2.4 Microbiological cross-contamination

Pathogens can be transferred from one food to another, either by direct contact or by food handlers, contact surfaces or the air. Raw, unprocessed food should be effectively separated, either physically or by time, from ready-to-eat foods, with effective intermediate cleaning and where appropriate disinfection.

Access to processing areas may need to be restricted or controlled. Where risks are particularly high, access to processing areas should be only via a changing facility. Personnel may need to be required to put on clean protective clothing including footwear and wash their hands before entering.

Surfaces, utensils, equipment, fixtures and fittings should be thoroughly cleaned and where necessary disinfected after raw food, particularly meat and poultry, has been handled or processed.

5.2.5 Physical and chemical contamination

Systems should be in place to prevent contamination of foods by foreign bodies such as glass or metal shards from machinery, dust, harmful fumes and unwanted chemicals. In manufacturing and processing, suitable detection or screening devices should be used where necessary.

5.3 Incoming material requirements

No raw material or ingredient should be accepted by an establishment if it is known to contain parasites, undesirable micro-organisms, pesticides, veterinary drugs or toxic, decomposed or extraneous substances which would not be reduced to an acceptable level by normal sorting and/or processing. Where appropriate, specifications for raw materials should be identified and applied.

Raw materials or ingredients should, where appropriate, be inspected and sorted before processing. Where necessary, laboratory tests should be made to establish fitness for use. Only sound, suitable raw materials or ingredients should be used.

Stocks of raw materials and ingredients should be subject to effective stock rotation.

5.4 PACKAGING

Packaging design and materials should provide adequate protection for products to minimize contamination, prevent damage, and accommodate proper labelling. Packaging materials or gases where used must be non-toxic and not pose a threat to the safety and suitability of food under the specified conditions of storage and use. Where appropriate, reusable packaging should be suitably durable, easy to clean and, where necessary, disinfect.

5.5 WATER

5.5.1 In contact with food

Only potable exceptions: water, should be used in food handling and processing, with the following

- for steam production, fire control and other similar purposes not connected with food; and
- in certain food processes, e.g. chilling, and in food handling areas, provided this does not constitute a hazard to the safety and suitability of food (e.g. the use of clean sea water).

Water recirculated for reuse should be treated and maintained in such a condition that no risk to the safety and suitability of food results from its use. The treatment process should be effectively monitored. Recirculated water which has received no further treatment and water recovered from processing of food by evaporation or drying may be used, provided its use does not constitute a risk to the safety and suitability of food.

5.5.2 As an ingredient

Potable water should be used wherever necessary to avoid food contamination.

5.5.3 Ice and steam

Ice should be made from water that complies with section 4.4.1. Ice and steam should be produced, handled and stored to protect them from contamination.

Steam used in direct contact with food or food contact surfaces should not constitute a threat to the safety and suitability of food.

5.6 MANAGEMENT AND SUPERVISION

The type of control and supervision needed will depend on the size of the business, the nature of its activities and the types of food involved. Managers and supervisors should have enough knowledge of food hygiene principles and practices to be able to judge potential risks, take

appropriate preventive and corrective action, and ensure that effective monitoring and supervision takes place.

5.7 DOCUMENTATION AND RECORDS

Where necessary, appropriate records of processing, production and distribution should be kept and retained for a period that exceeds the shelf-life of the product. Documentation can enhance the credibility and effectiveness of the food safety control system.

5.8 RECALL PROCEDURES

Managers should ensure effective procedures are in place to deal with any food safety hazard and to enable the complete, rapid recall of any implicated lot of the finished food from the market. Where a product has been withdrawn because of an immediate health hazard, other products which are produced under similar conditions, and which may present a similar hazard to public health, should be evaluated for safety and may need to be withdrawn. The need for public warnings should be considered.

Recalled products should be held under supervision until they are destroyed, used for purposes other than human consumption, determined to be safe for human consumption, or reprocessed in a manner to ensure their safety.

SECTION VI - ESTABLISHMENT: MAINTENANCE AND SANITATION

OBJECTIVE:

To establish effective systems to:

- ensure adequate and appropriate maintenance and cleaning;
- control pests;
- manage waste; and
- monitor effectiveness of maintenance and sanitation procedures.

RATIONALE:

To facilitate the continuing effective control of food hazards, pests, and other agents likely to contaminate food.

6.1 MAINTENANCE AND CLEANING

6.1.1 General

Establishments and equipment should be kept in an appropriate state of repair and condition to:

- facilitate all sanitation procedures;
- function as intended, particularly at critical steps (see paragraph 5.1);
- prevent contamination of food, e.g. from metal shards, flaking plaster, debris and chemicals.

Cleaning should remove food residues and dirt which may be a source of contamination. The necessary cleaning methods and materials will depend on the nature of the food business. Disinfection may be necessary after cleaning.

Cleaning chemicals should be handled and used carefully and in accordance with manufacturers' instructions and stored, where necessary, separated from food, in clearly identified containers to avoid the risk of contaminating food.

6.1.2 Cleaning procedures and methods

Cleaning can be carried out by the separate or the combined use of physical methods, such as heat, scrubbing, turbulent flow, vacuum cleaning or other methods that avoid the use of water, and chemical methods using detergents, alkalis or acids.

Cleaning procedures will involve, where appropriate:

- removing gross debris from surfaces;
- applying a detergent solution to loosen soil and bacterial film and hold them in solution or suspension;
- rinsing with water which complies with section 4, to remove loosened soil and residues of detergent;
- dry cleaning or other appropriate methods for removing and collecting residues and debris;
- where necessary, disinfection with subsequent rinsing unless the manufacturers' instructions indicate on scientific basis that rinsing is not required.

6.2 CLEANING PROGRAMMES

Cleaning and disinfection programmes should ensure that all parts of the establishment are appropriately clean, and should include the cleaning of cleaning equipment.

Cleaning and disinfection programmes should be continually and effectively monitored for their suitability and effectiveness and where necessary, documented.

Where written cleaning programmes are used, they should specify:

- areas, items of equipment and utensils to be cleaned;
- responsibility for particular tasks;
- method and frequency of cleaning; and
- monitoring arrangements.

Where appropriate, programmes should be drawn up in consultation with relevant specialist expert advisors.

6.3 PEST CONTROL SYSTEMS

6.3.1 General

Pests pose a major threat to the safety and suitability of food. Pest infestations can occur where there are breeding sites and a supply of food. Good hygiene practices should be employed to avoid creating an environment conducive to pests. Good sanitation, inspection of incoming materials and good monitoring can minimize the likelihood of infestation and thereby limit the need for pesticides.

6.3.2 Preventing access

Buildings should be kept in good repair and condition to prevent pest access and to eliminate potential breeding sites. Holes, drains and other places where pests are likely to gain access should be kept sealed. Wire mesh screens, for example on open windows, doors and ventilators, will reduce the problem of pest entry. Animals should, wherever possible, be excluded from the grounds of factories and food processing plants.

6.3.3 Harbourage and infestation

The availability of food and water encourages pest harbourage and infestation. Potential food sources should be stored in pest-proof containers and/or stacked above the ground and away from walls. Areas both inside and outside food premises should be kept clean. Where appropriate, refuse should be stored in covered, pest-proof containers.

6.3.4 Monitoring and detection

Establishments and surrounding areas should be regularly examined for evidence of infestation.

6.3.5 Eradication

Pest infestations should be dealt with immediately and without adversely affecting food safety or suitability. Treatment with chemical, physical or biological agents should be carried out without posing a threat to the safety or suitability of food.

6.4 WASTE MANAGEMENT

Suitable provision must be made for the removal and storage of waste. Waste must not be allowed to accumulate in food handling, food storage, and other working areas and the adjoining environment except so far as is unavoidable for the proper functioning of the business.

Waste stores must be kept appropriately clean.

6.5 MONITORING EFFECTIVENESS

Sanitation systems should be monitored for effectiveness, periodically verified by means such as audit pre-operational inspections or, where appropriate, microbiological sampling of environment and food contact surfaces and regularly reviewed and adapted to reflect changed circumstances.

SECTION VII - ESTABL<mark>ISHMENT: PERSONAL HYGIENE</mark>

OBJECTIVES:

To ensure that those who come directly or indirectly into contact with food are not likely to contaminate food by:

- maintaining an appropriate degree of personal cleanliness;
- behaving and operating in an appropriate manner.

RATIONALE

People who do not maintain an appropriate degree of personal cleanliness, who have certain illnesses or conditions or who behave inappropriately, can contaminate food and transmit illness to consumers.

7.1 HEALTH STATUS

People known, or suspected, to be suffering from, or to be a carrier of a disease or illness likely to be transmitted through food, should not be allowed to enter any food handling area if there is a likelihood of their contaminating food. Any person so affected should immediately report illness or symptoms of illness to the management.

Medical examination of a food handler should be carried out if clinically or epidemiologically indicated.

7.2 ILLNESS AND INJURIES

Conditions which should be reported to management so that any need for medical examination and/or possible exclusion from food handling can be considered, include:

- jaundice;
- diarrhoea;
- vomiting;
- fever;
- sore throat with fever;
- visibly infected skin lesions (boils, cuts, etc.);
- discharges from the ear, eye or nose.

7.3 Personal CleanLiness

Food handlers should maintain a high degree of personal cleanliness and, where appropriate, wear suitable protective clothing, head covering, and footwear. Cuts and wounds, where personnel are permitted to continue working, should be covered by suitable waterproof dressings.

Personnel should always wash their hands when personal cleanliness may affect food safety, for example:

- at the start of food handling activities;
- immediately after using the toilet; and
- after handling raw food or any contaminated material, where this could result in contamination
 of other food items; they should avoid handling ready-to-eat food, where appropriate.

7.4 PERSONAL BEHAVIOUR

People engaged in food handling activities should refrain from behaviour which could result in contamination of food, for example:

- smoking;
- spitting;
- chewing or eating;
- sneezing or coughing over unprotected food.

Personal effects such as jewellery, watches, pins or other items should not be worn or brought into food handling areas if they pose a threat to the safety and suitability of food.

7.5 VISITORS

Visitors to food manufacturing, processing or handling areas should, where appropriate, wear protective clothing and adhere to the other personal hygiene provisions in this section.

SECTION VIII - TRANSPORTATION

OBJECTIVES:

Measures should be taken where necessary to:

- protect food from potential sources of contamination;
- protect food from damage likely to render the food unsuitable for consumption; and
- provide an environment which effectively controls the growth of pathogenic or spoilage micro-organisms and the production of toxins in food.

RATIONALE:

Food may become contaminated, or may not reach its destination in a suitable condition for consumption, unless effective control measures are taken during transport, even where adequate hygiene control measures have been taken earlier in the food chain.

8.1 GENERAL

Food must be adequately protected during transport. The type of conveyances or containers required depends on the nature of the food and the conditions under which it has to be transported.

8.2 REQUIREMENTS

Where necessary, conveyances and bulk containers should be designed and constructed so that they:

- do not contaminate foods or packaging;
- can be effectively cleaned and, where necessary, disinfected;
- permit effective separation of different foods or foods from non-food items where necessary during transport;
- provide effective protection from contamination, including dust and fumes;
- can effectively maintain the temperature, humidity, atmosphere and other conditions necessary
 to protect food from harmful or undesirable microbial growth and deterioration likely to
 render it unsuitable for consumption; and
- allow any necessary temperature, humidity and other conditions to be checked.

8.3 USE AND MAINTENANCE

Conveyances and containers for transporting food should be kept in an appropriate state of cleanliness, repair and condition. Where the same conveyance or container is used for transporting different foods, or non-foods, effective cleaning and, where necessary, disinfection should take place between loads.

Where appropriate, particularly in bulk transport, containers and conveyances should be designated and marked for food use only and be used only for that purpose.

SECTION IX - PRODUCT INFORMATION AND CONSUMER AWARENESS

OBJECTIVES:

Products should bear appropriate information to ensure that:

- adequate and accessible information is available to the next person in the food chain to enable them to handle, store, process, prepare and display the product safely and correctly;
- the lot or batch can be easily identified and recalled if necessary.

Consumers should have enough knowledge of food hygiene to enable them to:

- understand the importance of product information;
- make informed choices appropriate to the individual; and
- prevent contamination and growth or survival of foodborne pathogens by storing, preparing and using it correctly.

Information for industry or trade users should be clearly distinguishable from consumer information, particularly on food labels.

RATIONALE:

Insufficient product information, and/or inadequate knowledge of general food hygiene, can lead to products being mishandled at later stages in the food chain. Such mishandling can result in illness, or products becoming unsuitable for consumption, even where adequate hygiene control measures have been taken earlier in the food chain.

9.1 LOT IDENTIFICATION

Lot identification is essential in product recall and also helps effective stock rotation. Each container of food should be permanently marked to identify the producer and the lot. Codex General Standard for the Labelling of Prepackaged Foods (CODEX STAN 1-1985, Rev. 1(1991)) applies.

9.2 PRODUCT INFORMATION

All food products should be accompanied by or bear adequate information to enable the next person in the food chain to handle, display, store and prepare and use the product safely and correctly.

9.3 LABELLING

Prepackaged foods should be labelled with clear instructions to enable the next person in the food chain to handle, display, store and use the product safely. Codex General Standard for the Labelling of Prepackaged Foods (CODEX STAN 1-1985, Rev. (1991)) applies.

9.4 CONSUMER EDUCATION

Health education programmes should cover general food hygiene. Such programmes should enable consumers to understand the importance of any product information and to follow any instructions accompanying products, and make informed choices. In particular consumers should be informed of the relationship between time/temperature control and foodborne illness.

SECTION X - TRAINING

OBJECTIVE:

Those engaged in food operations who come directly or indirectly into contact with food should be trained, and/or instructed in food hygiene to a level appropriate to the operations they are to perform.

RATIONALE:

Training is fundamentally important to any food hygiene system.

Inadequate hygiene training, and/or instruction and supervision of all people involved in food related activities pose a potential threat to the safety of food and its suitability for consumption.

10.1 AWARENESS AND RESPONSIBILITIES

Food hygiene training is fundamentally important. All personnel should be aware of their role and responsibility in protecting food from contamination or deterioration. Food handlers should have the necessary knowledge and skills to enable them to handle food hygienically. Those who handle strong cleaning chemicals or other potentially hazardous chemicals should be instructed in safe handling techniques.

10.2 TRAINING PROGRAMMES

Factors to take into account in assessing the level of training required include:

- the nature of the food, in particular its ability to sustain growth of pathogenic or spoilage micro-brganisms;
- the manner in which the food is handled and packed, including the probability of contamination;
- the extent and nature of processing or further preparation before final consumption;
- the conditions under which the food will be stored; and
- the expected length of time before consumption.

10.3 Instruction and supervision

Periodic assessments of the effectiveness of training and instruction programmes should be made, as well as routine supervision and checks to ensure that procedures are being carried out effectively.

Managers and supervisors of food processes should have the necessary knowledge of food hygiene principles and practices to be able to judge potential risks and take the necessary action to remedy deficiencies.

10.4 REFRESHER TRAINING

Training programmes should be routinely reviewed and updated where necessary. Systems should be in place to ensure that food handlers remain aware of all procedures necessary to maintain the safety and suitability of food.

RECREATION GUIDE

Based on M.Gold, Seymour in his book Recreation Planning and Design, a recreation system is needed human service orientation. The use of leisure time has important implications on human development and human existance. This implication means planner or designers must accept consequences of what they do in terms of making people and community better. Emphasize a humanistic approach based on these concept, they are:

- Emphasize human development, social welfare, and comunity integration.
 Service should be define in terms of human experiences.
- Provide for the needs of social group by making social place to gather.
- Shift their philoshopy of service to environmental beautification.
- Plan with, instead of for people and be held accountable for their actions.

Seymour added if there is standart that an architect have to fulfill in order to make the ideal recreation place. Standart are relative requirement that can serve as guidelines or criteria in the planning and decision process. They should considered as meand to help assess the attainment of objectives. Below are some principal users standart:

 System planning, the preparation of a comprehensive recreation plan and integration of a public or private land uses at the community scales.

- Facility/site planning, the determination of what types of facilities are possible on a given site.
- Razionalisation, the justification or priority given to people for the acquisition and development of recreation facilities.

Criteria of standart:

- People orientation, needs of people in recreation area, instead of people serving..
- Practically, Apply, revise, or project in planning decision process. Making of circumstances message to guest.
- Relevance, related between people and times.

Based on all theory above, the Frozen Frog Factory have made applications in order to fulfill standart which is making a good side function of its factory that is recreation.

Standarisation	Circumstances	Factory Recreation Applications
System planning	Frozen Frog Factory which is a food factory	Making a concept study tour as recreation to see the process of making raw frog into frozen frog and frozen frog legs.
Site Planning	Division of Frozen Frog Factory which is split into 6	Make a tour using vehicle cart which make possible to see

	building complex	the process direct or indirect.
Razionalisation	Frozen Frog Factory as	Possible in making recreational
	manufactured and	factory
	recreational factory	
People orientation	People which need social	Making public space in Frozen
	space,	Frog Factory as facilities for
		recreation gathering
Practically	Forbid the guest on doing	Make a warning board and
	such things whom can dirt the	boundaries to prevent the
R	process of manufactured.	harm fro <mark>m and for the</mark> guest.
Relevance	Elapse of time	Giving such time each person
11		to give a fair situation in doing
	0 V	7 + 11

Inspite of those standart, there are several things that guest might do and might harm the hygiene of factory. Below are the bad attitude that guest musn't do inside factory (based on HACCP standarr point 7.4):

- Smoking
- Spitting
- Chewing or eating

- Sneezing or coughing over unprotected food
- Stealing
- Split from the group
- Walk across borders or touch dangerous machine

To handle those problems, the Frozen Frog Factory will do :

- Give a message board and warn not to smoke, chewing, touch things or machine, or eating inside the factory.
- Forbidden the people who caught influenza or cought to enter factory without mask
- Give permission to security to guide the guests out of factory if they ignore the message board and warn
- Give permission to security to guide the guests to police station if the guest are trying to steal or already steal
- Keep the guide to watch and count the number of guest so they won't split up
- Children under 10 years have to under surveillance of man or parents.
- Give railling or borders to keep guest safe but still can watch properly.

Water Treatment System

According to core issue of this project which called "energy efficieny", recycle to waste water will also help to efficient the energy which consumed by buildings. Instad of financial and economy matter, a recycle to waste water will help to save the environment and create a sustainable system to make a treatment of liquid waste.

Based on the industrial treatment plan in Singapore, the system of Frozen Frog Factory will divide into several important step which is important, they are:



Those step above is the main part of treatment and using additional chemical treatment which help a lot to kill some dangerous bacteria to keep the water in good quality enough. This steps isn't follow all the steps from the process because there's no need to take sands like Singapore used to do (here the sand will only be thrown away while the organic dirt will be sold and make a fertile).

Below are the amount of water which are going to be treatment:

Assumption of amount of waste water

BUILDING	TOTAL AREA (m2)	Total waste water (in litre)
Administration Building	629.85	250
Process Building	6338.7	15000
Convention Building	651.3	250

Cultivation Area	1635.4	350
Service Building	7738.5	500
Warehouse Building	5135.35	0
MEE	4449	0
TOTAL WASTE WATER	→	16350 LITER

However the amount of water which gonna be treatment will be saved and the rest will be thrown to the ground, then the saved waste water will be placed in module concrete box with amount 10m x 10m x 10m or capacity 10.000 liter each process. The assumption for waste will be 500litre of dirt (liquid or shaped) in every process except for sand will be 1500litre due to the weight assumption of the dirt. Below are the amount and division of steps :



PROYEK AKHIR ARSISTEKTUR PAA <u>62</u> PERIODE SEMESTER GANJIL, 2012/2013

HASIL PREVIEW TAHAP LTP (Lingkup KOMPLEKS BANGUNAN) Homeiser Santion Frizer **EVALUASI: ISI/SUBSTANSI** CATATAN A. LAPORAN HASIL SURVEY (Lokasi dan Obyek ; Waktu pelaksanaan survey ; Jenis data dan metode ; deskripsi singkat dan hasil data) (Data fisik & non fisik, data visual, foto-foto, peta-peta) B. TINJAUAN PROYEK (Tinjauan Umum, Tinjauan Khusus, Kesimpulan, Batasan, Anggapan) C. PROGRAM ARSITEKTUR c.1. Analisa Arsitektur (Aktifitas, Fasilitas, Kobutuhan luas/besaran bangunan &lahan) c.2. Analisa Bangunan (Struktur &enclosure, Utilitas, penerapan teknologi) c.3. Analisa Konteks Lingkungan (Pemilihan lokasi dan tapak) c.4. Program (konsep program; tujuan-fak<mark>tor penentu-pe</mark>rsyaratan perancangan;program kegiatan,-ruang-sistem bangunan kokasi & tapak) D. KAJIAN TEORITIS d.1. Penekanan Desain (interpretasi t<mark>eori-studi pr</mark>eseden kemungkinan <mark>penerapan k</mark>e desain) d.2. Permasalahan Dominan (interpretasi teori-studi preseden kemungkinan penerapan ke desain) E. KEPUSTAKAAN (Daftar Pustak<mark>a, Daftar Bacaan)</mark> **EVALUASI: PROSES** KETERANGAN *) CATATAN CUKUP KURANG A. KESIAPAN PREVIEW (penguasaan bahan, teknik presentasi) B. KELENGKAPAN TARGET PRODUK (sesuai panduan)) Bervisi tanda silang (X) yang sesuai

Setelah melakukan preview terhadap berkas draft Landasan Teori dan Program, maka peserta PAR 62 yang namanya tertera di atas

untuk mengikuti Sidang Ujan Tahap Landasan Teori dan Program, dengan tetap memperhatikan catatan-catatan hasil preview LTP di atas

Semarang, 14 September 2012

Previewer,

PROYEK AKHIR ARSISTEKTUR **PAA** <u>62</u> PERIODE SEMESTER GANJIL, 2012/2013

HASIL PREVIEW TAHAP LTP (Lingkup KOMPLEKS BANGUNAN)

Nama: Franska Santoso ; nim: 08-11 / 0005 Judul: Frozen Frog Factory

Pembling: Prof Purwanto

EVALUASI: ISI/SUBSTANSI	
EVALUASI. ISIISUBSTANSI	CATATAN
A. LAPORAN HASIL SURVEY (Lokasi dan Obyek ; Waktu pelaksanaan survey ; Jenis data dan rnetode ; deskripsi singkat dan hasil data) (Data fisik & non fisik, data visual, foto-foto, peta-peta)	
B. TINJAUAN PROYEK (Tinjauan Umum, Tinjauan Khusus, Kesimpulan, Batasan, Anggapan)	Cari emphases
C. PROGRAM ARSITEKTUR c.1. Analisa Arsitektur (Aktilitas, Fasilitas, Kebutuhan luas/besaran bangunan &lahan)	
c.2. Analisa Bangunan (Struktur &enclosure, Utilitas, penerapan taknologi)	Generation day limbered
c.3. Analisa Konteks Lingkungan (F'emilihan lokasi dan tapak)	ASO
C.4. Progr <mark>am</mark> (konsep program; tujuan-faktor penentu-persyaratan perancangan;program kegiatan,-ruang-sistem bangunan lokasi & tapak)	Funger Utama. fizilianga prosentori lebili berar
D. KAJIAN TEORITIS o.1. Penekanan Desain (interpretasi teori-studi preseden kemungkinan penerapan ke desain) d.2. Permasalahan Dominan (interpretasi teori-studi preseden kemungkinan penerapan ke desain)	Kutkan dy fingsi proside
E. KEPUSTAKAAN (Daftar Pustaka, Daftar Bacaan)	₩ ₹ 3

EVALUASI : PROSES	KETERANGAN *)		
	CUKUP	KURANG	CATATAN
A. KESIAPAN PREVIEW (penguasaan bahan, teknik presentasi)	APR		,
B. KELENGKAPAN TARGET PRODUK (sesuai panduan)	N		
rVisi landa silang (X) yang sesuai			

Setelah melakukan preview terhadap berkas draft Landasan Teori dan Program, maka peserta PAA 62 yang namanya tertera di atas

LAYAK/THDAKLAYAK

untuk mengikuti Sidang Ujian Tahap Landasan Teori dan Program, dengan tetap memperhatikan catatan-catatan hasil preview LTP di atas

> Semarang, 14 September 2012 Previewer,

LETTER OF SURVEY PRONOUNCEMENT

The signature below,

Name

: Fransisca Santoso

ID number

: 08.11.0005

Title of Project

: Frozen Frog Factory

Supervisor

: Prof.Dr.-Ing.L.M.F. Purwanto

Is already doing observation in PT Sekar Bumi, TBK as the observation plan of

OFGIJA

Frog Factory Project on July, 26th 2012.

Sidoarjo, July 26th 2012

PT Sekar Bumi TBK,



(Their Hidagit;